

**NATIONAL HIGHWAY AUTHORITY
MINISTRY OF COMMUNICATIONS
GOVERNMENT OF PAKISTAN
ISLAMABAD**



**COMPOSITE SCHEDULE OF RATES
JANUARY 2009
(PUNJAB)**



SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

FOREWARD

Following the increases in prices of materials and labour in the year 2008, the revision / updation of CSR has been carried out. In the year 2008 we have seen the prices of steel / diesel / bitumen go up considerably and towards the end of year have come down. Analysts are still uncertain with the prices in the year 2009. For the year 2009, we have carried out a general revision of all prices upto January 2009 in consultation with leading manufacturer's, supplier, and specialist contractors.

In the absence of standard fix formula the best engineering knowledge and rate analysis practices are used to develop these rates. The variation in the proposed rates is anticipated in certain cases, which may be due to varying degrees / levels of productivity and price differences of various inputs at the regional level.

The rates, prices and outputs included in the resources and unit cost calculations, including allowances for wastage, normal productivity and efficiency are based for roadwork and bridge projects being carried out by NHA. The unit rates are average unit rates for a particular district and not project specific. The market can change very rapidly, which would obviously have an impact on the unit rates.

It must be understood that main objective of the CSR is to provide a realistic reference base for preparing Cost Estimates / PC-I and Evaluation of Bids, for NHA projects.

My gratitude to The Chairman NHA, Member (Finance), Member (Operations), Member (Construction), Member (Motorway) and Member (Planning) without whose guidance and support it would have been difficult to develop this Document.

In the end, my appreciation to my team for all the possible technical and professional efforts to produce Revised Composite Schedule of Rates 2009.

It is hoped that the CSR 2009, would serve as a Basic Engineer's Estimate Reference Document for National Highway Authority, various Government Departments and the construction industry in general.

Whilst all efforts are made to ensure the accuracy of the data and information used in updating the CSR , neither NHA or M/s Shabir Associates can in any way accept liability for loss of any kind resulting from the use of CSR made by any person, institution, company, department etc.

Muhammad Shabir
Q.S & Estimation Specialist
Shabir Associates

CONTENTS

1. General
2. Manpower List
3. Material List
4. Plants & Equipment Owning and Operating Cost
5. Quarry Sites
6. Conversion Factors & Technical Data
7. List of Districts
8. CSR January 2009 Item Rates

1. General

For many years National Highway Authority has been compiling / updating the Composite Schedule of Rates for use in the Civil Engineering Industry. The Civil Engineering Industry uses this Schedule of Rates for pricing work by the application of unit rates to the quantities measured from the designer's drawings. The main objective of the CSR is to provide a realistic reference base for cost estimates. One has to understand no two projects are the same, there are variables which effect the price of the project i.e., the volume of work below ground, embankment height, cut & fill, increased exposure to weather, and the tremendous variety of the projects, in terms of type, complexity and scale makes the straight forward use of unit rates less reliable. This uncertainty is compounded by the lower number of bill items generated in Civil Engineering Projects as compared to Building Works so that the precise nature of work is less apparent from bill descriptions and the statistical effect of 'swings and roundabout' has less scope to average out extremes of pricing.

To prepare a price for a Civil Engineering project, then, it is necessary to have regard to the method to be adopted in executing the work, draw up a detailed programme and then cost out the resources necessary to prosecute the chosen method. The first part of this process is the province of construction planner, there has been a tendency to postpone detailed estimating until the tendering stage itself, with the employer relying upto that point upon an estimate prepared on a 'broad brush' basis.

There is increasing growing pressure on the part of project sponsors for an improvement to budgetary advice, so that a decision to commit expenditure to a particular project is taken on firmer grounds. The absence of detailed price method during the pre-contract phase also inhibits the accurate costing of alternative designs and regular cost checking to ensure that the design is being developed within the employer's budget. The CSR gives unit rates for use when quantities can be taken from available drawings. To take some note of the range of unit rates that might apply to an item, the rates themselves are in some cases related to working method – for example by identifying the different types of plant that would suit varying circumstances. Nonetheless, it would be folly to propose that all types of Civil Engineering work could be covered by the use of CSR. While developing these unit rates, we had in mind the type and scale of work to be commissioned by NHA.

The CSR does embrace the great majority of work undertaken by NHA. Although almost all projects will have individual features that require careful attention in pricing, there will be some projects that are so specialist that they will not confirm to standard pricing information at all. But for most projects, within the range of work covered, this CSR should provide a firm foundation for:

Preparing Project Cost Estimate and PC-1

Evaluating Tender / Bids

Evaluating Claims and Variation Order

Arbitration Matters

In order to prepare an authentic Composite Schedule of Rates and to keep it effective, the basic requirements are as under:

- Collection of first hand, prudent and legitimate information for inputs (Manpower, Material & Equipment) in the rate analysis
- Merging the above information in proper proportion according to Design Specifications and Constructional requirements to create the rate of a work item
- Updating the data inputs every year or from time to time, to revalidate the item rates

2. GENERAL METHODOLOGY:

- a. Composite Schedule of Rates was originally published in the year 1991 and subsequent revisions were carried out in 1995, 2000, 2005, 2006 and 2008. There are total of 91 Districts considered and are given numbers in Alphabetical order and their Province wise breakdown as under:

Province	No of Districts
Punjab	34
Sind	16
NWFP	21
Balochistan	20

Specifications and Methodology for Construction items have been adopted as given in General Specification of National Highway Authority (1998). Items of work for construction have been given the same numbers as appearing in the General Specifications of National Highway Authority.

- b. These rates are based on the existing formulae and efficiency levels used in the preparation of CSR 2005, 2006 and 2008 with some modifications.
- c. The rates analysis of individual items of CSR 2009 consists of four basic inputs, which have been assigned the same code numbers as in the previous Composite Schedule of Rates.
- i. Manpower code starting from 1001 onwards
 - ii. Material code starting from 2001 onwards
 - iii. Equipment code starting from 3001 onwards
 - iv. Overheads, Profits & Preliminaries

d. For the preparation of rates following documents have been referred:

- i. General Specifications 1998
- ii. NHA Composite Schedule of Rates 2005, 2006 & 2008 and its basic data
- iii. Statistical Bulletins by Federal Bureau of Statistics
- iv. Current Market rates study

Code list of Manpower, Material and Equipment appear at the end of the chapter for the convenience of the users.

2.1 MANPOWER:

a. Allocation of Code Numbers:

Costs of manpower engaged on Plant & Equipment have been included in rental charges of Plant & Equipment and only site supervisory staff have been considered under the heading of Manpower. Code numbers are allocated accordingly to such manpower that is directly charged to the items of work. Manpower cost for top supervision, administration and other non-productive works of support services have been considered under overhead charges.

b. Formulation of Rates:

Manpower basic rates collected from districts have been first scrutinized, to eliminate irrational information and following overheads are applied to include fringe benefits and other charges:

- i. Social Security Payment
- ii. E.O.B.I. Payment
- iii. Education Cess Payment
- iv. Yearly Leave Salary (Earned, casual and sick)
- v. Bonus (Compulsory)
- vi. Provident Fund (Contribution of Employer) or Gratuity
- vii. Mess Expenses (Site Staff)
- viii. Entertainment Allowance (Provisional)
- ix. Group Life Insurance
- x. Site Staff Accommodation

After including above overheads, manpower rates for each of the 91 district have been calculated and separate records developed for use by the Computer Program.

2.2 CONSTRUCTION MATERIAL:

a. Allocation of Code Numbers to Materials:

List of materials required for road construction has been first prepared from the construction items appearing in the General Specifications of National Highway Authority. After arranging the construction material list in order, code numbers have been allocated.

b. Formulation of Rates:

Considering the location of each district, Engineers decided the most appropriate source of construction materials for all the code numbers. The cost of material at source has been established from field data and transportation rates calculated, to arrive at the landed cost of material at the district headquarters.

c. Cost of Material

In order to arrive at a "Material at sources" rate, following considerations have been made.

- i. Material royalty at quarry (actual or estimated)
- ii. Cost of Preparation of material
- iii. Unauthorized local charges in the province of Balochistan and Sind
- iv. Loading of material in truck / trailer etc

d. Cost of Transportation

Transportation charges have been taken as actual, where local transporters are available. However, in some districts where local transporters rates are not quoted, transportation charges graphs have been used.

In case of quarry materials, the source of materials for embankment, Sub-Base or Base Course can be more than one; however, the most appropriate source from the point of view of quality and economy has been used for preparing the Composite Schedule of Rates – 2009.

2.3 PLANT AND EQUIPMENT

a. Allocation of Code Numbers

The list of plant and equipment includes major equipment whereas small equipment, tools and attachments are ignored, as these have been charged under the item of overhead. After arranging the list in order, code numbers have been allocated starting from 3001 (onwards).

b. Power, Performance and Maintenance of Plant & Equipment

To arrive at the decision for choosing the right horse power, appropriate performance level and reasonable maintenance charges, the recommendation of well known suppliers have been considered. In order to decide the price level of any equipment, average cost has been used, which includes C&F price, plus duties and taxes etc.

c. Formulation of Rates of Plant and Equipment

The owning and operating costs are similar for all the districts, unlike manpower and materials where rates may differ for each district.

The owning and operating costs are developed by using a standard format. The duties and taxes have been calculated as per the latest Excise and Land Customs Tariff for calculating total cost of equipment.

Fuel consumption, working efficiency and maintenance costs have been fixed after consulting the recommendation of the manufacturers. Equipment economical life and tire life have been fixed after consulting several organizations using heavy and light equipment in the present indigenous conditions.

The owning and operating costs for 80 types of equipment is provided at the end of this chapter.

2.4 FORMULAE FOR CONSTRUCTION ITEMS

All the basic inputs have been updated in the individual rates analysis. These formulae have been created by appropriate quantitative inputs of the following items.

Manpower	Hour and Number
Material	Weight, Volume, Length and Unit
Plant Equipment	Hour and Number
Overheads, profit and preliminaries	25 percent

2.5 OVERHEADS, PROFIT & PRELIMINARIES

a. Profit

The level of profit is governed by the degree of competition applicable to the job which is in turn a function of the industry's current work load. The appropriate addition is highly variable.

b. Head Office Overheads

An addition to the estimate needs to be made to the net estimate to cover all costs incurred in operating the central services provided by head office. Apart

from general management and accountancy, this will normally include the departments dealing with:

Tendering / Estimating

Planning & design

Wages and bonus

Finance Cost:- *Some companies would include finance costs with head office overheads, but this will vary from contractor to contractor.*

The appropriate addition varies with the extent of services provided centrally and company to company, rather than on site, and with size of organization.

c. Preliminaries

Preliminaries cost in Civil Engineering works or indirectly related to the actual quantity of work being carried out. It comprises a definition of method related charges, a checklist of items to be accounted for on typical Civil Engineering Contract.

Generally contract document give detailed requirements for the facilities and equipment to be provided for the employer and the Engineer's Representative given in the Bill of Quantities. Thus General Items given in the BOQ are excluded from the check list of preliminaries.

The following checklist is representative but not exhaustive which is not covered in the BOQ or General items section. The list describes the major preliminaries which are included, implicitly or explicitly, in a typically Civil Engineering Contract.

- **Contractor's site on costs**
- **Temporary works (other than those included in unit cost)**
- **General purpose plant (other than those included in unit cost)**
- **Other services, charges and fees**
- **Site Staff Salaries**

All non-productive supervisory staff on site i.e., agents, clerks, computer operators, security guards, store men, drivers for staff vehicles, cleaners, general labour for general clearance etc.

- **Plant Maintenance**

Fitters, electricians and assistants engaged on general plant maintenance on site (excludes drivers who are provided in the unit costs)

- **Site Transport for Staff and General Use**

Vehicles / buses provided for use of staff and others including running costs etc.

- **Contractors offices rental / construction / site huts and associated running costs.**
- **Canteen, welfare / medical**
- **General office expenditure**
- **Provision of postage, stationary and other consumables for general office use**
- **Mobilization and demobilisation of resources.**
- **Telecommunications**
- **Furniture and equipment**
- **Small tools**
- **Traffic Control, traffic diversion and sign**
- **Fencing**
- **Protective clothing**
- **Health and safety**
- **Road lighting**
- **Cleaning roads etc**
- **Progress photographs**
- **Water Supply**
- **Electric connection**
- **Notice boards and signs**
- **Insurances / bonds / bank guarantees / Employees liabilities insurance etc.**

There will be many other items of preliminaries which may have to be considered, which probably will be project and site specific.

Preliminaries % percentage can vary from project to project.

d. **Tax**

Tax has been included as per Government rules.

In the CSR, 25% is added on the estimated unit cost of the items which includes over heads, taxes, preliminaries and profit, however this will vary from project to project and contractor to contractor.

2.6 VARIABLES EFFECTING THE RATE ANALYSIS

Rate analysis in CSR have been prepared based on policy explained here above. However, there are certain factors required to be considered while deciding about more realistic rates in special situations.

a. **Price Escalation**

General and Special escalation has been considered as published by Government Agencies. However, care is to be exercised to consider Government Legislation, which may create condition of Special Escalation.

b. **Double Taxation**

In International tenders, a factor is to be considered which may handicap the contractors from such countries, whose governments have no agreement with the Government of Pakistan to avoid double taxation. Effect of this item will be equal to the limit of tax level in such a country.

c. **Service Roads**

No provision has been made in this rate analysis for road diversion cost or service road, which the contractor has to construct or maintain as a non-BOQ item.

d. **Extra Overhead for Expatriate Staff**

International tenders will require a factor to employ expatriate staff on the project. Effect of this will be equal to the actual expenses on such item.

e. **Other Factors**

Some of the items mentioned in above text included as overhead Cost in Estimates of CSR, may appear as a B.O.Q item in a tender, the cost of such items are to be adjusted from the total estimate of the project.

LIST OF MANPOWER

Man power Code	Description
1001	SITE ENGINEER
1002	ASPHALT PLANT ENGINEER
1003	CONCRETE PLANT ENGINEER
1011	FOREMAN ASPHALT
1012	FOREMAN EARTHWORK
1013	FOREMAN CONCRETE
1014	GENERAL FOREMAN
1021	SUPERVISOR
1022	SURVEYOR
1023	ASSISTANT SURVEYOR
1031	MASON
1032	CARPENTER
1033	PAINTER
1034	STEEL BINDER/CUTTER
1040	HIGHLY SKILLED LABOUR
1041	HELPER
1042	WELDER
1051	LABOUR

Note:

Cost of following Manpower has been included elsewhere as under:

1. Top Management, Senior Engineers and above included in overhead and preliminaries.
2. All indirect Manpower such as Clerk, Typist, Accountant, Lab staff, Workshop staff, Store staff, Security staff etc. is included under overhead and preliminaries.
3. All operators of Light and Heavy Duty Equipment and Plant Included in the hourly rate of the equipment

LIST OF MATERIAL

Material Code	Description	Unit
2001	ROCK	CM
2002	SOIL CLASS-A1	CM
2004	SOIL CLASS-A2	CM
2008	SOIL CLASS-A3	CM
2009	SOIL CLASS-A4	CM
2010	SOIL CLASS-A5	CM
2014	CRUSHED AGGREGATE BASE A	CM
2015	CRUSHED AGGREGATE BASE B	CM
2016	CRUSHED AGGREGATE BASE B1	CM
2017	GRANULAR SUB-BASE A	CM
2018	GRANULAR SUB-BASE B	CM
2019	SAND CLASS C	CM
2021	COARSE SAND	CM
2022	FINE SAND	CM
2023	AGGREGATE 2"-1.1/2"	CM
2024	AGGREGATE 1.1/2"-3/4"	CM
2025	AGGREGATE 3/4"-3/8"	CM
2026	AGGREGATE 3/8"-EACH 4	CM
2027	AGGREGATE EACH4-EACH200	CM
2028	FILLER MATERIAL	CM
2029	BRICK CLASS A	EACH
2030	STONE RANDOM CLASS-A	CM
2031	STONE RANDOM CLASS-B	CM
2032	STONE RANDOM CLASS-C	CM
2033	STONE RANDOM CLASS-D	CM
2034	STONE DRESSED	CM
2035	HAND BROKEN STONE 2.1/2"-1/2"	CM
2041	ASPHALT GRADE 60/70	TON
2042	ASPHALT GRADE 80/100	TON
2043	ASPHALT M.C. 70	TON
2044	ASPHALT M.C. 250	TON
2045	ASPHALT M.C. 800	TON
2046	ASPHALT R.C. 70	TON
2047	ASPHALT R.C. 250	TON
2048	ASPHALT R.C. 800	TON
2049	ASPHALT S.S. 1	TON
2050	ASPHALT S.S. 1H	TON
2051	ASPHALT R.S. 1	TON
2052	ASPHALT R.S. 2	TON
2053	CEMENT TYPE-I (OPC)	BAG
2054	CEMENT TYPE-II (LOW S.R)	BAG
2057	CEMENT TYPE-V (HIGH S.R)	BAG
2058	ACCELERATOR	LIT
2059	RETARDER	LIT
2060	CURING COMPOUND	LIT
2061	STEEL GRADE. 40	TON
2062	STEEL GRADE. 60	TON

LIST OF MATERIAL

Material Code	Description	Unit
2063	PRE-STRESSING STRAND, 3/8", 1/2"	TON
2064	STEEL WIRE MESH, 4" x 4"	KG
2065	WATER	1000 LIT
2067	STEEL WIRE FABRIC AASHTO M-55	TON
2068	STEEL EXPANSION JOINT	KG
2070	COLD STEEL WIRE AASHTO M-32	TON
2072	STRUCTURES SHAPES ASTM A-36	TON
2073	ELASTOMERIC BEARING PAD M-183	c.cm
2077	RCC PIPE CLASS-II 310 MM (AASHTO M-170)	M
2078	RCC PIPE CLASS-II 380 MM (AASHTO M-170)	M
2079	RCC PIPE CLASS-II 460 MM (AASHTO M-170)	M
2080	RCC PIPE CLASS-II 610 MM (AASHTO M-170)	M
2081	RCC PIPE CLASS-II 760 MM (AASHTO M-170)	M
2082	RCC PIPE CLASS-II 910 MM (AASHTO M-170)	M
2083	RCC PIPE CLASS-II 1070 MM (AASHTO M-170)	M
2084	RCC PIPE CLASS-II 1220 MM (AASHTO M-170)	M
2085	RCC PIPE CLASS-II 1520 MM (AASHTO M-170)	M
2091	CAT EYE SINGLE (RAISED PROFILE)	EACH
2092	CAT EYE DOUBLE (RAISED PROFILE)	EACH
2093	STEEL/METAL BEARING DEVICES	KG
2095	BITUMEN IMPREGNATED FIBRE BOARD	SM
2096	NEOPRENE RUBBER JOINT FELT	SM
2097	ASPHALT FELT (3-PLY)	SM
2098	PVC/NEOPRENE WATER STOPS (6")	M
2099	BENTONITE POWDER	KG
2100	JOINT SEALANT FILLER	KG
2101	TRAFFIC SIGN CAT 1	EACH
2102	TRAFFIC SIGN CAT 2	EACH
2103	TRAFFIC SIGN CAT 3 (A, B, C)	SM
2104	PAVEMENT MARKING NON-REFLECTING (CR)	LIT
2105	PAVEMENT MARKING REFLECTING (CR)	LIT
2108	TUNGSTEN CARBIDE BITS	SET
2109	RED OXIDE PAINT	LIT
2110	QUICK LIME	KG
2111	DIESEL	LIT
2112	SUPER	LIT
2113	REGULAR	LIT
2114	OILS (ALL TYPES)	LIT
2115	LUBRICANTS (GREASE)	KG
2116	FURNACE OIL	LIT
2117	BLASTING MATERIAL	KG
2118	ELECTRIC CHARGES COMMERCIAL	KWH
2119	MASTIC WATER PROOF PAINT	KG
2120	SYNTHETIC ENAMEL PAINT	LIT
2121	SHUTTERING (401) A	LS
2122	SHUTTERING (401) B	LS
2123	SHUTTERING (401) C	LS
2124	SHUTTERING (401) D	LS

LIST OF MATERIAL

Material Code	Material Code	Material Code
2125	SHUTTERING (401) E	LS
2126	SHUTTERING (401) F	LS
2127	SHUTTERING (401) G	LS
2128	SHUTTERING (401) H	LS
2129	SHUTTERING (410)	LS
2131	G.M.S BARBED WIRE	KG
2133	ANGLE IRONS DIFFERENT SIZES	KG
2134	STEEL CHANNELS	KG
2135	SHEATHS (3/8", 1/2")	M
2136	LIVE ANCHORAGES (3/8" - 1/2")	EACH
2137	G.I. PIPE 3" DIA	M
2140	G.M.S SCREW, NUTS, BOLTS AND WASHERS	KG
2142	PLANTATION TREES	EACH
2143	MOBILIZATION OF PILING EQUIPMENT	LS
2144	RCC PIPE CLS-IV 310 MM (AASHTO M-170)	M
2145	RCC PIPE CLS-IV 380 MM (AASHTO M-170)	M
2146	RCC PIPE CLS-IV 460 MM (AASHTO M-170)	M
2147	RCC PIPE CLS-IV 610 MM (AASHTO M-170)	M
2148	RCC PIPE CLS-IV 760 MM (AASHTO M-170)	M
2149	RCC PIPE CLS-IV 910 MM (AASHTO M-170)	M
2150	RCC PIPE CLS-IV 1070 MM (AASHTO M-170)	M
2151	RCC PIPE CLS-IV 1220 MM (AASHTO M-170)	M
2152	RCC PIPE CLS-IV 1520 MM (AASHTO M-170)	M
2153	PAVEMENT MARKING NON REFLECTING (TP)	KG
2154	PAVEMENT MARKING REFLECTING (TP)	KG
2155	GALVANIZED FLAT STEEL FASTENERS & WASHERS	KG
2156	GALVANIZED U-BOLT CLAMP WITH 2 NUTS & TIE BOLTS	KG
2157	GALVANIZED SUPPORTING HOOKS CAST IN PRECAST POSTS	EACH
2158	GALVANIZED CHAIN LINK WIRE MESH FABRIC	SM
2159	GALVANIZED WIRE 3.76MM Ø TENSION, 3MM Ø STIRRUP	KG
2160	PRE-CAST CONCRETE TUFF KERB STONE(K-5)	EACH
2161	LIFTING DEVICE ANCHORS	EACH
2162	MS SHEET	KG
2163	FABRICATION	KG
2164	GALVANIZATION	KG

PLANT AND EQUIPMENT OWNING OPERATING COST SUMMARY
(CSR- Jan-2009)

Equipment Code	Description	T – Owning Cost	T- Operating Cost	T – Hourly O.W. & Operating Cost
3001	Bull-Dozer. 200 H.P	1,503.78	2,064.93	3,568.71
3002	Bull-Dozer. 120 H.P	973.02	1,011.88	1,984.90
3003	Bull-Dozer. 90 H.P	796.11	672.49	1,468.60
3004	Front End Loader. 3.00 Cu.M	1,457.39	1,558.64	3,016.03
3005	Front End Loader. 2.50 Cu.M	942.30	1,267.74	2,210.04
3006	Front End Loader. 1.50 Cu.M	854.12	1,044.74	1,898.86
3007	Grader. 165 H.P	1,210.40	1,411.34	2,621.74
3008	Grader. 140 H.P	857.12	1,117.67	1,974.79
3011	Tandem Vibratory Roller. 10-12 Ton	751.89	876.19	1,628.08
3012	Tandem Vibratory Roller. 8 Ton	692.91	766.50	1,459.41
3013	Tandem Vibratory Roller. 6 Ton	339.09	524.82	863.91
3014	Tandem Vibratory Roller. 1.5 Ton	240.30	281.56	521.86
3015	Combination Roller. 18 T	844.61	1,201.71	2,046.32
3016	Combination Roller 10 - 12 T	669.88	1,079.05	1,748.93
3017	Combination Roller 8 T	479.07	691.31	1,170.38
3018	P.T.R (9 - Wheeler) 21 T	405.57	941.13	1,346.70
3019	P.T.R (9 - Wheeler) 18 T	369.27	781.57	1,150.84
3020	Static Tandem Roller 12 T	140.07	488.28	628.35
3021	Static Tandem Roller 8T	117.93	486.84	604.77
3022	Tractor 80 H. P	62.95	591.82	654.77
3023	Tractor 50 H. P	37.56	376.62	414.18
3024	Water Tank Bowser Type 12000 Litre	240.49	618.21	858.70
3025	Water Tank Tow Type 4000 Litre	52.16	382.07	434.23
3031	Motor Scraper 400 H. P	1,449.78	5,135.17	6,584.95
3032	Dumper 18 T	288.03	1,084.37	1,372.40
3033	Dumper 10 T	230.44	693.31	923.75
3034	Flat Body Truck 8 T	177.69	513.95	691.64
3047	Excavator, (Track Type) 100 H. P	825.60	727.34	1,552.94
3048	Power Broom	92.93	527.46	620.39
3051	Bitumen Distributor Tow Type 2000 Litre	155.67	414.85	570.52
3052	Bitumen Sprayer (Manual) 250 Litre	11.93	51.99	63.92
3053	Aggregate Spreader 4 M Wide	729.78	510.65	1,240.43
3054	Asphalt Plant 120 T	7,983.72	8,759.34	16,743.06
3055	Asphalt Plant 80 T	5,655.13	7,446.96	13,102.09
3056	Asphalt Plant. 40 Ton	4,657.19	4,114.85	8,772.04

PLANT AND EQUIPMENT OWNING OPERATING COST SUMMARY
(CSR – Jan-2009)

Equipment Code	Description	T – Owning Cost	T- Operating Cost	T – Hourly O.W. & Operating Cost
3057	Asphalt Plant. 20 Ton	3,326.57	3,151.87	6,478.44
3058	Paver 4 M Wide	729.78	1,109.56	1,839.34
3059	Paver 2.5 M Wide	501.27	990.82	1,492.09
3061	Compressor. 300 CFM	168.72	907.25	1,075.97
3062	Rock Driller	204.48	79.81	284.29
3071	Concrete Batching Plant. 30 CUM/H	554.97	2,499.29	3,054.26
3072	Concrete Static Mixer 1 Cu.Y	110.76	331.90	442.66
3073	Concrete Static Mixer 1/4 Cu.Y	25.56	221.24	246.80
3074	Concrete Transit Mixer 6 Cu.M	807.29	1,043.38	1,850.67
3075	Concrete Transit Mixer 4 Cu.M	754.19	752.33	1,506.52
3081	Trailer Low Bed 30 T.	506.66	1,000.71	1,507.37
3082	Crane. 45 T.	651.30	1,039.13	1,690.43
3083	Crane. 20 T.	564.69	849.55	1,414.24
3084	Cold Milling Machine. 1 M Width	1,765.58	1,265.48	3,031.06
3085	Road Marking Machine.	135.32	346.26	481.58
3086	Pump 4 " Delivery (Diesel)	43.50	262.48	305.98
3087	Pug mill 40 Tons per Hour.	746.27	2,381.43	3,127.70
3088	Chipping Spreader 3 Meter Wide	70.03	379.76	449.79
3089	Sand Blasting Machine	73.71	1,651.67	1,725.38
3120	Stressing Equipment	112.01	1,627.88	1,739.89
3121	Asphalt Cutter	47.14	321.07	368.21
3122	Concrete Cutter	47.14	321.07	368.21
3123	Electric Saw	21.30	810.84	832.14
3195	Truck (3-Axle)	248.42	668.52	916.94
3196	Tractor Trolley	94.15	445.65	539.80
3197	Trailer (30 Ton)	445.63	1,000.71	1,446.34
3198	Welding Plant	55.99	815.06	871.05
3199	Generator (Diesel) 150 KVA	214.62	1,365.49	1,580.11
3200	Generator (Diesel) 250 KVA	355.54	2,154.76	2,510.30
3202	Rock Crushing & Screening (200 T/H)	1,233.96	8,294.10	9,528.06
3205	Secondary Crusher	59.64	2,990.77	3,050.41
3206	Diesel Tanker	215.24	516.80	732.04
3208	Jack Hammer	33.60	304.09	337.69
3209	Pilling Rig (upto 1.5 m dia)	417.40	667.99	1,085.39

PLANT AND EQUIPMENT OWNING OPERATING COST SUMMARY
(CSR – Jan-2009)

Equipment Code	Description	T – Owning Cost	T- Operating Cost	T – Hourly O.W. & Operating Cost
3209a	Pilling Rig (above 1.5 m dia)	571.50	1,235.49	1,806.99
3210	Vibrator (Poker 1.5 ")	17.40	302.76	320.16
3211	Percussion Boring Rig	119.28	267.80	387.08
3212	Forgoing / Shape Machine	67.20	1,561.84	1,629.04
3214	Concrete Pump	621.60	1,170.56	1,792.16
3215	Plate Compactor	43.50	305.76	349.26
3217	Girder Launcher	1,464.46	1,034.77	2,499.23
3218	Tripod & Chain Pulley (20 Ton)	11.21	128.54	139.75
3219	Electric Generator 50 KVA	81.79	4,531.51	4,613.30
3220	Asphalt Recycling Machine	7,154.11	3,961.17	11,115.28
3221	Road Marking Machine (TP)	196.02	416.54	612.56

QUARRY SITES (PUNJAB)

Dist Code	District	Sites
<u>AGGREGATES</u>		
2	Attock	Margallah, Hasan Abdal
57	Rawalpindi	Margallah, Hasan Abdal
9	Chakwal	Margallah, Kalar Kahar
45	Mianwali	Eisa Khel, Khushab,
23	Jhelum	Dina, Margallah
47-A	Mandi baha udin	Khushab/Sargodha Area,
60	Sargodha	Khushab/Sargodha Area
22	Jhang	Khushab/Sargodha, Chiniot
32	Khushab	Khushab/Sargodha Area
7	Bhakkar	Daraban (DI Khan), Chund,
40	Leiah	Daraban (DI Khan), Sakhi Sarwar
11	Dera Ghazi Khan	Sakhi sarwar
18	Gujrat	Khushab/Sargodha Area, Dina
17	Gujranwala	Khushab/Sargodha Area
20-A	Hafizabad	Khushab/Sargodha Area
63	Sialkot	Khushab/Sargodha Area
49-A	Narowal	Khushab/Sargodha Area, Margallah, Jhelum
16	Faisalabad	Sargodha Area, Chiniot
61	Sheikhupura	Khushab/Sargodha Area
37	Lahore	Khushab/Sargodha Area, Margallah
28	Kasur	Khushab/Sargodha Area, Chiniot
50	Okara	Khushab/Sargodha Area, Sakhi Sarwar
53-A	Pakpattan	Khushab/Sargodha Area
4	Bahawal Nagar	Sakhi sarwar, Sargodha
58	Sahiwal	Khushab/Sargodha, Sakhi sarwar
69	Toba Tek singh	Sakhi sarwar, Sargodha
30	Khanewal	Sakhi sarwar
71	Vehari	Sakhi sarwar
46	Multan	Sakhi sarwar
47	Muzafargarh	Sakhi sarwar
56	Rajan pur	Kashmor, Sakhi Sarwar
41-A	Lodheran	Sakhi sarwar
5	Bahawalpur	Sakhi sarwar, Sargodha
55	Rahim yar khan	Kot Digi, Kashmor, Sakhi Sarwar

QUARRY SITES (PUNJAB)

Dist Code	District	Sites
<u>CRUSHED AGGREGATE BASE</u>		
2	Attock	Nullah Choi, Manda-Attock area
57	Rawalpindi	Sowan, Kallar Nala, Margallah
9	Chakwal	Margallah, Kalar Kahar
45	Mianwali	Eisa Khel, Khushab,
23	Jhelum	Dina, Jhelum
47-A	Mandi baha udin	Sargodha
60	Sargodha	Khushab/Sargodha Area
22	Jhang	Khushab/Sargodha Area, Chiniot
32	Khushab	Khushab/Sargodha Area
7	Bhakkar	Daraban (DI Khan), Chund
40	Leiah	Daraban (DI Khan), Sakhi Sarwar
11	Dera Ghazi Khan	Sakhi sarwar
18	Gujrat	Khushab/Sargodha Area, Jhelum
17	Gujranwala	Khushab/Sargodha Area, Jhelum
20-A	Hafizabad	Khushab/Sargodha Area
63	Sialkot	Khushab/Sargodha Area, Jhelum
49-A	Narowal	Khushab/Sargodha Area, Jhelum
16	Faisalabad	Sargodha Area, Chiniot
61	Sheikhupura	Khushab/Sargodha Area
37	Lahore	Khushab/Sargodha Area,
28	Kasur	Khushab/Sargodha Area, Chiniot
50	Okara	Khushab/Sargodha Area, Sakhi Sarwar
53-A	Pakpattan	Khushab/Sargodha Area
4	Bahawal Nagar	Sakhi sarwar, Sargodha
58	Sahiwal	Khushab/Sargodha, Sakhi sarwar
69	Toba Tek singh	Sakhi sarwar, Sargodha
30	Khanewal	Sakhi sarwar
71	Vehari	Sakhi sarwar
46	Multan	Sakhi sarwar
47	Muzafargarh	Sakhi sarwar
56	Rajan pur	Kashmor, Sakhi Sarwar
41-A	Lodheran	Sakhi sarwar
5	Bahawalpur	Sakhi sarwar, Sargodha
55	Rahim yar khan	Kot Digi, Kashmor, Sakhi Sarwar
<u>GRANULAR SUB-BASE</u>		
2	Attock	Qabila Bandi Nullah, Hasanabdal, Rawalpindi

QUARRY SITES (PUNJAB)

Dist Code	District	Sites
57	Rawalpindi	Sowan, Kallar Nala
9	Chakwal	Margallah, Kalar Kahar, Dina
45	Mianwali	Eisa Khel, Khushab,
23	Jhelum	Dina, Jhelum
47-A	Mandi baha udin	Sargodha, Jhelum
60	Sargodha	Khushab/Sargodha Area
22	Jhang	Khushab/Sargodha Area, Chiniot
32	Khushab	Khushab/Sargodha Area
7	Bhakkar	Daraban (DI Khan), Chund, Pezu,
40	Leiah	Daraban (DI Khan), Sakhi Sarwar, Sargodha
11	Dera Ghazi Khan	Sakhi sarwar
18	Gujrat	Khushab/Sargodha Area, Jhelum, Dina
17	Gujranwala	Khushab/Sargodha Area, Jhelum, Dina
20-A	Hafizabad	Khushab/Sargodha Area
63	Sialkot	Khushab/Sargodha Area, Jhelum
49-A	Narowal	Khushab/Sargodha Area, Jhelum, dina
16	Faisalabad	Sargodha Area, Chiniot
61	Sheikhupura	Khushab/Sargodha Area
37	Lahore	Khushab/Sargodha Area, Jhelum
28	Kasur	Khushab/Sargodha Area, Chiniot
50	Okara	Khushab/Sargodha Area, Sakhi Sarwar
53-A	Pakpattan	Khushab/Sargodha Area
4	Bahawal Nagar	Sakhi sarwar, Sargodha
58	Sahiwal	Khushab/Sargodha, Sakhi sarwar
69	Toba Tek singh	Sakhi sarwar, Sargodha
30	Khanewal	Sakhi sarwar
71	Vehari	Sakhi sarwar
46	Multan	Sakhi sarwar
47	Muzafargarh	Sakhi sarwar
56	Rajan pur	Kashmor, Sakhi Sarwar
41-A	Lodheran	Sakhi sarwar
5	Bahawalpur	Sakhi sarwar, Sargodha
55	Rahim yar khan	Kot Digi, Kashmor, Sakhi Sarwar
<u>FILLER MATERIAL</u>		
2	Attock	Margallah, Hasan Abdal
57	Rawalpindi	Margallah, Hasan Abdal
9	Chakwal	Margallah, Kalar Kahar

QUARRY SITES (PUNJAB)

Dist Code	District	Sites
45	Mianwali	Eisa Khel, Khushab,
23	Jhelum	Dina, Margallah
47-A	Mandi baha udin	Khushab/Sargodha Area,
60	Sargodha	Khushab/Sargodha Area
22	Jhang	Khushab/Sargodha, Chiniot
32	Khushab	Khushab/Sargodha Area
7	Bhakkar	Daraban (DI Khan), Chund,
40	Leiah	Daraban (DI Khan), Sakhi Sarwar
11	Dera Ghazi Khan	Sakhi sarwar
18	Gujrat	Khushab/Sargodha Area, Dina
17	Gujranwala	Khushab/Sargodha Area
20-A	Hafizabad	Khushab/Sargodha Area
63	Sialkot	Khushab/Sargodha Area
49-A	Narowal	Khushab/Sargodha Area, Jhelum
16	Faisalabad	Sargodha Area, Chiniot
61	Sheikhupura	Khushab/Sargodha Area
37	Lahore	Khushab/Sargodha Area, Margalah
28	Kasur	Khushab/Sargodha Area, Chiniot
50	Okara	Khushab/Sargodha Area, Sakhi Sarwar
53-A	Pakpattan	Khushab/Sargodha Area
4	Bahawal Nagar	Sakhi sarwar, Sargodha
58	Sahiwal	Khushab/Sargodha, Sakhi sarwar
69	Toba Tek singh	Sakhi sarwar, Sargodha
30	Khanewal	Sakhi sarwar
71	Vehari	Sakhi sarwar
46	Multan	Sakhi sarwar
47	Muzafargarh	Sakhi sarwar
56	Rajan pur	Kashmor, Sakhi Sarwar
41-A	Lodheran	Sakhi sarwar
5	Bahawalpur	Sakhi sarwar, Sargodha
55	Rahim yar khan	Kot Digi, Kashmor, Sakhi Sarwar

Quantities of Material for Bituminous Surface Treatments

Surface Treatment		Aggregate		Bituminous Material	
Type	Application	Size No.	Quantity Kg/ Sq.M	Quantity Litres/ Sq.M	Type
Single	Single	2	12.5	1.19	(a)
				1.63	(b)
Double	First	1	24	1.9	(a)
				2.14	(b)
	Second	3	12.5	1.19	(a)
				1.63	(b)
Triple	First	1	24	1.9	(a)
				2.14	(b)
	Second	2	12.5	1.19	(a)
1.63				(b)	
Third	3	6.5	0.68		(c)
Seal Coat / Pad Coat with Aggregate		4	4	0.5	(c)
Prime Coat	Over Sub grade, Sub base , WBM or Aggregate base			0.65 ~ 1.75	(b)
	Over Bridge, wearing surface. Concrete pavement			0.15 ~ 0.4	(b)
Tack Coat	Over Previously laid asphaltic layer			0.2 ~ 0.4	Cut-back
	Over Previously laid asphaltic layer			0.3 ~ 0.6	Emulsified asphalt
Asphaltic Base	Over prime or tack coated surface	As per NHA / Project Spec's		3% (Min.)	Grade 40/50, 60/70, 80/100
Asphaltic Wearing Coarse	Over tack coated surface	As per NHA / Project Spec's		3.5% (Min.)	Grade 40/50, 60/70, 80/100

Note:

- (i) Bituminous material types are (a) asphalt cement, (b) cut-back or emulsified and (c) asphalt cement, cut-back and emulsified

Portland Cement Concrete Requirements

Class of Concrete	Min. Cement Kg/ Cubic Meter	Max. Size of Coarse Aggregate (mm)	28 Days Compressive Strength (Min) (Cylinder)		Consistency (Range in Slump)	Maximum Permissible Water - Cement Ratio
			(Kg/Sq. Cm)	(Psi)	Vibrated (mm)	
A ₁	300	20	210	3000	25 - 75	0.58
A ₂	350	25	245	3500	100 - 150	0.58
A ₃	400	38	280	4000	100 - 150	0.58
B	250	51	170	2450	25 - 75	0.65
C	275	38	210	3000	25 - 75	0.58
D ₁	450	25	350	5000	50 - 100	0.40
D ₂	500	25	425	6000	50 - 100	0.40
D ₃	550	25	500	7100	50 - 100	0.40
Y	400	13	210	3000	25 - 75	0.58
Lean Concrete	175	51	100	1420	–	–

Cement Bags per Unit Quantity

Sr. No	Description	Unit	Qty of Cement in Bag of 50 Kg
1	Burnt brickwork in Cement Mortar (1:6)	CM	2.10
2	Burnt brickwork in Cement Mortar (1:3)	CM	2.79
3	Pointing brickwork (flush) in Cement Mortar (1:3)	SM	0.018
4	Pointing brickwork (flush) in Cement Mortar (1:4)	SM	0.013
5	Pointing brickwork (flush) in Cement Mortar (1:6)	SM	0.009
7	Random rubble masonry in Cement Mortar (1:4)	CM	1.960
8	Pointing in Cement Mortar (1:3) flush to stone masonry	SM	0.063
9	Pointing in Cement Mortar (1:4) flush to stone masonry	SM	0.050
10	13 mm thick cement plaster (1:4)	SM	0.14
11	13 mm thick cement plaster (1:3)	SM	0.20
12	19 mm thick cement plaster (1:6)	SM	0.13
13	19 mm thick cement plaster (1:4)	SM	0.20

CONVERSION FACTORS

To Convert	Into	Multiply By
<u>Length</u>		
Inch	Millimetre	25.4
Millimetre	Inch	0.03937
Foot	Metre	0.30480
Metre	Foot	3.28084
Yard	Metre	0.91440
Metre	Yard	1.09361
Mile	Kilometre	1.60934
Kilometre	Mile	0.62137
<u>Mass. Weight</u>		
Pound	Kilogram	0.45359237
Kilogram	Pound	2.20462
Ounce	Gram	28.3495
Gram	Ounce	0.03527
Quintal	Kilogram	100
Grain	Milligram	64.7989
Hundred Weight	Kilogram	50.8023
Tonne	Hundred Weight	19.6841
Tonne	Kilogram	1000
Ton	Kilogram	1016.0469
Ton	Pound	2240
Ton	Tonne	1.0160469
Tonne	Ton	0.9842065
Seer	Kilogram	0.9331
Maund	Kilogram	37.324
Tola	Gram	11.664
<u>Capacity Volume</u>		
Pint (UK)	Litre	0.568261
Gallon (Imperial)	Litre	4.54609
Cubic foot	Litre	28.3168
Cubic metre	Litre	1000
Litre	Cubic foot	0.0353147
Fluid ounce	Millilitre	28.413
Litre	Gallon (Imperial)	0.219969
Cubic inch	Cubic millimetre	16387.1
Cubic foot	Cubic metre	0.0283168
Cubic metre	Cubic foot	35.3147
Cubic yard	Cubic metre	0.764555
Cubic metre	Cubic yard	1.30795
Acre foot	Hectare metre	0.12334

Weights & Standard Sizes of Sheets

Birmingham Gauge	Thickness in mm	Kg Per Sqm
28	0.40	3.15
26	0.50	3.90
24	0.63	4.95
22	0.80	6.30
20	1.00	7.85
18	1.25	9.80
16	1.60	12.75
14	2.00	15.70
12	2.50	19.60
10	3.15	24.75
8	4.00	31.40

To Convert	Into	Multiply
------------	------	----------

Area

Square inch	Square millimetre	645.16
Square millimetre	Square inch	0.00155
Square foot	Square metre	0.0929
Square metre	Square foot	10.7639
Square yard	Square metre	0.836127
Square metre	Square yard	1.19599
Acre	Square metre	4046.8564
Acre	Hectare	0.40468564
Hectare	Acre	2.47105
Hectare	Square metre	10000
Square mile	Square kilometre	2.58999
Square kilometre	Square mile	0.386102
Square mile	Hectare	258.999
Hectare	Square mile	0.00386102

Mass Per Unit Area

Ton per square mile	Kilogram per square kilometre	392.298
Pound per square foot	Kilogram per square metre	4.88243
Kilogram per square metre	Pound per square foot	0.204816

Mass Per Unit Volume

Ton per cubic foot	Kilogram per cubic metre	16.0185
Pound per cubic foot	Grams per litre	16.0185
Kilogram per cubic metre	Pound per cubic foot	0.062428
Grams per litre	Pound per cubic foot	0.062428

The weight of Mild Steel and Ribbed Tor Steel bars

Dia in Millimetre	Sectional area in Square Centimetre	Weight in Kilogram Per Metre
6	0.283	0.222
8	0.502	0.395
10	0.785	0.617
12	1.131	0.888
16	2.011	1.578
18	2.545	2.000
22	3.801	2.980
25	4.909	3.854
28	6.157	4.830
32	8.042	6.313
35	10.179	7.990
40	12.566	9.864
50	19.635	15.410

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

PUNJAB



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

CSR - January 2009National Highway Authority
Islamabad**SHABIR ASSOCIATES**

Quantity Surveying & Construction Cost Consultants

LIST OF DISTRICTS (PUNJAB)

Sr. No.	Name of District	Code	Page
1	Attock	2	5
2	Bahawal Nagar	4	15
3	Bahawalpur	5	25
4	Bhakkar	7	35
5	Chakwal	9	45
6	Dera Ghazi Khan	11	55
7	Faisalabad	16	65
8	Gujranwala	17	75
9	Gujrat	18	85
10	Hafizabad	20-A	95
11	Jhang	22	105
12	Jhelum	23	115
13	Kasur	28	125
14	Khanewal	30	135
15	Khushab	32	145
16	Lahore	37	155
17	Leiah	40	165
18	Lodheran	41-A	175
19	Mianwali	45	185
20	Multan	46	195
21	Muzafargarh	47	205
22	Mandi baha udin	47-A	215
23	Narowal	49-A	225
24	Okara	50	235
25	Pakpattan	53-A	245
26	Rahim yar khan	55	255
27	Rajan pur	56	265
28	Rawalpindi	57	275
29	Sahiwal	58	285
30	Sargodha	60	295
31	Sheikhupura	61	305
32	Sialkot	63	315
33	Toba Tek singh	69	325
34	Vehari	71	335

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

ATTOCK

(02)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.74	10.10	-	2.71	13.56
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.34	173.32	1.17	45.46	227.28
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	21.26	456.54	2.63	120.11	600.54
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	85.05	1,826.16	10.51	480.43	2,402.15
103	STRIPPING	CM	2.50	93.22	-	23.93	119.65
104	COMPACTION OF NATURAL GROUND	SM	0.36	9.91	0.76	2.76	13.78
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.24	135.76	-	35.00	174.99
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	127.61	316.30	50.82	123.68	618.41
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	17.95	337.99	-	88.99	444.93
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.74	262.40	-	68.53	342.67
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.47	120.27	-	30.93	154.67
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	127.61	316.30	50.82	123.68	618.41
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.31	316.03	-	84.09	420.43
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.05	263.92	-	68.24	341.21
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.01	137.60	0.38	36.25	181.24
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	64.25	287.11	70.80	105.54	527.71
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	112.84	427.01	33.88	143.43	717.16
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	95.98	292.53	-	97.13	485.64
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	58.03	238.86	-	74.22	371.12
107d	GRANULAR BACK FILL	CM	34.77	137.14	377.38	137.32	686.60
107e	COMMON BACK FILL	CM	26.06	62.84	5.09	23.50	117.49
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.96	174.71	5.09	46.69	233.45
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	20.55	482.48	54.04	139.27	696.34
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.41	416.71	2.42	108.64	543.18
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.70	369.34	-	95.76	478.81
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.01	177.46	7.94	48.35	241.76
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.26	76.32	5.09	21.92	109.59
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.65	110.29	3.03	31.99	159.96
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.40	27.34	1.46	7.55	37.74

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.00	18.21	0.77	4.99	24.97
110	IMPROVED SUB-GRADE	CM	10.08	120.02	59.05	47.29	236.43
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.85	15.26	0.79	4.23	21.13
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.26	15.57	0.90	4.43	22.15
201	GRANULAR SUB-BASE	CM	8.13	255.06	496.38	189.89	949.46
202	AGGREGATE BASE	CM	9.47	326.54	746.90	270.73	1,353.63
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	75.10	1,510.17	5,673.27	1,814.63	9,073.17
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	77.60	1,510.17	6,092.00	1,919.94	9,599.72
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	83.06	1,577.28	5,663.67	1,831.00	9,155.02
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	83.06	1,571.31	6,234.79	1,972.29	9,861.45
204b	CEMENT STABILIZED BASE	CM	29.14	569.10	860.44	364.67	1,823.35
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	241.89	915.38	50,383.68	12,885.24	64,426.19
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	241.89	915.38	48,805.55	12,490.71	62,453.53
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	99.23	112.80	866.80	269.71	1,348.53
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	151.88	2,437.94	5,440.29	2,007.53	10,037.64
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	110.06	126.27	793.61	257.49	1,287.43
207a	DEEP PATCHING (0-15 cm)	SM	1.74	45.04	1.26	12.01	60.05
207b	DEEP PATCHING (16-30 cm)	SM	1.74	39.67	1.26	10.67	53.34
208	REINSTATEMENT OF ROAD SURFACE	SM	1.87	57.10	0.56	14.88	74.41
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.03	110.61	0.68	28.33	141.65
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.33
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	35.76	9.41	47.04
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	39.92	10.44	52.22
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	14.97	3.92	19.58
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.46	4.54	22.70
304a	SINGLE SURFACE TREATMENT	SM	0.78	7.57	70.54	19.72	98.61
304b	DOUBLE SURFACE TREATMENT	SM	1.13	14.15	136.46	37.94	189.68
304c	TRIPLE SURFACE TREATMENT	SM	1.90	19.94	155.59	44.36	221.78
304d	SEAL COAT	SM	0.72	4.12	49.84	13.67	68.35

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	70.20	1,489.33	6,664.91	2,056.11	10,280.56
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	70.20	1,438.23	7,184.83	2,173.32	10,866.58
307a	DENSE GRADED HOT BIT-MAC	CM	172.89	379.77	5,463.91	1,504.14	7,520.71
307b	OPEN GRADED HOT BIT-MAC	CM	172.89	379.77	5,340.10	1,473.19	7,365.95
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	29.07	590.65	1,999.27	654.75	3,273.74
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	25.58	650.70	42,384.16	10,765.11	53,825.55
309a	COLD MILLING, 0 - 30 mm	SM	0.96	24.99	8.68	8.66	43.28
309b	COLD MILLING, 0 - 50 mm	SM	1.59	41.65	14.46	14.43	72.13
309c	COLD MILLING, 0 - 70 mm	SM	2.39	62.48	21.69	21.64	108.20
401a1i	CONCRETE CLASS "A1" (Underground)	CM	535.00	1,059.94	3,893.89	1,372.21	6,861.04
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	535.00	1,059.94	4,171.36	1,441.58	7,207.88
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	535.00	1,059.94	4,726.31	1,580.31	7,901.56
401a2i	CONCRETE CLASS "A2" (Underground)	CM	535.00	1,059.94	4,271.89	1,466.71	7,333.54
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	535.00	1,059.94	4,549.36	1,536.08	7,680.38
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	535.00	1,059.94	5,104.31	1,674.81	8,374.06
401a3i	CONCRETE CLASS "A3" (Underground)	CM	535.00	1,059.94	4,649.89	1,561.21	7,806.04
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	535.00	1,059.94	4,927.36	1,630.58	8,152.88
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	535.00	1,059.94	5,482.31	1,769.31	8,846.56
401b	CONCRETE CLASS "B"	CM	689.50	805.93	3,178.52	1,168.49	5,842.43
401ci	CONCRETE CLASS "C" (Underground)	CM	529.10	500.55	3,466.25	1,123.98	5,619.88
401cii	CONCRETE CLASS "C" (On ground)	CM	529.10	500.55	3,584.59	1,153.56	5,767.80
401ciii	CONCRETE CLASS "C" (Elevated)	CM	529.10	500.55	3,821.28	1,212.73	6,063.66
401d	CONCRETE CLASS "D1"	CM	835.54	1,265.57	5,244.55	1,836.41	9,182.06
401e	CONCRETE CLASS "Y"	CM	1,173.92	500.55	4,668.23	1,585.67	7,928.37
401f	LEAN CONCRETE	CM	454.28	507.52	2,449.15	852.74	4,263.68
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,810.74	947.15	4,886.20	1,911.02	9,555.12
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,810.74	947.15	5,642.20	2,100.02	10,500.12
401gii	PRECAST CONCRETE CLASS "B"	CM	1,810.74	947.15	4,700.42	1,864.58	9,322.89
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,810.74	947.15	6,020.20	2,194.52	10,972.62

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,810.74	947.15	6,398.20	2,289.02	11,445.12
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,810.74	947.15	6,776.20	2,383.52	11,917.62
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,611.88	781.47	59,358.00	15,437.84	77,189.18
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,611.88	781.47	66,708.00	17,275.34	86,376.68
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,310.81	5,393.81	56,440.17	15,786.20	78,930.99
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,836.19	15,659.05	132,547.40	37,760.66	188,803.30
405b	LAUNCHING OF GIRDER	TON	66.61	532.52	-	149.78	748.92
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	119.71	-	297.12	104.21	521.04
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	119.71	-	296.61	104.08	520.40
406c	STEEL EXPANSION JOINTS	KG	9.74	26.40	91.42	31.89	159.45
406d	WATER STOPS 6" SIZE	M	97.92	-	471.94	142.47	712.33
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	43.19	-	2,961.81	751.25	3,756.24
406g	STEEL OR METAL BEARING DEVICES	KG	21.09	69.68	117.33	52.03	260.13
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	357.89	1,654.04	721.82	683.44	3,417.20
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	536.84	2,481.06	1,082.74	1,025.16	5,125.79
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	536.84	2,481.06	822.54	960.11	4,800.54
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	894.73	4,135.11	1,004.87	1,508.67	7,543.37
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	766.91	4,884.94	1,191.80	1,710.91	8,554.56
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,342.09	6,909.78	1,301.41	2,388.32	11,941.60
407h	PILE LOAD TEST UP TO 120 TON	EACH	24,602.56	45,769.30	95,249.18	41,405.26	207,026.31
407i	PILE LOAD TEST UP TO 240 TON	EACH	45,971.17	45,769.30	190,498.36	70,559.71	352,798.55
407j	PILE LOAD TEST UP TO 360 TON	EACH	67,339.78	50,188.38	285,747.54	100,818.93	504,094.64
407k	CONFIRMATORY BORING (NX SIZE)	M	211.80	1,582.02	6.37	450.05	2,250.24
410	BRICK WORK	CM	344.88	282.72	2,957.68	896.32	4,481.60
411a	STONE MASONRY RANDOM DRY	CM	293.15	107.96	525.12	231.56	1,157.78
411b	STONE MASONRY RANDOM WITH MORTAR	CM	315.17	166.68	1,606.04	521.97	2,609.86
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	384.68	107.96	584.21	269.21	1,346.06
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	452.46	166.68	1,662.53	570.42	2,852.09

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	73.65	11.74	44.66	32.51	162.57
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	613.50	264.08	1,567.72	611.33	3,056.63
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	238.48	437.48	645.10	330.27	1,651.33
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	232.90	577.19	836.22	411.58	2,057.88
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	226.38	935.96	1,007.38	542.43	2,712.15
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	238.17	1,146.39	1,558.46	735.76	3,678.78
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	274.00	1,078.41	2,201.53	888.48	4,442.42
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	339.07	1,331.30	3,618.58	1,322.24	6,611.18
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	438.79	1,481.41	4,684.51	1,651.18	8,255.89
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	517.09	1,798.85	5,969.55	2,071.37	10,356.87
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	612.72	2,098.66	9,219.64	2,982.76	14,913.78
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	238.48	507.33	665.17	352.75	1,763.73
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	232.90	577.19	783.23	398.33	1,991.64
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	221.04	935.96	958.23	528.81	2,644.03
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	238.17	1,146.39	1,593.11	744.42	3,722.09
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	274.00	1,078.41	3,027.25	1,094.92	5,474.58
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	339.07	1,331.30	4,444.58	1,528.74	7,643.68
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	438.79	1,481.41	6,206.69	2,031.72	10,158.61
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	517.09	1,798.85	8,415.76	2,682.93	13,414.63
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	612.72	2,098.66	11,835.39	3,636.69	18,183.46
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	92.62	118.93	355.88	141.86	709.28
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	778.02	612.95	3,528.52	1,229.87	6,149.36
507a	STEEL WIRE MESH FOR GABIONS	KG	5.51	-	113.17	29.67	148.35
507b	ROCK FILL IN GABIONS	CM	101.02	-	381.15	120.54	602.71
508a	BRICK PAVING (SINGLE COURSE)	SM	115.20	32.70	229.83	94.43	472.15
508b	BRICK PAVING (DOUBLE COURSE)	SM	206.73	32.70	456.47	173.97	869.87
509a	RIP RAP CLASS "A"	CM	498.29	-	430.31	232.15	1,160.75
509b	RIP RAP CLASS "B"	CM	481.35	-	426.87	227.06	1,135.28
509c	RIP RAP CLASS "C"	CM	484.74	-	430.31	228.76	1,143.82

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	609.52	102.14	1,841.09	638.19	3,190.95
509e	GRouted RIP RAP CLASS "B"	CM	587.96	81.72	1,691.06	590.18	2,950.91
509f	GRouted RIP RAP CLASS "C"	CM	581.49	68.10	1,738.96	597.14	2,985.69
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	820.74	353.02	4,094.67	1,317.11	6,585.55
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	50.47	191.97	377.67	155.03	775.13
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	110.49	390.69	-	125.29	626.47
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	156.32	67.48	69.93	73.43	367.15
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	200.09	86.37	89.51	93.99	469.96
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	254.32	180.32	367.42	200.52	1,002.58
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	317.90	225.40	459.27	250.64	1,253.22
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	283.75	572.25	2,183.28	759.82	3,799.09
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	993.10	670.54	4,015.03	1,419.67	7,098.34
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	144.21	90.27	424.13	164.65	823.27
603	BRICK EDGING	M	9.12	-	36.48	11.40	57.00
604a	METAL GUARD RAIL	M	19.11	70.84	1,579.36	417.33	2,086.64
604b	METAL GUARD RAIL END PIECES	EACH	25.71	-	1,197.58	305.82	1,529.11
604d	STEEL POST OF METAL GUARD RAIL	EACH	86.74	976.73	3,776.31	1,209.94	6,049.72
605a	CONCRETE BEAM GUARD RAIL	M	78.39	30.82	585.83	173.76	868.81
605c	CONCRETE POST FOR GUARD RAIL	M	96.25	27.36	585.09	177.18	885.89
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	248.92	255.15	6,850.29	1,838.59	9,192.95
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	71.52	382.72	9,250.80	2,426.26	12,131.31
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	248.92	541.89	11,874.69	3,166.37	15,831.87
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	821.05	598.64	20,944.67	5,591.09	27,955.47
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	164.21	119.73	9,213.63	2,374.39	11,871.96
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	280.99	-	1,305.46	396.61	1,983.07
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	280.99	-	1,958.19	559.80	2,798.98
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.80	5.86	16.15	6.20	31.01
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.93	4.03	39.56	11.13	55.65
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.80	5.86	21.55	7.55	37.76

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Attock

District Code: 02

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.93	4.03	52.76	14.43	72.15
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	78.66	5.22	156.07	59.99	299.93
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	78.66	9.98	498.49	146.78	733.91
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.49	8.59	22.47	8.64	43.19
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.49	9.63	67.50	20.16	100.79
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.49	6.95	29.96	10.10	50.50
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.49	9.63	90.01	25.78	128.91
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	78.66	3.73	216.93	74.83	374.14
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	78.66	7.90	851.20	234.44	1,172.19
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	65.44	3.73	104.05	43.30	216.52
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	65.44	7.90	332.83	101.54	507.71
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	65.44	3.73	144.62	53.45	267.24
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	65.44	7.90	568.32	160.42	802.08
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.34	81.62	193.87	71.21	356.04
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.34	81.62	233.87	81.21	406.03
610b	RIGHT OF WAY MARKER	EACH	109.24	121.33	296.62	131.80	658.98
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	664.01	976.31	1,985.57	906.47	4,532.35
610d	TEN KILOMETRE POST	EACH	1,283.97	1,952.61	4,365.32	1,900.47	9,502.37
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	137.00	91.00	948.92	294.23	1,471.16

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

BAHAWAL NAGAR
(04)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.67	10.10	-	2.69	13.46
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.62	173.32	1.17	45.28	226.39
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	19.11	456.54	2.63	119.57	597.85
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	76.45	1,826.16	10.51	478.28	2,391.40
103	STRIPPING	CM	2.25	93.22	-	23.87	119.34
104	COMPACTION OF NATURAL GROUND	SM	0.32	9.91	0.76	2.75	13.74
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.93	135.76	-	34.92	174.60
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	115.57	316.30	50.82	120.67	603.36
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.11	337.99	-	88.53	442.63
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.54	262.40	-	68.23	341.17
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.21	120.27	-	30.87	154.35
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	115.57	316.30	50.82	120.67	603.36
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.42	316.03	-	83.61	418.06
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.12	263.92	-	68.01	340.05
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.39	137.60	0.38	36.09	180.47
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	56.34	287.11	70.80	103.56	517.82
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	102.31	427.01	33.88	140.80	704.00
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	86.90	292.53	-	94.86	474.29
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	52.62	238.86	-	72.87	364.35
107d	GRANULAR BACK FILL	CM	31.43	137.14	541.63	177.55	887.75
107e	COMMON BACK FILL	CM	23.33	62.84	5.09	22.81	114.07
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.28	174.71	5.09	46.52	232.60
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	18.50	482.48	54.04	138.76	693.78
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	13.88	416.71	2.42	108.25	541.26
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.33	369.34	-	95.42	477.10
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.22	177.46	7.94	48.15	240.77
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.64	76.32	5.09	21.76	108.81
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.17	110.29	3.03	31.62	158.11
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.26	27.34	1.46	7.51	37.57

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.90	18.21	0.77	4.97	24.85
110	IMPROVED SUB-GRADE	CM	9.10	120.02	53.71	45.71	228.55
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.76	15.26	0.79	4.20	21.02
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.13	15.57	0.90	4.40	21.99
201	GRANULAR SUB-BASE	CM	7.34	255.06	691.35	238.44	1,192.19
202	AGGREGATE BASE	CM	8.65	326.54	1,100.86	359.01	1,795.06
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	67.49	1,510.17	6,310.53	1,972.05	9,860.23
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	69.81	1,510.17	6,730.83	2,077.70	10,388.50
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	74.63	1,577.28	6,301.35	1,988.32	9,941.58
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	74.63	1,571.31	6,874.21	2,130.04	10,650.19
204b	CEMENT STABILIZED BASE	CM	26.52	569.10	1,463.50	514.78	2,573.90
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	218.90	915.38	51,886.56	13,255.21	66,276.04
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	218.90	915.38	50,308.43	12,860.68	64,303.38
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	88.37	112.80	1,339.95	385.28	1,926.39
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	136.98	2,437.94	6,016.43	2,147.84	10,739.19
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	98.01	126.27	1,073.58	324.47	1,622.33
207a	DEEP PATCHING (0-15 cm)	SM	1.57	45.04	1.26	11.96	59.82
207b	DEEP PATCHING (16-30 cm)	SM	1.57	39.67	1.26	10.62	53.12
208	REINSTATEMENT OF ROAD SURFACE	SM	1.70	57.10	0.56	14.84	74.20
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.83	110.61	0.68	28.28	141.40
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.37	22.12	0.14	5.66	28.28
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	36.83	9.67	48.34
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	41.11	10.74	53.68
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.41	4.03	20.13
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.98	4.67	23.34
304a	SINGLE SURFACE TREATMENT	SM	0.71	7.57	74.79	20.77	103.84
304b	DOUBLE SURFACE TREATMENT	SM	1.03	14.15	146.32	40.37	201.87
304c	TRIPLE SURFACE TREATMENT	SM	1.73	19.94	167.10	47.19	235.96
304d	SEAL COAT	SM	0.66	4.12	52.78	14.39	71.95

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	63.28	1,489.33	7,354.13	2,226.69	11,133.43
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	63.28	1,438.23	7,940.18	2,360.42	11,802.12
307a	DENSE GRADED HOT BIT-MAC	CM	155.75	379.77	6,120.77	1,664.07	8,320.37
307b	OPEN GRADED HOT BIT-MAC	CM	155.75	379.77	5,938.31	1,618.46	8,092.28
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	26.25	590.65	2,100.51	679.35	3,396.76
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	23.21	650.70	43,931.68	11,151.40	55,756.99
309a	COLD MILLING, 0 - 30 mm	SM	0.87	24.99	8.68	8.64	43.18
309b	COLD MILLING, 0 - 50 mm	SM	1.46	41.65	14.46	14.39	71.96
309c	COLD MILLING, 0 - 70 mm	SM	2.18	62.48	21.69	21.59	107.94
401a1i	CONCRETE CLASS "A1" (Underground)	CM	466.77	1,059.94	4,425.46	1,488.04	7,440.20
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	466.77	1,059.94	4,702.93	1,557.41	7,787.04
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	466.77	1,059.94	5,257.87	1,696.14	8,480.72
401a2i	CONCRETE CLASS "A2" (Underground)	CM	466.77	1,059.94	4,803.46	1,582.54	7,912.70
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	466.77	1,059.94	5,080.93	1,651.91	8,259.54
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	466.77	1,059.94	5,635.87	1,790.64	8,953.22
401a3i	CONCRETE CLASS "A3" (Underground)	CM	466.77	1,059.94	5,181.46	1,677.04	8,385.20
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	466.77	1,059.94	5,458.93	1,746.41	8,732.04
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	466.77	1,059.94	6,013.87	1,885.14	9,425.72
401b	CONCRETE CLASS "B"	CM	615.96	805.93	3,657.98	1,269.97	6,349.84
401ci	CONCRETE CLASS "C" (Underground)	CM	464.35	500.55	4,039.61	1,251.13	6,255.63
401cii	CONCRETE CLASS "C" (On ground)	CM	464.35	500.55	4,157.95	1,280.71	6,403.56
401ciii	CONCRETE CLASS "C" (Elevated)	CM	464.35	500.55	4,394.64	1,339.88	6,699.42
401d	CONCRETE CLASS "D1"	CM	713.86	1,265.57	5,734.36	1,928.45	9,642.23
401e	CONCRETE CLASS "Y"	CM	998.04	500.55	5,182.38	1,670.24	8,351.21
401f	LEAN CONCRETE	CM	404.26	507.52	2,929.13	960.23	4,801.14
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,594.59	947.15	5,472.07	2,003.45	10,017.26
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,594.59	947.15	6,228.07	2,192.45	10,962.26
401gii	PRECAST CONCRETE CLASS "B"	CM	1,594.59	947.15	5,214.41	1,939.04	9,695.18
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,594.59	947.15	6,606.07	2,286.95	11,434.76

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,594.59	947.15	6,984.07	2,381.45	11,907.26
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,594.59	947.15	7,362.07	2,475.95	12,379.76
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,365.94	781.47	59,888.00	15,508.85	77,544.27
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,365.94	781.47	67,238.00	17,346.35	86,731.77
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,092.15	5,393.81	55,711.71	15,549.42	77,747.09
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,765.60	15,659.05	132,555.31	37,744.99	188,724.95
405b	LAUNCHING OF GIRDER	TON	65.43	532.52	-	149.49	747.44
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	102.44	-	295.44	99.47	497.35
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	102.44	-	295.97	99.60	498.00
406c	STEEL EXPANSION JOINTS	KG	8.07	26.40	90.45	31.23	156.14
406d	WATER STOPS 6" SIZE	M	83.52	-	469.95	138.37	691.83
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	40.06	-	2,969.70	752.44	3,762.21
406g	STEEL OR METAL BEARING DEVICES	KG	18.05	69.68	116.45	51.05	255.23
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	351.00	1,654.04	809.10	703.53	3,517.67
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	526.50	2,481.06	1,213.65	1,055.30	5,276.51
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	526.50	2,481.06	907.70	978.81	4,894.07
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	877.49	4,135.11	1,085.79	1,524.60	7,622.99
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	752.14	4,884.94	1,265.16	1,725.56	8,627.80
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,316.24	6,909.78	1,388.48	2,403.62	12,018.12
407h	PILE LOAD TEST UP TO 120 TON	EACH	21,924.29	45,769.30	93,106.38	40,199.99	200,999.97
407i	PILE LOAD TEST UP TO 240 TON	EACH	40,884.91	45,769.30	186,212.76	68,216.74	341,083.72
407j	PILE LOAD TEST UP TO 360 TON	EACH	59,845.53	50,188.38	279,319.14	97,338.26	486,691.32
407k	CONFIRMATORY BORING (NX SIZE)	M	200.33	1,582.02	6.37	447.18	2,235.90
410	BRICK WORK	CM	318.81	282.72	2,830.12	857.91	4,289.57
411a	STONE MASONRY RANDOM DRY	CM	268.03	107.96	694.57	267.64	1,338.20
411b	STONE MASONRY RANDOM WITH MORTAR	CM	289.09	166.68	1,897.30	588.27	2,941.34
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	352.29	107.96	766.50	306.69	1,533.43
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	415.48	166.68	1,936.17	629.58	3,147.92

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	68.44	11.74	46.70	31.72	158.61
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	562.94	264.08	1,841.37	667.10	3,335.48
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	214.13	437.48	648.91	325.13	1,625.65
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	208.95	577.19	840.78	406.73	2,033.65
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	203.44	935.96	1,012.71	538.03	2,690.14
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	213.68	1,146.39	1,564.69	731.19	3,655.94
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	246.05	1,078.41	2,207.76	883.06	4,415.28
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	305.27	1,331.30	3,627.57	1,316.03	6,580.17
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	395.05	1,481.41	4,693.47	1,642.48	8,212.41
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	464.66	1,798.85	5,980.43	2,060.99	10,304.93
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	551.75	2,098.66	9,232.33	2,970.69	14,853.43
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	214.13	507.33	672.78	348.56	1,742.80
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	208.95	577.19	787.79	393.48	1,967.41
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	198.70	935.96	963.56	524.55	2,622.77
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	213.68	1,146.39	1,597.95	739.50	3,697.52
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	246.05	1,078.41	3,034.18	1,089.66	5,448.30
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	305.27	1,331.30	4,453.57	1,522.53	7,612.67
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	395.05	1,481.41	6,215.65	2,023.03	10,115.13
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	464.66	1,798.85	8,426.64	2,672.54	13,362.69
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	551.75	2,098.66	11,848.08	3,624.62	18,123.11
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	83.00	118.93	326.66	132.15	660.73
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	683.60	612.95	4,007.98	1,326.13	6,630.67
507a	STEEL WIRE MESH FOR GABIONS	KG	4.79	-	116.51	30.33	151.63
507b	ROCK FILL IN GABIONS	CM	90.14	-	597.28	171.85	859.27
508a	BRICK PAVING (SINGLE COURSE)	SM	105.51	32.70	203.18	85.35	426.74
508b	BRICK PAVING (DOUBLE COURSE)	SM	189.77	32.70	403.43	156.48	782.38
509a	RIP RAP CLASS "A"	CM	458.45	-	599.76	264.55	1,322.76
509b	RIP RAP CLASS "B"	CM	442.59	-	594.96	259.39	1,296.95
509c	RIP RAP CLASS "C"	CM	446.06	-	599.76	261.46	1,307.28

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	560.51	102.14	2,086.67	687.33	3,436.66
509e	GRouted RIP RAP CLASS "B"	CM	541.09	81.72	1,927.36	637.54	3,187.71
509f	GRouted RIP RAP CLASS "C"	CM	535.17	68.10	1,979.46	645.68	3,228.41
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	741.83	353.02	4,551.88	1,411.68	7,058.42
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	45.02	191.97	540.82	194.45	972.27
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	104.98	390.69	-	123.92	619.59
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	142.90	67.48	97.46	76.96	384.79
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	182.91	86.37	124.75	98.51	492.53
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	233.46	180.32	412.49	206.57	1,032.84
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	291.82	225.40	515.61	258.21	1,291.05
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	247.52	572.25	2,459.99	819.94	4,099.70
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	874.33	670.54	4,330.71	1,468.89	7,344.47
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	127.47	90.27	477.93	173.92	869.58
603	BRICK EDGING	M	8.27	-	32.16	10.11	50.54
604a	METAL GUARD RAIL	M	18.30	70.84	1,579.36	417.12	2,085.62
604b	METAL GUARD RAIL END PIECES	EACH	24.93	-	1,197.58	305.63	1,528.13
604d	STEEL POST OF METAL GUARD RAIL	EACH	82.65	976.73	3,776.31	1,208.92	6,044.61
605a	CONCRETE BEAM GUARD RAIL	M	69.38	30.82	610.34	177.64	888.18
605c	CONCRETE POST FOR GUARD RAIL	M	85.19	27.36	614.67	181.81	909.03
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	221.30	255.15	6,892.49	1,842.23	9,211.17
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	64.68	382.72	9,339.31	2,446.68	12,233.39
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	221.30	541.89	12,025.18	3,197.09	15,985.46
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	725.33	598.64	21,166.98	5,622.74	28,113.68
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	145.07	119.73	9,255.32	2,380.03	11,900.14
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	244.31	-	1,304.42	387.18	1,935.91
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	244.31	-	1,956.62	550.23	2,751.17
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.49	5.86	16.16	6.13	30.64
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.83	4.03	39.67	11.13	55.66
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.49	5.86	21.57	7.48	37.39

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawal Nagar

District Code: 04

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.83	4.03	52.91	14.44	72.22
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	64.94	5.22	156.18	56.59	282.93
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	64.94	9.98	499.94	143.72	718.59
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.11	8.59	22.48	8.54	42.72
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.11	9.63	67.50	20.06	100.31
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.11	6.95	29.97	10.01	50.04
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.11	9.63	90.01	25.69	128.43
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	64.94	3.73	217.04	71.43	357.14
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	64.94	7.90	851.20	231.01	1,155.05
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	54.38	3.73	104.12	40.56	202.78
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	54.38	7.90	333.80	99.02	495.09
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	54.38	3.73	144.69	50.70	253.49
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	54.38	7.90	568.32	157.65	788.25
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	8.40	81.62	194.02	71.01	355.05
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	8.40	81.62	234.02	81.01	405.05
610b	RIGHT OF WAY MARKER	EACH	97.08	121.33	320.70	134.78	673.89
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	583.33	976.31	2,186.62	936.56	4,682.81
610d	TEN KILOMETRE POST	EACH	1,117.64	1,952.61	4,763.58	1,958.46	9,792.29
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	124.62	91.00	974.55	297.54	1,487.72

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

BAHAWALPUR
(05)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.74	10.10	-	2.71	13.55
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.45	173.32	1.17	45.48	227.42
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	21.36	456.54	2.63	120.13	600.66
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	85.45	1,826.16	10.51	480.53	2,402.65
103	STRIPPING	CM	2.54	93.22	-	23.94	119.69
104	COMPACTION OF NATURAL GROUND	SM	0.36	9.91	0.76	2.76	13.79
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.63	135.76	-	35.10	175.48
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	133.15	316.30	50.82	125.07	625.33
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.34	337.99	-	89.08	445.42
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.02	262.40	-	68.60	343.02
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.79	120.27	-	31.01	155.07
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	133.15	316.30	50.82	125.07	625.33
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	21.25	316.03	-	84.32	421.60
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.25	263.92	-	68.29	341.47
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.40	137.60	0.38	36.35	181.73
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	63.13	287.11	70.80	105.26	526.31
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	118.04	427.01	33.88	144.73	723.67
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	100.11	292.53	-	98.16	490.80
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	60.71	238.86	-	74.89	374.47
107d	GRANULAR BACK FILL	CM	35.65	137.14	521.96	173.69	868.44
107e	COMMON BACK FILL	CM	25.88	62.84	5.09	23.45	117.25
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.20	174.71	5.09	46.75	233.76
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	21.05	482.48	54.04	139.39	696.96
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.78	416.71	2.42	108.73	543.64
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.03	369.34	-	95.84	479.22
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.23	177.46	7.94	48.41	242.03
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.44	76.32	5.09	21.96	109.81
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.90	110.29	3.03	32.05	160.27
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.45	27.34	1.46	7.56	37.80

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.03	18.21	0.77	5.00	25.02
110	IMPROVED SUB-GRADE	CM	10.37	120.02	55.69	46.52	232.59
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.86	15.26	0.79	4.23	21.14
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.28	15.57	0.90	4.44	22.18
201	GRANULAR SUB-BASE	CM	8.39	255.06	667.53	232.75	1,163.73
202	AGGREGATE BASE	CM	10.03	326.54	953.95	322.63	1,613.15
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	75.51	1,510.17	6,131.19	1,929.22	9,646.08
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	78.26	1,510.17	6,536.36	2,031.20	10,155.98
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	83.62	1,577.28	6,121.68	1,945.65	9,728.23
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	83.62	1,571.31	6,681.44	2,084.09	10,420.46
204b	CEMENT STABILIZED BASE	CM	30.53	569.10	1,198.04	449.42	2,247.09
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	249.99	915.38	52,250.16	13,353.88	66,769.40
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	249.99	915.38	50,672.03	12,959.35	64,796.74
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	97.33	112.80	1,066.97	319.28	1,596.38
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	154.61	2,437.94	5,827.67	2,105.06	10,525.28
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	107.91	126.27	962.22	299.10	1,495.51
207a	DEEP PATCHING (0-15 cm)	SM	1.78	45.04	1.26	12.02	60.09
207b	DEEP PATCHING (16-30 cm)	SM	1.78	39.67	1.26	10.68	53.39
208	REINSTATEMENT OF ROAD SURFACE	SM	1.96	57.10	0.56	14.91	74.53
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.10	110.61	0.68	28.35	141.74
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.42	22.12	0.14	5.67	28.35
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.31	1.57	37.08	9.74	48.71
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	41.39	10.82	54.09
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.52	4.06	20.28
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	18.11	4.70	23.51
304a	SINGLE SURFACE TREATMENT	SM	0.82	7.57	74.50	20.72	103.62
304b	DOUBLE SURFACE TREATMENT	SM	1.19	14.15	145.01	40.09	200.44
304c	TRIPLE SURFACE TREATMENT	SM	2.00	19.94	165.53	46.87	234.33
304d	SEAL COAT	SM	0.77	4.12	52.54	14.36	71.79

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	71.25	1,489.33	7,159.58	2,180.04	10,900.21
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	71.25	1,438.23	7,721.88	2,307.84	11,539.20
307a	DENSE GRADED HOT BIT-MAC	CM	174.79	379.77	5,943.27	1,624.46	8,122.29
307b	OPEN GRADED HOT BIT-MAC	CM	174.79	379.77	5,778.49	1,583.26	7,916.31
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	29.58	590.65	2,081.69	675.48	3,377.40
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.39	650.70	44,306.08	11,245.79	56,228.97
309a	COLD MILLING, 0 - 30 mm	SM	1.01	24.99	8.68	8.67	43.34
309b	COLD MILLING, 0 - 50 mm	SM	1.68	41.65	14.46	14.45	72.24
309c	COLD MILLING, 0 - 70 mm	SM	2.52	62.48	21.69	21.67	108.36
401a1i	CONCRETE CLASS "A1" (Underground)	CM	518.44	1,059.94	4,232.00	1,452.60	7,262.98
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	518.44	1,059.94	4,509.48	1,521.96	7,609.82
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	518.44	1,059.94	5,064.42	1,660.70	8,303.50
401a2i	CONCRETE CLASS "A2" (Underground)	CM	518.44	1,059.94	4,610.00	1,547.10	7,735.48
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	518.44	1,059.94	4,887.48	1,616.46	8,082.32
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	518.44	1,059.94	5,442.42	1,755.20	8,776.00
401a3i	CONCRETE CLASS "A3" (Underground)	CM	518.44	1,059.94	4,988.00	1,641.60	8,207.98
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	518.44	1,059.94	5,265.48	1,710.96	8,554.82
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	518.44	1,059.94	5,820.42	1,849.70	9,248.50
401b	CONCRETE CLASS "B"	CM	690.50	805.93	3,474.95	1,242.85	6,214.23
401ci	CONCRETE CLASS "C" (Underground)	CM	512.95	500.55	3,817.11	1,207.65	6,038.26
401cii	CONCRETE CLASS "C" (On ground)	CM	512.95	500.55	3,935.45	1,237.24	6,186.19
401ciii	CONCRETE CLASS "C" (Elevated)	CM	512.95	500.55	4,172.14	1,296.41	6,482.04
401d	CONCRETE CLASS "D1"	CM	786.51	1,265.57	5,545.99	1,899.52	9,497.59
401e	CONCRETE CLASS "Y"	CM	1,094.45	500.55	4,997.11	1,648.02	8,240.12
401f	LEAN CONCRETE	CM	446.35	507.52	2,745.80	924.92	4,624.58
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,754.93	947.15	5,260.03	1,990.53	9,952.64
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,754.93	947.15	6,016.03	2,179.53	10,897.64
401gii	PRECAST CONCRETE CLASS "B"	CM	1,754.93	947.15	5,013.10	1,928.80	9,643.98
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,754.93	947.15	6,394.03	2,274.03	11,370.14

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,754.93	947.15	6,772.03	2,368.53	11,842.64
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,754.93	947.15	7,150.03	2,463.03	12,315.14
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,513.56	781.47	59,358.00	15,413.26	77,066.29
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,513.56	781.47	66,708.00	17,250.76	86,253.79
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,241.84	5,393.81	56,402.07	15,759.43	78,797.15
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,920.50	15,659.05	132,527.55	37,776.77	188,883.87
405b	LAUNCHING OF GIRDER	TON	68.14	532.52	-	150.17	750.83
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	113.34	-	288.56	100.47	502.37
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	113.34	-	300.70	103.51	517.55
406c	STEEL EXPANSION JOINTS	KG	9.18	26.40	91.27	31.71	158.55
406d	WATER STOPS 6" SIZE	M	91.92	-	467.96	139.97	699.86
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	44.49	-	2,999.00	760.87	3,804.37
406g	STEEL OR METAL BEARING DEVICES	KG	21.04	69.68	117.23	51.99	259.95
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	363.26	1,654.04	722.72	685.01	3,425.03
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	544.89	2,481.06	1,084.09	1,027.51	5,137.54
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	544.89	2,481.06	823.89	962.46	4,812.29
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	908.14	4,135.11	1,007.12	1,512.59	7,562.96
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	778.41	4,884.94	1,195.65	1,714.75	8,573.76
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,362.22	6,909.78	1,304.78	2,394.19	11,970.97
407h	PILE LOAD TEST UP TO 120 TON	EACH	24,189.86	45,769.30	99,537.42	42,374.15	211,870.73
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,869.16	45,769.30	199,074.84	72,428.33	362,141.63
407j	PILE LOAD TEST UP TO 360 TON	EACH	65,548.46	50,188.38	298,612.26	103,587.28	517,936.38
407k	CONFIRMATORY BORING (NX SIZE)	M	210.13	1,582.02	6.37	449.63	2,248.15
410	BRICK WORK	CM	349.31	282.72	2,818.43	862.61	4,313.07
411a	STONE MASONRY RANDOM DRY	CM	294.33	107.96	796.37	299.66	1,498.32
411b	STONE MASONRY RANDOM WITH MORTAR	CM	317.31	166.68	1,984.48	617.12	3,085.58
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	386.24	107.96	877.16	342.84	1,714.20
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	455.17	166.68	2,035.87	664.43	3,322.15

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	74.75	11.74	46.46	33.24	166.19
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	616.01	264.08	1,941.06	705.29	3,526.44
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	235.98	437.48	648.45	330.48	1,652.39
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	229.84	577.19	840.24	411.82	2,059.08
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	225.44	935.96	1,012.07	543.37	2,716.83
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	236.28	1,146.39	1,563.94	736.65	3,683.26
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	272.83	1,078.41	2,207.01	889.56	4,447.81
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	339.38	1,331.30	3,626.49	1,324.29	6,621.46
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	439.20	1,481.41	4,692.39	1,653.25	8,266.24
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	516.90	1,798.85	5,979.12	2,073.72	10,368.59
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	613.58	2,098.66	9,230.81	2,985.76	14,928.81
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	235.98	507.33	671.87	353.80	1,768.98
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	229.84	577.19	787.25	398.57	1,992.85
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	220.27	935.96	962.92	529.79	2,648.94
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	236.28	1,146.39	1,597.37	745.01	3,725.05
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	272.83	1,078.41	3,033.34	1,096.15	5,480.73
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	339.38	1,331.30	4,452.49	1,530.79	7,653.96
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	439.20	1,481.41	6,214.57	2,033.79	10,168.97
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	516.90	1,798.85	8,425.33	2,685.27	13,426.35
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	613.58	2,098.66	11,846.55	3,639.70	18,198.49
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	92.48	118.93	414.35	156.44	782.19
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	762.54	612.95	3,824.95	1,300.11	6,500.54
507a	STEEL WIRE MESH FOR GABIONS	KG	5.36	-	115.59	30.24	151.20
507b	ROCK FILL IN GABIONS	CM	99.62	-	550.55	162.54	812.71
508a	BRICK PAVING (SINGLE COURSE)	SM	115.75	32.70	206.84	88.82	444.11
508b	BRICK PAVING (DOUBLE COURSE)	SM	207.66	32.70	410.01	162.59	812.96
509a	RIP RAP CLASS "A"	CM	502.69	-	701.56	301.06	1,505.32
509b	RIP RAP CLASS "B"	CM	484.87	-	695.95	295.21	1,476.03
509c	RIP RAP CLASS "C"	CM	488.31	-	701.56	297.47	1,487.34

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	614.70	102.14	2,179.34	724.05	3,620.23
509e	GRouted RIP RAP CLASS "B"	CM	592.86	81.72	2,020.16	673.68	3,368.42
509f	GRouted RIP RAP CLASS "C"	CM	585.96	68.10	2,072.74	681.70	3,408.49
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	815.91	353.02	4,375.12	1,386.01	6,930.06
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	49.82	191.97	521.83	190.91	954.53
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	109.86	390.69	-	125.14	625.70
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	157.09	67.48	114.00	84.64	423.21
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	201.07	86.37	145.93	108.34	541.71
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	256.22	180.32	429.33	216.47	1,082.34
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	320.27	225.40	536.66	270.58	1,352.92
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	274.94	572.25	2,359.02	801.55	4,007.77
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	962.36	670.54	4,209.42	1,460.58	7,302.89
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	140.42	90.27	458.41	172.27	861.37
603	BRICK EDGING	M	9.12	-	32.16	10.32	51.60
604a	METAL GUARD RAIL	M	19.62	70.84	1,579.36	417.46	2,087.28
604b	METAL GUARD RAIL END PIECES	EACH	25.62	-	1,197.58	305.80	1,528.99
604d	STEEL POST OF METAL GUARD RAIL	EACH	90.08	976.73	3,776.31	1,210.78	6,053.90
605a	CONCRETE BEAM GUARD RAIL	M	76.04	30.82	599.38	176.56	882.81
605c	CONCRETE POST FOR GUARD RAIL	M	93.37	27.36	601.64	180.59	902.97
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	245.53	255.15	6,873.13	1,843.45	9,217.27
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	70.56	382.72	9,307.71	2,440.25	12,201.25
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	245.53	541.89	11,970.37	3,189.45	15,947.23
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	797.20	598.64	21,090.75	5,621.65	28,108.24
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	159.44	119.73	9,245.91	2,381.27	11,906.35
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	275.84	-	1,306.38	395.56	1,977.78
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	275.84	-	1,959.57	558.85	2,794.27
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.76	5.86	16.17	6.20	31.00
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.92	4.03	39.78	11.18	55.92
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.76	5.86	21.58	7.55	37.76

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bahawalpur

District Code: 05

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.92	4.03	53.06	14.50	72.51
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	71.05	5.22	156.29	58.14	290.70
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	71.05	9.98	501.33	145.59	727.96
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.45	8.59	22.49	8.63	43.17
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.45	9.63	67.50	20.15	100.74
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.45	6.95	29.99	10.10	50.49
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.45	9.63	90.01	25.77	128.86
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	71.05	3.73	217.15	72.98	364.91
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	71.05	7.90	851.20	232.54	1,162.69
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	59.56	3.73	104.19	41.87	209.35
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	59.56	7.90	334.73	100.55	502.73
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	59.56	3.73	144.77	52.01	260.07
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	59.56	7.90	568.32	158.95	794.73
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.17	81.62	194.00	71.20	355.99
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.17	81.62	234.00	81.20	405.98
610b	RIGHT OF WAY MARKER	EACH	106.51	121.33	311.06	134.72	673.62
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	639.67	976.31	2,105.66	930.41	4,652.06
610d	TEN KILOMETRE POST	EACH	1,225.74	1,952.61	4,601.74	1,945.02	9,725.11
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	134.93	91.00	964.81	297.69	1,488.43

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

BHAKAR

(07)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.69	10.10	-	2.70	13.49
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.79	173.32	1.17	45.32	226.60
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	19.67	456.54	2.63	119.71	598.55
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	78.69	1,826.16	10.51	478.84	2,394.20
103	STRIPPING	CM	2.32	93.22	-	23.89	119.43
104	COMPACTION OF NATURAL GROUND	SM	0.33	9.91	0.76	2.75	13.75
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.93	135.76	-	34.92	174.61
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	118.51	316.30	50.82	121.41	607.04
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.69	337.99	-	88.67	443.35
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.93	262.40	-	68.33	341.65
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.22	120.27	-	30.87	154.36
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	118.51	316.30	50.82	121.41	607.04
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.86	316.03	-	83.72	418.61
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.42	263.92	-	68.08	340.42
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.53	137.60	0.38	36.13	180.64
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	61.12	287.11	70.80	104.76	523.80
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	104.77	427.01	33.88	141.42	707.08
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	89.12	292.53	-	95.41	477.06
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	53.88	238.86	-	73.19	365.93
107d	GRANULAR BACK FILL	CM	32.19	137.14	395.29	141.16	705.78
107e	COMMON BACK FILL	CM	24.10	62.84	5.09	23.01	115.04
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.47	174.71	5.09	46.57	232.84
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	19.09	482.48	54.04	138.90	694.52
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.32	416.71	2.42	108.36	541.81
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.73	369.34	-	95.52	477.59
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.45	177.46	7.94	48.21	241.06
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.83	76.32	5.09	21.81	109.05
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.62	110.29	3.03	31.73	158.67
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.30	27.34	1.46	7.52	37.62

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.93	18.21	0.77	4.98	24.89
110	IMPROVED SUB-GRADE	CM	9.36	120.02	57.08	46.61	233.07
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.79	15.26	0.79	4.21	21.05
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.17	15.57	0.90	4.41	22.04
201	GRANULAR SUB-BASE	CM	7.56	255.06	583.42	211.51	1,057.55
202	AGGREGATE BASE	CM	8.78	326.54	816.23	287.89	1,439.43
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	69.55	1,510.17	5,788.45	1,842.04	9,210.20
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	71.87	1,510.17	6,232.20	1,953.56	9,767.79
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	76.97	1,577.28	5,778.80	1,858.26	9,291.32
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	76.97	1,571.31	6,376.71	2,006.25	10,031.24
204b	CEMENT STABILIZED BASE	CM	27.01	569.10	867.05	365.79	1,828.95
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	225.07	915.38	51,459.33	13,149.94	65,749.71
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	225.07	915.38	49,881.20	12,755.41	63,777.05
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	91.81	112.80	938.63	285.81	1,429.05
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	140.84	2,437.94	5,580.05	2,039.71	10,198.54
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	101.78	126.27	842.12	267.54	1,337.72
207a	DEEP PATCHING (0-15 cm)	SM	1.62	45.04	1.26	11.98	59.89
207b	DEEP PATCHING (16-30 cm)	SM	1.62	39.67	1.26	10.64	53.19
208	REINSTATEMENT OF ROAD SURFACE	SM	1.73	57.10	0.56	14.85	74.24
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.89	110.61	0.68	28.30	141.48
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.38	22.12	0.14	5.66	28.30
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	36.52	9.59	47.96
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	40.77	10.65	53.26
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.28	3.99	19.97
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.83	4.63	23.15
304a	SINGLE SURFACE TREATMENT	SM	0.72	7.57	72.39	20.17	100.86
304b	DOUBLE SURFACE TREATMENT	SM	1.05	14.15	140.53	38.93	194.66
304c	TRIPLE SURFACE TREATMENT	SM	1.76	19.94	160.23	45.48	227.42
304d	SEAL COAT	SM	0.67	4.12	50.80	13.90	69.48

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	65.04	1,489.33	6,811.98	2,091.59	10,457.94
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	65.04	1,438.23	7,341.35	2,211.16	11,055.78
307a	DENSE GRADED HOT BIT-MAC	CM	160.00	379.77	5,588.36	1,532.03	7,660.17
307b	OPEN GRADED HOT BIT-MAC	CM	160.00	379.77	5,485.89	1,506.42	7,532.09
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	26.92	590.65	2,038.49	664.01	3,320.06
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	23.69	650.70	43,491.76	11,041.54	55,207.69
309a	COLD MILLING, 0 - 30 mm	SM	0.89	24.99	8.68	8.64	43.19
309b	COLD MILLING, 0 - 50 mm	SM	1.48	41.65	14.46	14.40	71.99
309c	COLD MILLING, 0 - 70 mm	SM	2.22	62.48	21.69	21.60	107.98
401a1i	CONCRETE CLASS "A1" (Underground)	CM	519.15	1,059.94	3,789.43	1,342.13	6,710.65
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	519.15	1,059.94	4,066.90	1,411.50	7,057.49
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	519.15	1,059.94	4,621.85	1,550.23	7,751.17
401a2i	CONCRETE CLASS "A2" (Underground)	CM	519.15	1,059.94	4,167.43	1,436.63	7,183.15
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	519.15	1,059.94	4,444.90	1,506.00	7,529.99
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	519.15	1,059.94	4,999.85	1,644.73	8,223.67
401a3i	CONCRETE CLASS "A3" (Underground)	CM	519.15	1,059.94	4,545.43	1,531.13	7,655.65
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	519.15	1,059.94	4,822.90	1,600.50	8,002.49
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	519.15	1,059.94	5,377.85	1,739.23	8,696.17
401b	CONCRETE CLASS "B"	CM	655.86	805.93	3,115.11	1,144.22	5,721.12
401ci	CONCRETE CLASS "C" (Underground)	CM	511.58	500.55	3,394.74	1,101.72	5,508.58
401cii	CONCRETE CLASS "C" (On ground)	CM	511.58	500.55	3,513.08	1,131.30	5,656.50
401ciii	CONCRETE CLASS "C" (Elevated)	CM	511.58	500.55	3,749.76	1,190.47	5,952.36
401d	CONCRETE CLASS "D1"	CM	818.80	1,265.57	5,156.95	1,810.33	9,051.64
401e	CONCRETE CLASS "Y"	CM	1,151.69	500.55	4,556.68	1,552.23	7,761.14
401f	LEAN CONCRETE	CM	428.91	507.52	2,385.70	830.53	4,152.66
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,747.26	947.15	4,767.25	1,865.42	9,327.08
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,747.26	947.15	5,523.25	2,054.42	10,272.08
401gii	PRECAST CONCRETE CLASS "B"	CM	1,747.26	947.15	4,642.99	1,834.35	9,171.76
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,747.26	947.15	5,901.25	2,148.92	10,744.58

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,747.26	947.15	6,279.25	2,243.42	11,217.08
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,747.26	947.15	6,657.25	2,337.92	11,689.58
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,578.76	781.47	60,418.00	15,694.56	78,472.79
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,578.76	781.47	67,768.00	17,532.06	87,660.29
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,273.79	5,393.81	57,367.67	16,008.82	80,044.08
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,120.99	15,659.05	132,571.41	37,837.86	189,189.31
405b	LAUNCHING OF GIRDER	TON	74.69	532.52	-	151.80	759.02
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	115.59	-	288.22	100.95	504.76
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	115.59	-	298.15	103.44	517.18
406c	STEEL EXPANSION JOINTS	KG	9.42	26.40	92.82	32.16	160.80
406d	WATER STOPS 6" SIZE	M	94.94	-	469.18	141.03	705.16
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	42.14	-	2,982.73	756.22	3,781.09
406g	STEEL OR METAL BEARING DEVICES	KG	19.74	69.68	118.59	52.00	260.01
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	404.81	1,654.04	716.01	693.72	3,468.58
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	607.22	2,481.06	1,074.01	1,040.57	5,202.87
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	607.22	2,481.06	813.81	975.52	4,877.62
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,012.04	4,135.11	990.32	1,534.37	7,671.83
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	867.46	4,884.94	1,166.87	1,729.82	8,649.09
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,518.05	6,909.78	1,279.60	2,426.86	12,134.28
407h	PILE LOAD TEST UP TO 120 TON	EACH	22,745.16	45,769.30	93,107.26	40,405.43	202,027.16
407i	PILE LOAD TEST UP TO 240 TON	EACH	42,487.00	45,769.30	186,214.52	68,617.71	343,088.53
407j	PILE LOAD TEST UP TO 360 TON	EACH	62,228.84	50,188.38	279,321.78	97,934.75	489,673.75
407k	CONFIRMATORY BORING (NX SIZE)	M	223.33	1,582.02	6.37	452.93	2,264.65
410	BRICK WORK	CM	336.41	282.72	2,704.72	830.96	4,154.82
411a	STONE MASONRY RANDOM DRY	CM	282.52	107.96	627.91	254.60	1,272.99
411b	STONE MASONRY RANDOM WITH MORTAR	CM	305.07	166.68	1,611.38	520.78	2,603.91
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	371.48	107.96	695.23	293.67	1,468.34
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	438.50	166.68	1,700.47	576.41	2,882.06

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	72.44	11.74	43.03	31.80	159.02
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	593.87	264.08	1,605.66	615.90	3,079.52
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	222.80	437.48	642.06	325.59	1,627.93
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	217.63	577.19	832.56	406.84	2,034.22
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	211.84	935.96	1,003.12	537.73	2,688.64
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	222.49	1,146.39	1,553.48	730.59	3,652.95
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	255.65	1,078.41	2,196.55	882.65	4,413.27
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	316.88	1,331.30	3,611.38	1,314.89	6,574.44
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	410.08	1,481.41	4,677.35	1,642.21	8,211.04
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	481.85	1,798.85	5,960.85	2,060.39	10,301.94
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	572.71	2,098.66	9,209.49	2,970.22	14,851.08
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	222.80	507.33	659.08	347.30	1,736.52
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	217.63	577.19	779.57	393.60	1,967.98
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	206.90	935.96	953.97	524.21	2,621.03
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	222.49	1,146.39	1,589.23	739.53	3,697.64
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	255.65	1,078.41	3,021.72	1,088.95	5,444.73
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	316.88	1,331.30	4,437.38	1,521.39	7,606.94
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	410.08	1,481.41	6,199.53	2,022.75	10,113.76
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	481.85	1,798.85	8,407.06	2,671.94	13,359.70
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	572.71	2,098.66	11,825.24	3,624.15	18,120.77
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	85.78	118.93	326.67	132.84	664.22
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	744.94	612.95	3,465.11	1,205.75	6,028.74
507a	STEEL WIRE MESH FOR GABIONS	KG	5.29	-	114.97	30.06	150.31
507b	ROCK FILL IN GABIONS	CM	93.50	-	479.97	143.37	716.83
508a	BRICK PAVING (SINGLE COURSE)	SM	110.92	32.70	208.83	88.11	440.56
508b	BRICK PAVING (DOUBLE COURSE)	SM	199.87	32.70	414.73	161.83	809.13
509a	RIP RAP CLASS "A"	CM	482.62	-	533.10	253.93	1,269.65
509b	RIP RAP CLASS "B"	CM	466.04	-	528.84	248.72	1,243.59
509c	RIP RAP CLASS "C"	CM	470.01	-	533.10	250.78	1,253.89

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	589.82	102.14	1,882.98	643.74	3,218.68
509e	GRouted RIP RAP CLASS "B"	CM	569.83	81.72	1,738.45	597.50	2,987.49
509f	GRouted RIP RAP CLASS "C"	CM	563.81	68.10	1,784.91	604.20	3,021.02
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	785.91	353.02	4,034.95	1,293.47	6,467.35
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	46.75	191.97	395.29	158.50	792.52
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	116.81	390.69	-	126.88	634.38
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	150.17	67.48	86.63	76.07	380.34
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	192.22	86.37	110.88	97.37	486.84
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	245.83	180.32	368.99	198.79	993.93
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	307.29	225.40	461.24	248.48	1,242.42
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	275.28	572.25	2,128.58	744.03	3,720.13
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	959.14	670.54	3,975.23	1,401.23	7,006.13
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	138.99	90.27	414.12	160.84	804.22
603	BRICK EDGING	M	8.66	-	33.12	10.45	52.23
604a	METAL GUARD RAIL	M	20.09	70.84	1,579.36	417.57	2,087.87
604b	METAL GUARD RAIL END PIECES	EACH	28.35	-	1,197.58	306.48	1,532.41
604d	STEEL POST OF METAL GUARD RAIL	EACH	89.50	976.73	3,776.31	1,210.63	6,053.17
605a	CONCRETE BEAM GUARD RAIL	M	74.49	30.82	586.36	172.92	864.59
605c	CONCRETE POST FOR GUARD RAIL	M	91.46	27.36	585.08	175.98	879.88
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	236.27	255.15	6,861.49	1,838.23	9,191.14
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	68.58	382.72	9,245.15	2,424.11	12,120.56
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	236.27	541.89	11,863.93	3,160.52	15,802.61
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	772.39	598.64	20,927.94	5,574.75	27,873.73
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	154.48	119.73	9,212.28	2,371.62	11,858.11
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	271.12	-	1,305.63	394.19	1,970.93
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	271.12	-	1,958.44	557.39	2,786.95
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.60	5.86	16.17	6.16	30.79
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.87	4.03	39.74	11.16	55.80
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.60	5.86	21.58	7.51	37.54

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Bhakkar

District Code: 07

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.87	4.03	53.01	14.48	72.38
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	78.44	5.22	156.25	59.97	299.87
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	78.44	9.98	500.80	147.31	736.53
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.25	8.59	22.49	8.58	42.91
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.25	9.63	67.50	20.10	100.48
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.25	6.95	29.98	10.05	50.23
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.25	9.63	90.01	25.72	128.61
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	78.44	3.73	217.10	74.82	374.08
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	78.44	7.90	851.20	234.38	1,171.92
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	64.91	3.73	104.16	43.20	216.00
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	64.91	7.90	334.37	101.80	508.98
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	64.91	3.73	144.74	53.34	266.72
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	64.91	7.90	568.32	160.28	801.42
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	8.98	81.62	193.75	71.09	355.44
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	8.98	81.62	233.75	81.09	405.43
610b	RIGHT OF WAY MARKER	EACH	102.45	121.33	293.18	129.24	646.21
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	638.14	976.31	1,959.63	893.52	4,467.59
610d	TEN KILOMETRE POST	EACH	1,231.19	1,952.61	4,318.36	1,875.54	9,377.70
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	135.79	91.00	945.34	293.03	1,465.17

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

CHAKWAL
(09)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	1.06	10.10	-	2.79	13.95
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	10.08	173.32	1.17	46.14	230.71
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	29.82	456.54	2.63	122.25	611.24
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	119.30	1,826.16	10.51	488.99	2,444.96
103	STRIPPING	CM	3.30	93.22	-	24.13	120.64
104	COMPACTION OF NATURAL GROUND	SM	0.46	9.91	0.76	2.78	13.92
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.93	135.76	-	35.17	175.86
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	158.71	316.30	50.82	131.46	657.28
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	22.80	337.99	-	90.20	451.00
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	14.67	262.40	-	69.27	346.33
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	4.03	120.27	-	31.08	155.38
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	158.71	316.30	50.82	131.46	657.28
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	25.21	316.03	-	85.31	426.55
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	11.40	263.92	-	68.83	344.16
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	8.30	137.60	0.38	36.57	182.85
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	86.47	287.11	70.80	111.10	555.49
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	140.07	427.01	33.88	150.24	751.21
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	119.69	292.53	-	103.06	515.28
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	72.04	238.86	-	77.73	388.63
107d	GRANULAR BACK FILL	CM	46.58	137.14	462.67	161.60	807.99
107e	COMMON BACK FILL	CM	37.40	62.84	5.09	26.33	131.66
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	8.59	174.71	5.09	47.10	235.49
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	26.35	482.48	54.04	140.72	703.59
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	19.76	416.71	2.42	109.72	548.61
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	17.56	369.34	-	96.73	483.64
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	10.18	177.46	7.94	48.89	244.47
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.79	76.32	5.09	22.30	111.50
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	19.07	110.29	3.03	33.10	165.48
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.75	27.34	1.46	7.64	38.19

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.24	18.21	0.77	5.06	25.28
110	IMPROVED SUB-GRADE	CM	12.98	120.02	58.11	47.78	238.89
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	1.10	15.26	0.79	4.29	21.44
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.59	15.57	0.90	4.52	22.58
201	GRANULAR SUB-BASE	CM	10.25	255.06	567.48	208.20	1,040.99
202	AGGREGATE BASE	CM	11.75	326.54	843.78	295.52	1,477.58
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	104.18	1,510.17	5,815.99	1,857.58	9,287.91
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	107.03	1,510.17	6,236.08	1,963.32	9,816.60
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	113.89	1,577.28	5,806.68	1,874.46	9,372.32
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	113.89	1,571.31	6,378.70	2,015.97	10,079.87
204b	CEMENT STABILIZED BASE	CM	37.12	569.10	991.25	399.37	1,996.85
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	301.72	915.38	50,510.94	12,932.01	64,660.05
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	301.72	915.38	48,932.81	12,537.48	62,687.39
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	143.95	112.80	1,002.82	314.89	1,574.46
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	203.12	2,437.94	5,603.23	2,061.07	10,305.37
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	160.51	126.27	782.97	267.44	1,337.18
207a	DEEP PATCHING (0-15 cm)	SM	2.18	45.04	1.26	12.12	60.60
207b	DEEP PATCHING (16-30 cm)	SM	2.18	39.67	1.26	10.78	53.89
208	REINSTATEMENT OF ROAD SURFACE	SM	2.35	57.10	0.56	15.00	75.01
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.36	110.61	0.68	28.41	142.07
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.47	22.12	0.14	5.68	28.41
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.37	1.57	35.85	9.45	47.24
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.36	1.57	40.02	10.49	52.44
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.15	0.58	15.00	3.93	19.67
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.15	0.58	17.50	4.56	22.79
304a	SINGLE SURFACE TREATMENT	SM	0.96	7.57	71.39	19.98	99.90
304b	DOUBLE SURFACE TREATMENT	SM	1.39	14.15	138.84	38.60	192.98
304c	TRIPLE SURFACE TREATMENT	SM	2.33	19.94	158.36	45.16	225.79
304d	SEAL COAT	SM	0.89	4.12	50.19	13.80	69.00

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	95.34	1,489.33	6,812.67	2,099.33	10,496.67
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	95.34	1,438.23	7,338.46	2,218.01	11,090.03
307a	DENSE GRADED HOT BIT-MAC	CM	239.57	379.77	5,592.28	1,552.91	7,764.53
307b	OPEN GRADED HOT BIT-MAC	CM	239.57	379.77	5,479.03	1,524.59	7,622.97
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	39.78	590.65	2,028.16	664.65	3,323.23
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	33.99	650.70	42,515.20	10,799.97	53,999.87
309a	COLD MILLING, 0 - 30 mm	SM	1.22	24.99	8.68	8.72	43.61
309b	COLD MILLING, 0 - 50 mm	SM	2.03	41.65	14.46	14.54	72.68
309c	COLD MILLING, 0 - 70 mm	SM	3.04	62.48	21.69	21.80	109.02
401a1i	CONCRETE CLASS "A1" (Underground)	CM	755.97	1,059.94	3,963.27	1,444.79	7,223.97
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	755.97	1,059.94	4,240.75	1,514.16	7,570.81
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	755.97	1,059.94	4,795.69	1,652.90	8,264.49
401a2i	CONCRETE CLASS "A2" (Underground)	CM	755.97	1,059.94	4,341.27	1,539.29	7,696.47
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	755.97	1,059.94	4,618.75	1,608.66	8,043.31
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	755.97	1,059.94	5,173.69	1,747.40	8,736.99
401a3i	CONCRETE CLASS "A3" (Underground)	CM	755.97	1,059.94	4,719.27	1,633.79	8,168.97
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	755.97	1,059.94	4,996.75	1,703.16	8,515.81
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	755.97	1,059.94	5,551.69	1,841.90	9,209.49
401b	CONCRETE CLASS "B"	CM	949.00	805.93	3,270.72	1,256.41	6,282.05
401ci	CONCRETE CLASS "C" (Underground)	CM	763.42	500.55	3,569.60	1,208.39	6,041.95
401cii	CONCRETE CLASS "C" (On ground)	CM	763.42	500.55	3,687.94	1,237.98	6,189.88
401ciii	CONCRETE CLASS "C" (Elevated)	CM	763.42	500.55	3,924.62	1,297.15	6,485.74
401d	CONCRETE CLASS "D1"	CM	1,212.84	1,265.57	5,311.70	1,947.53	9,737.63
401e	CONCRETE CLASS "Y"	CM	1,728.41	500.55	4,724.86	1,738.45	8,692.27
401f	LEAN CONCRETE	CM	655.48	507.52	2,541.40	926.10	4,630.49
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,657.30	947.15	4,959.28	2,140.93	10,704.66
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,657.30	947.15	5,715.28	2,329.93	11,649.66
401gii	PRECAST CONCRETE CLASS "B"	CM	2,657.30	947.15	4,803.79	2,102.06	10,510.30
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,657.30	947.15	6,093.28	2,424.43	12,122.16

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,657.30	947.15	6,471.28	2,518.93	12,594.66
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,657.30	947.15	6,849.28	2,613.43	13,067.16
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	2,321.49	781.47	59,888.00	15,747.74	78,738.70
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	2,321.49	781.47	67,238.00	17,585.24	87,926.20
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,888.25	5,393.81	56,778.21	16,015.07	80,075.34
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,739.69	15,659.05	132,568.00	37,991.69	189,958.43
405b	LAUNCHING OF GIRDER	TON	89.25	532.52	-	155.44	777.22
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	172.96	-	286.93	114.97	574.87
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	172.96	-	295.81	117.19	585.96
406c	STEEL EXPANSION JOINTS	KG	14.27	26.40	92.01	33.17	165.85
406d	WATER STOPS 6" SIZE	M	143.60	-	471.74	153.84	769.18
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	61.76	-	2,969.12	757.72	3,788.60
406g	STEEL OR METAL BEARING DEVICES	KG	29.33	69.68	117.84	54.21	271.06
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	488.40	1,654.04	719.26	715.42	3,577.12
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	732.60	2,481.06	1,078.89	1,073.14	5,365.68
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	732.60	2,481.06	818.69	1,008.09	5,040.43
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,220.99	4,135.11	998.45	1,588.64	7,943.19
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	1,046.57	4,884.94	1,180.80	1,778.08	8,890.38
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,831.49	6,909.78	1,291.78	2,508.26	12,541.32
407h	PILE LOAD TEST UP TO 120 TON	EACH	35,827.01	45,769.30	97,394.62	44,747.73	223,738.67
407i	PILE LOAD TEST UP TO 240 TON	EACH	67,958.05	45,769.30	194,789.24	77,129.15	385,645.74
407j	PILE LOAD TEST UP TO 360 TON	EACH	100,089.09	50,188.38	292,183.86	110,615.33	553,076.66
407k	CONFIRMATORY BORING (NX SIZE)	M	301.87	1,582.02	6.37	472.56	2,362.82
410	BRICK WORK	CM	511.68	282.72	2,720.98	878.85	4,394.24
411a	STONE MASONRY RANDOM DRY	CM	424.23	107.96	424.68	239.22	1,196.08
411b	STONE MASONRY RANDOM WITH MORTAR	CM	457.52	166.68	1,490.99	528.80	2,643.98
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	562.21	107.96	475.75	286.48	1,432.40
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	664.49	166.68	1,543.11	593.57	2,967.85

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	110.70	11.74	44.42	41.71	208.57
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	907.17	264.08	1,448.30	654.89	3,274.44
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	346.36	437.48	644.64	357.12	1,785.60
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	339.98	577.19	835.67	438.21	2,191.05
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	321.12	935.96	1,006.74	565.95	2,829.77
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	340.61	1,146.39	1,557.71	761.18	3,805.89
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	389.33	1,078.41	2,200.78	917.13	4,585.66
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	479.07	1,331.30	3,617.50	1,356.97	6,784.84
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	619.98	1,481.41	4,683.44	1,696.21	8,481.03
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	729.05	1,798.85	5,968.25	2,124.04	10,620.19
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	864.91	2,098.66	9,218.12	3,045.42	15,227.12
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	346.36	507.33	664.26	379.49	1,897.43
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	339.98	577.19	782.68	424.96	2,124.81
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	313.08	935.96	957.59	551.66	2,758.29
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	340.61	1,146.39	1,592.53	769.88	3,849.41
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	389.33	1,078.41	3,026.42	1,123.54	5,617.72
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	479.07	1,331.30	4,443.50	1,563.47	7,817.34
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	619.98	1,481.41	6,205.62	2,076.75	10,383.75
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	729.05	1,798.85	8,414.46	2,735.59	13,677.95
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	864.91	2,098.66	11,833.87	3,699.36	18,496.80
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	129.66	118.93	385.13	158.43	792.14
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	1,088.71	612.95	3,620.72	1,330.59	6,652.96
507a	STEEL WIRE MESH FOR GABIONS	KG	7.72	-	114.07	30.45	152.23
507b	ROCK FILL IN GABIONS	CM	144.96	-	458.79	150.94	754.69
508a	BRICK PAVING (SINGLE COURSE)	SM	169.89	32.70	205.62	102.05	510.26
508b	BRICK PAVING (DOUBLE COURSE)	SM	307.87	32.70	407.82	187.10	935.49
509a	RIP RAP CLASS "A"	CM	737.80	-	329.88	266.92	1,334.60
509b	RIP RAP CLASS "B"	CM	714.91	-	327.24	260.54	1,302.68
509c	RIP RAP CLASS "C"	CM	721.84	-	329.88	262.93	1,314.65

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	902.59	102.14	1,731.52	684.06	3,420.32
509e	GRouted RIP RAP CLASS "B"	CM	873.37	81.72	1,583.24	634.58	3,172.90
509f	GRouted RIP RAP CLASS "C"	CM	865.79	68.10	1,630.00	640.97	3,204.86
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,202.35	353.02	4,182.07	1,434.36	7,171.80
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	71.53	191.97	462.68	181.54	907.72
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	158.16	390.69	-	137.21	686.07
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	227.53	67.48	53.60	87.15	435.76
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	291.24	86.37	68.61	111.55	557.77
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	373.06	180.32	352.23	226.41	1,132.03
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	466.33	225.40	440.29	283.01	1,415.03
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	400.91	572.25	2,219.05	798.05	3,990.26
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,456.96	670.54	4,064.06	1,547.89	7,739.44
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	210.89	90.27	431.91	183.27	916.34
603	BRICK EDGING	M	13.09	-	32.16	11.31	56.56
604a	METAL GUARD RAIL	M	25.66	70.84	1,579.36	418.97	2,094.83
604b	METAL GUARD RAIL END PIECES	EACH	36.68	-	1,197.58	308.56	1,542.81
604d	STEEL POST OF METAL GUARD RAIL	EACH	113.71	976.73	3,776.31	1,216.69	6,083.44
605a	CONCRETE BEAM GUARD RAIL	M	116.38	30.82	590.84	184.51	922.56
605c	CONCRETE POST FOR GUARD RAIL	M	142.90	27.36	590.88	190.28	951.42
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	353.75	255.15	6,864.95	1,868.46	9,342.31
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	103.02	382.72	9,268.91	2,438.66	12,193.32
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	353.75	541.89	11,904.47	3,200.03	16,000.14
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,204.13	598.64	20,987.64	5,697.60	28,488.01
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	240.83	119.73	9,221.53	2,395.52	11,977.60
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	383.16	-	1,305.04	422.05	2,110.24
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	383.16	-	1,957.56	585.18	2,925.89
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.77	5.86	16.17	6.45	32.24
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.26	4.03	39.72	11.25	56.25
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.77	5.86	21.57	7.80	39.00

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Chakwal

District Code: 09

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.26	4.03	52.97	14.56	72.82
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	116.66	5.22	156.22	69.52	347.62
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	116.66	9.98	500.47	156.78	783.89
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.71	8.59	22.48	8.94	44.72
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.71	9.63	67.50	20.46	102.31
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.71	6.95	29.98	10.41	52.05
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.71	9.63	90.01	26.09	130.43
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	116.66	3.73	217.08	84.37	421.83
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	116.66	7.90	851.20	243.94	1,219.69
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	96.68	3.73	104.15	51.14	255.70
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	96.68	7.90	334.15	109.68	548.42
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	96.68	3.73	144.72	61.28	306.41
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	96.68	7.90	568.32	168.23	841.13
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	12.89	81.62	193.85	72.09	360.45
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	12.89	81.62	233.85	82.09	410.45
610b	RIGHT OF WAY MARKER	EACH	161.31	121.33	299.95	145.65	728.23
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	979.59	976.31	2,014.51	992.60	4,963.00
610d	TEN KILOMETRE POST	EACH	1,892.59	1,952.61	4,424.44	2,067.41	10,337.05
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	195.05	91.00	953.30	309.84	1,549.20

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

DERA GHAZI KHAN
(11)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.74	10.10	-	2.71	13.55
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.35	173.32	1.17	45.46	227.30
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	21.14	456.54	2.63	120.08	600.39
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	84.56	1,826.16	10.51	480.31	2,401.54
103	STRIPPING	CM	2.61	93.22	-	23.96	119.78
104	COMPACTION OF NATURAL GROUND	SM	0.37	9.91	0.76	2.76	13.80
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.42	135.76	-	35.04	175.22
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	126.37	316.30	50.82	123.37	616.86
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	17.38	337.99	-	88.84	444.22
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.40	262.40	-	68.45	342.25
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.61	120.27	-	30.97	154.85
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	126.37	316.30	50.82	123.37	616.86
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.04	316.03	-	84.02	420.09
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.78	263.92	-	68.18	340.88
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.29	137.60	0.38	36.32	181.58
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	62.34	287.11	70.80	105.06	525.32
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	111.33	427.01	33.88	143.06	715.28
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	94.06	292.53	-	96.65	483.24
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	57.25	238.86	-	74.03	370.15
107d	GRANULAR BACK FILL	CM	34.37	137.14	315.80	121.83	609.14
107e	COMMON BACK FILL	CM	25.88	62.84	5.09	23.45	117.25
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.86	174.71	5.09	46.66	233.32
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	20.33	482.48	54.04	139.21	696.06
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.25	416.71	2.42	108.59	542.97
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.55	369.34	-	95.72	478.62
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.88	177.46	7.94	48.32	241.59
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.25	76.32	5.09	21.92	109.58
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.61	110.29	3.03	31.98	159.91
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.39	27.34	1.46	7.55	37.73

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.02	18.21	0.77	5.00	25.00
110	IMPROVED SUB-GRADE	CM	9.95	120.02	58.10	47.02	235.09
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.87	15.26	0.79	4.23	21.16
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.27	15.57	0.90	4.44	22.18
201	GRANULAR SUB-BASE	CM	7.97	255.06	496.38	189.85	949.26
202	AGGREGATE BASE	CM	9.04	326.54	705.13	260.18	1,300.89
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	72.17	1,510.17	5,783.62	1,841.49	9,207.44
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	74.33	1,510.17	6,221.34	1,951.46	9,757.30
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	80.00	1,577.28	5,773.53	1,857.71	9,288.53
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	80.00	1,571.31	6,367.42	2,004.68	10,023.41
204b	CEMENT STABILIZED BASE	CM	27.87	569.10	812.99	352.49	1,762.46
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	248.12	915.38	52,253.19	13,354.17	66,770.85
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	248.12	915.38	50,675.06	12,959.64	64,798.19
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	97.14	112.80	817.47	256.85	1,284.25
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	146.40	2,437.94	5,510.91	2,023.81	10,119.07
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	106.89	126.27	741.38	243.64	1,218.18
207a	DEEP PATCHING (0-15 cm)	SM	1.78	45.04	1.26	12.02	60.09
207b	DEEP PATCHING (16-30 cm)	SM	1.78	39.67	1.26	10.68	53.39
208	REINSTATEMENT OF ROAD SURFACE	SM	1.83	57.10	0.56	14.87	74.37
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.23	110.61	0.68	28.38	141.91
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.45	22.12	0.14	5.68	28.38
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	37.09	9.74	48.69
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	41.40	10.81	54.07
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.52	4.05	20.27
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	18.11	4.70	23.51
304a	SINGLE SURFACE TREATMENT	SM	0.77	7.57	73.08	20.36	101.78
304b	DOUBLE SURFACE TREATMENT	SM	1.11	14.15	141.13	39.10	195.49
304c	TRIPLE SURFACE TREATMENT	SM	1.88	19.94	160.90	45.68	228.40
304d	SEAL COAT	SM	0.71	4.12	51.62	14.11	70.56

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	67.13	1,489.33	6,819.75	2,094.05	10,470.27
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	67.13	1,438.23	7,360.65	2,216.50	11,082.51
307a	DENSE GRADED HOT BIT-MAC	CM	165.15	379.77	5,618.39	1,540.83	7,704.14
307b	OPEN GRADED HOT BIT-MAC	CM	165.15	379.77	5,481.26	1,506.55	7,532.73
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	27.51	590.65	2,034.31	663.12	3,315.59
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.39	650.70	44,309.20	11,246.57	56,232.87
309a	COLD MILLING, 0 - 30 mm	SM	0.94	24.99	8.68	8.65	43.25
309b	COLD MILLING, 0 - 50 mm	SM	1.56	41.65	14.46	14.42	72.09
309c	COLD MILLING, 0 - 70 mm	SM	2.34	62.48	21.69	21.63	108.14
401a1i	CONCRETE CLASS "A1" (Underground)	CM	502.21	1,059.94	3,728.89	1,322.76	6,613.80
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	502.21	1,059.94	4,006.37	1,392.13	6,960.64
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	502.21	1,059.94	4,561.31	1,530.87	7,654.33
401a2i	CONCRETE CLASS "A2" (Underground)	CM	502.21	1,059.94	4,106.89	1,417.26	7,086.30
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	502.21	1,059.94	4,384.37	1,486.63	7,433.14
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	502.21	1,059.94	4,939.31	1,625.37	8,126.83
401a3i	CONCRETE CLASS "A3" (Underground)	CM	502.21	1,059.94	4,484.89	1,511.76	7,558.80
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	502.21	1,059.94	4,762.37	1,581.13	7,905.64
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	502.21	1,059.94	5,317.31	1,719.87	8,599.33
401b	CONCRETE CLASS "B"	CM	668.72	805.93	2,992.41	1,116.76	5,583.81
401ci	CONCRETE CLASS "C" (Underground)	CM	505.37	500.55	3,284.61	1,072.63	5,363.15
401cii	CONCRETE CLASS "C" (On ground)	CM	505.37	500.55	3,402.95	1,102.22	5,511.08
401ciii	CONCRETE CLASS "C" (Elevated)	CM	505.37	500.55	3,639.63	1,161.39	5,806.93
401d	CONCRETE CLASS "D1"	CM	772.37	1,265.57	5,093.67	1,782.90	8,914.51
401e	CONCRETE CLASS "Y"	CM	1,088.46	500.55	4,520.48	1,527.37	7,636.86
401f	LEAN CONCRETE	CM	446.12	507.52	2,262.90	804.13	4,020.67
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,736.90	947.15	4,707.18	1,847.81	9,239.04
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,736.90	947.15	5,463.18	2,036.81	10,184.04
401gii	PRECAST CONCRETE CLASS "B"	CM	1,736.90	947.15	4,510.41	1,798.62	8,993.08
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,736.90	947.15	5,841.18	2,131.31	10,656.54

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,736.90	947.15	6,219.18	2,225.81	11,129.04
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,736.90	947.15	6,597.18	2,320.31	11,601.54
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,484.24	781.47	60,418.00	15,670.93	78,354.64
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,484.24	781.47	67,768.00	17,508.43	87,542.14
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,190.68	5,393.81	56,024.59	15,652.27	78,261.35
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,613.73	15,659.05	132,561.82	37,708.65	188,543.24
405b	LAUNCHING OF GIRDER	TON	61.48	532.52	-	148.50	742.50
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	110.32	-	297.11	101.86	509.29
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	110.32	-	296.78	101.77	508.87
406c	STEEL EXPANSION JOINTS	KG	8.97	26.40	91.10	31.62	158.08
406d	WATER STOPS 6" SIZE	M	91.94	-	467.94	139.97	699.85
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	43.13	-	2,950.14	748.32	3,741.58
406g	STEEL OR METAL BEARING DEVICES	KG	19.95	69.68	117.07	51.68	258.38
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	339.90	1,654.04	937.77	732.93	3,664.64
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	509.85	2,481.06	1,406.65	1,099.39	5,496.96
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	509.85	2,481.06	1,054.95	1,011.47	5,057.33
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	849.76	4,135.11	1,270.21	1,563.77	7,818.84
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	728.36	4,884.94	1,515.95	1,782.31	8,911.57
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,274.64	6,909.78	1,630.79	2,453.80	12,269.01
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,862.84	45,769.30	86,675.34	39,076.87	195,384.36
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,542.14	45,769.30	173,350.68	65,915.53	329,577.66
407j	PILE LOAD TEST UP TO 360 TON	EACH	65,221.44	50,188.38	260,026.02	93,858.96	469,294.81
407k	CONFIRMATORY BORING (NX SIZE)	M	201.29	1,582.02	6.37	447.42	2,237.10
410	BRICK WORK	CM	350.31	282.72	2,639.13	818.04	4,090.21
411a	STONE MASONRY RANDOM DRY	CM	299.33	107.96	399.74	201.76	1,008.80
411b	STONE MASONRY RANDOM WITH MORTAR	CM	322.31	166.68	1,363.74	463.18	2,315.91
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	391.24	107.96	448.80	237.00	1,185.01
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	460.17	166.68	1,439.43	516.57	2,582.85

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	74.75	11.74	42.70	32.30	161.50
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	621.01	264.08	1,344.62	557.43	2,787.14
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	237.23	437.48	641.45	329.04	1,645.20
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	231.10	577.19	831.83	410.03	2,050.14
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	225.22	935.96	1,002.26	540.86	2,704.30
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	236.08	1,146.39	1,552.48	733.74	3,668.68
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	269.27	1,078.41	2,195.55	885.81	4,429.04
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	331.23	1,331.30	3,609.94	1,318.12	6,590.58
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	428.65	1,481.41	4,675.91	1,646.49	8,232.46
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	504.09	1,798.85	5,959.11	2,065.51	10,327.57
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	598.63	2,098.66	9,207.46	2,976.19	14,880.94
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	237.23	507.33	657.86	350.61	1,753.03
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	231.10	577.19	778.84	396.78	1,983.90
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	220.04	935.96	953.11	527.28	2,636.40
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	236.08	1,146.39	1,588.46	742.73	3,713.65
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	269.27	1,078.41	3,020.61	1,092.07	5,460.37
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	331.23	1,331.30	4,435.94	1,524.62	7,623.08
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	428.65	1,481.41	6,198.09	2,027.04	10,135.18
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	504.09	1,798.85	8,405.32	2,677.07	13,385.33
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	598.63	2,098.66	11,823.21	3,630.12	18,150.62
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	93.31	118.93	238.96	112.80	564.00
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	743.25	612.95	3,342.41	1,174.65	5,873.25
507a	STEEL WIRE MESH FOR GABIONS	KG	5.21	-	116.47	30.42	152.10
507b	ROCK FILL IN GABIONS	CM	100.45	-	458.79	139.81	699.05
508a	BRICK PAVING (SINGLE COURSE)	SM	115.51	32.70	199.53	86.94	434.68
508b	BRICK PAVING (DOUBLE COURSE)	SM	207.42	32.70	396.85	159.24	796.22
509a	RIP RAP CLASS "A"	CM	502.10	-	304.94	201.76	1,008.80
509b	RIP RAP CLASS "B"	CM	484.40	-	302.50	196.72	983.62
509c	RIP RAP CLASS "C"	CM	487.91	-	304.94	198.21	991.06

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	612.26	102.14	1,642.64	589.26	2,946.31
509e	GRouted RIP RAP CLASS "B"	CM	590.91	81.72	1,501.20	543.46	2,717.29
509f	GRouted RIP RAP CLASS "C"	CM	584.33	68.10	1,545.38	549.45	2,747.26
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	808.33	353.02	3,918.76	1,270.03	6,350.15
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	49.46	191.97	315.67	139.27	696.37
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	108.78	390.69	-	124.87	624.34
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	158.65	67.48	49.55	68.92	344.60
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	203.07	86.37	63.43	88.22	441.09
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	258.22	180.32	331.59	192.53	962.66
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	322.77	225.40	414.49	240.67	1,203.33
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	266.35	572.25	2,097.37	733.99	3,669.95
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	952.33	670.54	3,943.99	1,391.71	6,958.57
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	138.97	90.27	406.13	158.84	794.20
603	BRICK EDGING	M	9.25	-	32.16	10.35	51.76
604a	METAL GUARD RAIL	M	18.71	70.84	1,579.36	417.23	2,086.14
604b	METAL GUARD RAIL END PIECES	EACH	25.28	-	1,197.58	305.71	1,528.57
604d	STEEL POST OF METAL GUARD RAIL	EACH	86.63	976.73	3,776.31	1,209.92	6,049.59
605a	CONCRETE BEAM GUARD RAIL	M	76.04	30.82	584.46	172.83	864.16
605c	CONCRETE POST FOR GUARD RAIL	M	93.37	27.36	582.79	175.88	879.41
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	239.93	255.15	6,850.74	1,836.46	9,182.28
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	73.07	382.72	9,224.77	2,420.14	12,100.70
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	239.93	541.89	11,830.05	3,152.97	15,764.83
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	788.80	598.64	20,879.06	5,566.63	27,833.14
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	157.76	119.73	9,204.84	2,370.58	11,852.91
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	275.84	-	1,306.33	395.54	1,977.72
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	275.84	-	1,959.50	558.83	2,794.17
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.89	5.86	16.18	6.23	31.16
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.96	4.03	39.78	11.19	55.97
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.89	5.86	21.59	7.58	37.92

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Dera Ghazi Khan

District Code: 11

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.96	4.03	53.06	14.51	72.57
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	71.30	5.22	156.36	58.22	291.10
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	71.30	9.98	501.33	145.66	728.28
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.61	8.59	22.49	8.67	43.36
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.61	9.63	67.50	20.19	100.93
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.61	6.95	29.99	10.14	50.69
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.61	9.63	90.01	25.81	129.06
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	71.30	3.73	217.15	73.04	365.22
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	71.30	7.90	851.20	232.60	1,163.00
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	59.82	3.73	104.24	41.95	209.73
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	59.82	7.90	334.73	100.61	503.05
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	59.82	3.73	144.77	52.08	260.38
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	59.82	7.90	568.32	159.01	795.05
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.79	81.62	193.72	71.28	356.41
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.79	81.62	233.72	81.28	406.41
610b	RIGHT OF WAY MARKER	EACH	106.72	121.33	291.19	129.81	649.05
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	642.18	976.31	1,942.76	890.31	4,451.55
610d	TEN KILOMETRE POST	EACH	1,230.74	1,952.61	4,285.76	1,867.28	9,336.39
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	135.41	91.00	940.65	291.77	1,458.84

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

FAISALABAD

(16)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.82	10.10	-	2.73	13.66
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.91	173.32	1.17	45.60	227.99
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	23.31	456.54	2.63	120.62	603.09
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	93.23	1,826.16	10.51	482.48	2,412.38
103	STRIPPING	CM	2.66	93.22	-	23.97	119.85
104	COMPACTION OF NATURAL GROUND	SM	0.37	9.91	0.76	2.76	13.80
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.99	135.76	-	34.94	174.68
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	127.46	316.30	50.82	123.64	618.22
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.41	337.99	-	89.10	445.50
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.97	262.40	-	68.59	342.96
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.27	120.27	-	30.88	154.42
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	127.46	316.30	50.82	123.64	618.22
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.22	316.03	-	84.06	420.31
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.25	263.92	-	68.29	341.46
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.90	137.60	0.38	36.22	181.10
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	70.14	287.11	70.80	107.01	535.07
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	112.32	427.01	33.88	143.30	716.51
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	95.91	292.53	-	97.11	485.55
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	57.76	238.86	-	74.16	370.78
107d	GRANULAR BACK FILL	CM	36.64	137.14	430.47	151.06	755.31
107e	COMMON BACK FILL	CM	29.11	62.84	5.09	24.26	121.30
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.02	174.71	5.09	46.70	233.52
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	21.24	482.48	54.04	139.44	697.20
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.93	416.71	2.42	108.76	543.82
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.16	369.34	-	95.88	479.38
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.24	177.46	7.94	48.41	242.05
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.37	76.32	5.09	21.95	109.73
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	15.39	110.29	3.03	32.18	160.88
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.42	27.34	1.46	7.55	37.77

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.01	18.21	0.77	5.00	25.00
110	IMPROVED SUB-GRADE	CM	10.42	120.02	58.11	47.14	235.69
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.89	15.26	0.79	4.24	21.18
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.31	15.57	0.90	4.44	22.22
201	GRANULAR SUB-BASE	CM	8.30	255.06	594.89	214.56	1,072.82
202	AGGREGATE BASE	CM	9.35	326.54	845.61	295.38	1,476.88
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	81.94	1,510.17	5,887.27	1,869.84	9,349.22
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	84.26	1,510.17	6,300.05	1,973.62	9,868.09
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	90.13	1,577.28	5,877.76	1,886.29	9,431.46
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	90.13	1,571.31	6,443.76	2,026.30	10,131.50
204b	CEMENT STABILIZED BASE	CM	29.42	569.10	1,023.16	405.42	2,027.11
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	247.50	915.38	51,180.57	13,085.86	65,429.30
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	247.50	915.38	49,602.44	12,691.33	63,456.64
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	112.35	112.80	970.74	298.97	1,494.85
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	161.67	2,437.94	5,626.80	2,056.60	10,283.02
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	124.83	126.27	826.33	269.36	1,346.80
207a	DEEP PATCHING (0-15 cm)	SM	1.79	45.04	1.26	12.02	60.10
207b	DEEP PATCHING (16-30 cm)	SM	1.79	39.67	1.26	10.68	53.40
208	REINSTATEMENT OF ROAD SURFACE	SM	1.86	57.10	0.56	14.88	74.41
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.02	110.61	0.68	28.33	141.64
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.40	22.12	0.14	5.67	28.33
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	36.32	9.55	47.75
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	40.55	10.60	53.01
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.20	3.98	19.88
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.74	4.61	23.05
304a	SINGLE SURFACE TREATMENT	SM	0.77	7.57	72.32	20.17	100.83
304b	DOUBLE SURFACE TREATMENT	SM	1.13	14.15	140.39	38.92	194.58
304c	TRIPLE SURFACE TREATMENT	SM	1.89	19.94	160.15	45.50	227.48
304d	SEAL COAT	SM	0.71	4.12	51.03	13.96	69.82

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	75.35	1,489.33	6,894.82	2,114.88	10,574.38
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	75.35	1,438.23	7,433.51	2,236.77	11,183.86
307a	DENSE GRADED HOT BIT-MAC	CM	187.63	379.77	5,684.83	1,563.06	7,815.29
307b	OPEN GRADED HOT BIT-MAC	CM	187.63	379.77	5,544.76	1,528.04	7,640.20
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	31.23	590.65	2,037.97	664.96	3,324.80
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.82	650.70	43,204.72	10,970.56	54,852.80
309a	COLD MILLING, 0 - 30 mm	SM	0.97	24.99	8.68	8.66	43.30
309b	COLD MILLING, 0 - 50 mm	SM	1.61	41.65	14.46	14.43	72.16
309c	COLD MILLING, 0 - 70 mm	SM	2.42	62.48	21.69	21.65	108.24
401a1i	CONCRETE CLASS "A1" (Underground)	CM	608.93	1,059.94	4,019.24	1,422.03	7,110.13
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	608.93	1,059.94	4,296.71	1,491.39	7,456.97
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	608.93	1,059.94	4,851.66	1,630.13	8,150.65
401a2i	CONCRETE CLASS "A2" (Underground)	CM	608.93	1,059.94	4,397.24	1,516.53	7,582.63
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	608.93	1,059.94	4,674.71	1,585.89	7,929.47
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	608.93	1,059.94	5,229.66	1,724.63	8,623.15
401a3i	CONCRETE CLASS "A3" (Underground)	CM	608.93	1,059.94	4,775.24	1,611.03	8,055.13
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	608.93	1,059.94	5,052.71	1,680.39	8,401.97
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	608.93	1,059.94	5,607.66	1,819.13	9,095.65
401b	CONCRETE CLASS "B"	CM	762.88	805.93	3,286.92	1,213.93	6,069.66
401ci	CONCRETE CLASS "C" (Underground)	CM	613.13	500.55	3,601.29	1,178.74	5,893.71
401cii	CONCRETE CLASS "C" (On ground)	CM	613.13	500.55	3,719.64	1,208.33	6,041.64
401ciii	CONCRETE CLASS "C" (Elevated)	CM	613.13	500.55	3,956.32	1,267.50	6,337.49
401d	CONCRETE CLASS "D1"	CM	972.35	1,265.57	5,356.29	1,898.55	9,492.76
401e	CONCRETE CLASS "Y"	CM	1,383.58	500.55	4,791.38	1,668.87	8,344.37
401f	LEAN CONCRETE	CM	519.67	507.52	2,557.95	896.28	4,481.42
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,121.30	947.15	5,025.26	2,023.43	10,117.14
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,121.30	947.15	5,781.26	2,212.43	11,062.14
401gii	PRECAST CONCRETE CLASS "B"	CM	2,121.30	947.15	4,816.86	1,971.33	9,856.64
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,121.30	947.15	6,159.26	2,306.93	11,534.64

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,121.30	947.15	6,537.26	2,401.43	12,007.14
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,121.30	947.15	6,915.26	2,495.93	12,479.64
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,850.81	781.47	59,358.00	15,497.57	77,487.85
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,850.81	781.47	66,708.00	17,335.07	86,675.35
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,506.79	5,393.81	55,792.33	15,673.24	78,366.18
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,940.68	15,659.05	132,535.90	37,783.91	188,919.55
405b	LAUNCHING OF GIRDER	TON	70.04	532.52	-	150.64	753.21
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.60	-	292.21	107.20	536.01
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.60	-	287.11	105.93	529.64
406c	STEEL EXPANSION JOINTS	KG	11.34	26.40	90.77	32.13	160.63
406d	WATER STOPS 6" SIZE	M	113.62	-	469.72	145.83	729.17
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	50.97	-	2,975.83	756.70	3,783.50
406g	STEEL OR METAL BEARING DEVICES	KG	23.16	69.68	116.71	52.39	261.95
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	383.07	1,654.04	719.84	689.24	3,446.19
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	574.60	2,481.06	1,079.76	1,033.86	5,169.28
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	574.60	2,481.06	819.56	968.81	4,844.03
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	957.67	4,135.11	999.91	1,523.17	7,615.85
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	820.86	4,884.94	1,183.30	1,722.27	8,611.37
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,436.50	6,909.78	1,293.97	2,410.06	12,050.32
407h	PILE LOAD TEST UP TO 120 TON	EACH	27,778.83	45,769.30	97,394.58	42,735.68	213,678.39
407i	PILE LOAD TEST UP TO 240 TON	EACH	52,593.99	45,769.30	194,789.16	73,288.11	366,440.57
407j	PILE LOAD TEST UP TO 360 TON	EACH	77,409.15	50,188.38	292,183.74	104,945.32	524,726.59
407k	CONFIRMATORY BORING (NX SIZE)	M	234.45	1,582.02	6.37	455.71	2,278.55
410	BRICK WORK	CM	421.11	282.72	2,873.27	894.28	4,471.38
411a	STONE MASONRY RANDOM DRY	CM	348.86	107.96	519.74	244.14	1,220.70
411b	STONE MASONRY RANDOM WITH MORTAR	CM	377.58	166.68	1,620.16	541.11	2,705.53
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	461.45	107.96	577.67	286.77	1,433.85
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	546.46	166.68	1,670.61	595.94	2,979.69

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	91.57	11.74	44.99	37.07	185.37
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	742.91	264.08	1,575.81	645.70	3,228.51
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	273.07	437.48	645.71	339.07	1,695.34
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	267.90	577.19	836.95	420.51	2,102.54
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	255.14	935.96	1,008.23	549.83	2,749.16
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	269.54	1,146.39	1,559.46	743.85	3,719.23
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	307.83	1,078.41	2,202.53	897.19	4,485.96
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	379.40	1,331.30	3,620.02	1,332.68	6,663.39
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	490.99	1,481.41	4,685.94	1,664.58	8,322.92
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	575.68	1,798.85	5,971.29	2,086.46	10,432.28
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	685.22	2,098.66	9,221.67	3,001.39	15,006.94
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	273.07	507.33	666.39	361.70	1,808.50
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	267.90	577.19	783.96	407.26	2,036.30
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	248.93	935.96	959.08	535.99	2,679.97
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	269.54	1,146.39	1,593.88	752.45	3,762.27
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	307.83	1,078.41	3,028.36	1,103.65	5,518.26
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	379.40	1,331.30	4,446.02	1,539.18	7,695.89
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	490.99	1,481.41	6,208.12	2,045.13	10,225.65
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	575.68	1,798.85	8,417.50	2,698.01	13,490.05
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	685.22	2,098.66	11,837.42	3,655.32	18,276.62
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	102.02	118.93	385.13	151.52	757.60
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	871.56	612.95	3,636.92	1,280.36	6,401.79
507a	STEEL WIRE MESH FOR GABIONS	KG	6.13	-	113.17	29.82	149.12
507b	ROCK FILL IN GABIONS	CM	113.50	-	458.79	143.07	715.36
508a	BRICK PAVING (SINGLE COURSE)	SM	138.09	32.70	219.74	97.63	488.17
508b	BRICK PAVING (DOUBLE COURSE)	SM	250.68	32.70	436.07	179.86	899.31
509a	RIP RAP CLASS "A"	CM	602.59	-	424.94	256.88	1,284.41
509b	RIP RAP CLASS "B"	CM	583.17	-	421.54	251.18	1,255.89
509c	RIP RAP CLASS "C"	CM	589.37	-	424.94	253.58	1,267.89

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	736.23	102.14	1,847.90	671.57	3,357.85
509e	GRouted RIP RAP CLASS "B"	CM	713.06	81.72	1,696.64	622.85	3,114.27
509f	GRouted RIP RAP CLASS "C"	CM	706.81	68.10	1,744.96	629.96	3,149.82
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	967.32	353.02	4,197.33	1,379.42	6,897.09
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	56.39	191.97	430.66	169.76	848.78
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	123.18	390.69	-	128.47	642.34
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	185.50	67.48	69.05	80.51	402.53
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	237.44	86.37	88.39	103.05	515.24
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	305.45	180.32	372.63	214.60	1,073.01
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	381.81	225.40	465.79	268.25	1,341.26
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	322.84	572.25	2,248.37	785.87	3,929.33
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,163.89	670.54	4,087.34	1,480.44	7,402.21
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	168.63	90.27	436.86	173.94	869.69
603	BRICK EDGING	M	10.59	-	34.56	11.29	56.44
604a	METAL GUARD RAIL	M	20.21	70.84	1,579.36	417.60	2,088.02
604b	METAL GUARD RAIL END PIECES	EACH	28.58	-	1,197.58	306.54	1,532.70
604d	STEEL POST OF METAL GUARD RAIL	EACH	89.96	976.73	3,776.31	1,210.75	6,053.75
605a	CONCRETE BEAM GUARD RAIL	M	91.90	30.82	590.95	178.42	892.09
605c	CONCRETE POST FOR GUARD RAIL	M	112.84	27.36	591.33	182.88	914.42
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	281.80	255.15	6,854.53	1,847.87	9,239.35
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	85.15	382.72	9,261.79	2,432.42	12,162.08
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	281.80	541.89	11,893.48	3,179.29	15,896.45
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	945.04	598.64	20,965.51	5,627.30	28,136.50
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	189.01	119.73	9,208.99	2,379.43	11,897.16
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	306.53	-	1,302.82	402.34	2,011.68
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	306.53	-	1,954.23	565.19	2,825.95
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.06	5.86	16.15	6.27	31.35
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.02	4.03	39.58	11.16	55.79
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.06	5.86	21.56	7.62	38.10

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Faisalabad

District Code: 16

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.02	4.03	52.79	14.46	72.30
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.41	5.22	156.09	63.68	318.39
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.41	9.98	498.75	150.54	752.68
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.83	8.59	22.47	8.72	43.61
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.83	9.63	67.50	20.24	101.21
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.83	6.95	29.96	10.18	50.92
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.83	9.63	90.01	25.87	129.33
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.41	3.73	216.95	78.52	392.60
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.41	7.90	851.20	238.13	1,190.63
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	77.32	3.73	104.06	46.28	231.39
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	77.32	7.90	333.00	104.56	522.78
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	77.32	3.73	144.63	56.42	282.10
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	77.32	7.90	568.32	163.39	816.93
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.98	81.62	208.98	75.40	376.98
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.98	81.62	248.67	85.32	426.58
610b	RIGHT OF WAY MARKER	EACH	126.51	121.33	302.05	137.47	687.35
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	780.88	976.31	2,030.21	946.85	4,734.25
610d	TEN KILOMETRE POST	EACH	1,500.49	1,952.61	4,454.24	1,976.83	9,884.17
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	156.61	91.00	954.78	300.60	1,502.99

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

GUJRANWALA
(17)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.86	10.10	-	2.74	13.71
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.32	173.32	1.17	45.70	228.52
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	24.48	456.54	2.63	120.91	604.56
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	97.91	1,826.16	10.51	483.64	2,418.22
103	STRIPPING	CM	2.79	93.22	-	24.00	120.01
104	COMPACTION OF NATURAL GROUND	SM	0.39	9.91	0.76	2.77	13.83
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.29	135.76	-	35.01	175.06
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	135.19	316.30	50.82	125.58	627.88
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.40	337.99	-	89.35	446.74
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.61	262.40	-	68.75	343.76
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.51	120.27	-	30.94	154.72
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	135.19	316.30	50.82	125.58	627.88
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	21.46	316.03	-	84.37	421.87
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.74	263.92	-	68.42	342.08
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.31	137.60	0.38	36.32	181.62
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	74.03	287.11	70.80	107.99	539.93
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	119.24	427.01	33.88	145.03	725.17
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	101.74	292.53	-	98.57	492.84
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	61.32	238.86	-	75.05	375.23
107d	GRANULAR BACK FILL	CM	38.68	137.14	473.58	162.35	811.75
107e	COMMON BACK FILL	CM	30.49	62.84	5.09	24.60	123.02
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.41	174.71	5.09	46.80	234.02
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	22.38	482.48	54.04	139.73	698.63
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	16.79	416.71	2.42	108.98	544.90
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.92	369.34	-	96.07	480.33
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.69	177.46	7.94	48.52	242.61
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.72	76.32	5.09	22.03	110.16
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.18	110.29	3.03	32.37	161.87
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.50	27.34	1.46	7.57	37.87

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.07	18.21	0.77	5.01	25.07
110	IMPROVED SUB-GRADE	CM	11.00	120.02	56.49	46.88	234.38
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.93	15.26	0.79	4.25	21.24
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.38	15.57	0.90	4.46	22.30
201	GRANULAR SUB-BASE	CM	8.77	255.06	524.90	197.18	985.90
202	AGGREGATE BASE	CM	9.97	326.54	1,009.04	336.39	1,681.94
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	86.02	1,510.17	6,132.97	1,932.29	9,661.44
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	88.52	1,510.17	6,523.87	2,030.64	10,153.19
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	94.60	1,577.28	6,124.04	1,948.98	9,744.90
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	94.60	1,571.31	6,666.16	2,083.02	10,415.09
204b	CEMENT STABILIZED BASE	CM	31.25	569.10	1,320.19	480.14	2,400.68
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	260.96	915.38	50,810.91	12,996.81	64,984.06
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	260.96	915.38	49,232.78	12,602.28	63,011.40
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	117.31	112.80	1,195.38	356.37	1,781.87
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	170.12	2,437.94	5,875.57	2,120.91	10,604.53
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	130.38	126.27	861.08	279.43	1,397.17
207a	DEEP PATCHING (0-15 cm)	SM	1.88	45.04	1.26	12.04	60.22
207b	DEEP PATCHING (16-30 cm)	SM	1.88	39.67	1.26	10.70	53.51
208	REINSTATEMENT OF ROAD SURFACE	SM	1.98	57.10	0.56	14.91	74.56
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.12	110.61	0.68	28.35	141.77
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.42	22.12	0.14	5.67	28.35
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.32	1.57	36.06	9.49	47.44
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.31	1.57	40.25	10.53	52.67
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.09	3.95	19.75
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.61	4.58	22.89
304a	SINGLE SURFACE TREATMENT	SM	0.82	7.57	72.98	20.34	101.72
304b	DOUBLE SURFACE TREATMENT	SM	1.20	14.15	142.75	39.53	197.63
304c	TRIPLE SURFACE TREATMENT	SM	2.01	19.94	163.00	46.24	231.18
304d	SEAL COAT	SM	0.76	4.12	51.31	14.05	70.24

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	79.27	1,489.33	7,128.53	2,174.28	10,871.41
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	79.27	1,438.23	7,677.44	2,298.73	11,493.67
307a	DENSE GRADED HOT BIT-MAC	CM	197.31	379.77	5,899.75	1,619.21	8,096.04
307b	OPEN GRADED HOT BIT-MAC	CM	197.31	379.77	5,753.09	1,582.55	7,912.73
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	32.89	590.65	2,071.90	673.86	3,369.29
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	28.35	650.70	42,824.08	10,875.78	54,378.91
309a	COLD MILLING, 0 - 30 mm	SM	1.03	24.99	8.68	8.67	43.37
309b	COLD MILLING, 0 - 50 mm	SM	1.71	41.65	14.46	14.46	72.28
309c	COLD MILLING, 0 - 70 mm	SM	2.57	62.48	21.69	21.69	108.43
401a1i	CONCRETE CLASS "A1" (Underground)	CM	641.15	1,059.94	4,154.10	1,463.80	7,318.98
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	641.15	1,059.94	4,431.58	1,533.17	7,665.83
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	641.15	1,059.94	4,986.52	1,671.90	8,359.51
401a2i	CONCRETE CLASS "A2" (Underground)	CM	641.15	1,059.94	4,532.10	1,558.30	7,791.48
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	641.15	1,059.94	4,809.58	1,627.67	8,138.33
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	641.15	1,059.94	5,364.52	1,766.40	8,832.01
401a3i	CONCRETE CLASS "A3" (Underground)	CM	641.15	1,059.94	4,910.10	1,652.80	8,263.98
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	641.15	1,059.94	5,187.58	1,722.17	8,610.83
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	641.15	1,059.94	5,742.52	1,860.90	9,304.51
401b	CONCRETE CLASS "B"	CM	800.63	805.93	3,408.51	1,253.77	6,268.84
401ci	CONCRETE CLASS "C" (Underground)	CM	642.25	500.55	3,769.23	1,228.01	6,140.03
401cii	CONCRETE CLASS "C" (On ground)	CM	642.25	500.55	3,887.57	1,257.59	6,287.96
401ciii	CONCRETE CLASS "C" (Elevated)	CM	642.25	500.55	4,124.26	1,316.76	6,583.81
401d	CONCRETE CLASS "D1"	CM	1,027.40	1,265.57	5,478.92	1,942.97	9,714.85
401e	CONCRETE CLASS "Y"	CM	1,460.67	500.55	4,921.62	1,720.71	8,603.54
401f	LEAN CONCRETE	CM	542.31	507.52	2,679.60	932.36	4,661.79
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,216.17	947.15	5,174.30	2,084.41	10,422.03
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,216.17	947.15	5,930.30	2,273.41	11,367.03
401gii	PRECAST CONCRETE CLASS "B"	CM	2,216.17	947.15	4,956.93	2,030.06	10,150.32
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,216.17	947.15	6,308.30	2,367.91	11,839.53

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,216.17	947.15	6,686.30	2,462.41	12,312.03
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,216.17	947.15	7,064.30	2,556.91	12,784.53
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,969.70	781.47	59,358.00	15,527.29	77,636.47
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,969.70	781.47	66,708.00	17,364.79	86,823.97
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,606.81	5,393.81	55,207.82	15,552.11	77,760.55
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,385.76	15,659.05	132,538.96	37,895.94	189,479.72
405b	LAUNCHING OF GIRDER	TON	81.19	532.52	-	153.43	767.15
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	144.73	-	290.09	108.71	543.53
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	144.73	-	290.19	108.73	543.65
406c	STEEL EXPANSION JOINTS	KG	12.07	26.40	89.93	32.10	160.49
406d	WATER STOPS 6" SIZE	M	120.31	-	470.46	147.69	738.46
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	52.20	-	2,971.98	756.05	3,780.23
406g	STEEL OR METAL BEARING DEVICES	KG	24.60	69.68	115.97	52.56	262.82
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	444.75	1,654.04	713.17	702.99	3,514.96
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	667.13	2,481.06	1,069.76	1,054.49	5,272.44
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	667.13	2,481.06	809.56	989.44	4,947.19
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,111.88	4,135.11	983.24	1,557.56	7,787.78
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	953.04	4,884.94	1,154.73	1,748.18	8,740.88
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,667.81	6,909.78	1,268.97	2,461.64	12,308.20
407h	PILE LOAD TEST UP TO 120 TON	EACH	29,045.00	45,769.30	93,106.38	41,980.17	209,900.86
407i	PILE LOAD TEST UP TO 240 TON	EACH	54,898.72	45,769.30	186,212.76	71,720.20	358,600.99
407j	PILE LOAD TEST UP TO 360 TON	EACH	80,752.44	50,188.38	279,319.14	102,564.99	512,824.96
407k	CONFIRMATORY BORING (NX SIZE)	M	261.02	1,582.02	6.37	462.35	2,311.76
410	BRICK WORK	CM	429.57	282.72	2,784.29	874.15	4,370.73
411a	STONE MASONRY RANDOM DRY	CM	357.53	107.96	552.74	254.56	1,272.79
411b	STONE MASONRY RANDOM WITH MORTAR	CM	386.25	166.68	1,604.43	539.34	2,696.70
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	472.42	107.96	614.06	298.61	1,493.05
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	558.59	166.68	1,670.45	598.93	2,994.65

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	93.03	11.74	44.17	37.24	186.18
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	759.66	264.08	1,575.65	649.85	3,249.24
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	284.05	437.48	644.19	341.43	1,707.15
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	278.47	577.19	835.12	422.69	2,113.47
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	265.61	935.96	1,006.10	551.92	2,759.58
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	280.63	1,146.39	1,556.96	746.00	3,729.98
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	320.98	1,078.41	2,200.03	899.86	4,499.29
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	395.73	1,331.30	3,616.42	1,335.86	6,679.31
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	512.13	1,481.41	4,682.36	1,668.97	8,344.87
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	601.35	1,798.85	5,966.94	2,091.79	10,458.93
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	714.74	2,098.66	9,216.60	3,007.50	15,037.49
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	284.05	507.33	663.34	363.68	1,818.40
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	278.47	577.19	782.13	409.45	2,047.23
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	259.14	935.96	956.95	538.01	2,690.06
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	280.63	1,146.39	1,591.95	754.74	3,773.71
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	320.98	1,078.41	3,025.59	1,106.25	5,531.24
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	395.73	1,331.30	4,442.42	1,542.36	7,711.81
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	512.13	1,481.41	6,204.54	2,049.52	10,247.59
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	601.35	1,798.85	8,413.15	2,703.34	13,516.70
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	714.74	2,098.66	11,832.34	3,661.44	18,307.18
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	106.91	118.93	326.66	138.12	690.61
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	918.16	612.95	3,758.51	1,322.40	6,612.02
507a	STEEL WIRE MESH FOR GABIONS	KG	6.50	-	113.17	29.92	149.59
507b	ROCK FILL IN GABIONS	CM	118.62	-	508.20	156.71	783.53
508a	BRICK PAVING (SINGLE COURSE)	SM	141.65	32.70	211.66	96.50	482.51
508b	BRICK PAVING (DOUBLE COURSE)	SM	256.54	32.70	420.38	177.41	887.03
509a	RIP RAP CLASS "A"	CM	616.61	-	457.94	268.64	1,343.18
509b	RIP RAP CLASS "B"	CM	596.69	-	454.27	262.74	1,313.71
509c	RIP RAP CLASS "C"	CM	602.56	-	457.94	265.13	1,325.63

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	753.70	102.14	1,850.45	676.57	3,382.86
509e	GRouted RIP RAP CLASS "B"	CM	729.34	81.72	1,702.09	628.29	3,141.43
509f	GRouted RIP RAP CLASS "C"	CM	722.68	68.10	1,749.53	635.08	3,175.38
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	999.72	353.02	4,312.69	1,416.36	7,081.80
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	58.92	191.97	473.14	181.01	905.05
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	137.21	390.69	-	131.98	659.88
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	190.51	67.48	74.41	83.10	415.50
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	243.85	86.37	95.25	106.37	531.84
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	312.79	180.32	366.86	214.99	1,074.96
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	390.98	225.40	458.57	268.74	1,343.70
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	339.96	572.25	2,318.52	807.68	4,038.41
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,216.04	670.54	4,164.85	1,512.86	7,564.28
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	175.98	90.27	450.37	179.16	895.78
603	BRICK EDGING	M	10.93	-	33.60	11.13	55.67
604a	METAL GUARD RAIL	M	22.67	70.84	1,579.36	418.22	2,091.09
604b	METAL GUARD RAIL END PIECES	EACH	32.51	-	1,197.58	307.52	1,537.60
604d	STEEL POST OF METAL GUARD RAIL	EACH	100.33	976.73	3,776.31	1,213.34	6,066.71
605a	CONCRETE BEAM GUARD RAIL	M	95.81	30.82	596.63	180.82	904.08
605c	CONCRETE POST FOR GUARD RAIL	M	117.64	27.36	598.22	185.81	929.03
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	294.40	255.15	6,876.46	1,856.50	9,282.51
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	87.19	382.72	9,284.40	2,438.58	12,192.89
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	294.40	541.89	11,929.06	3,191.34	15,956.69
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	987.40	598.64	21,017.56	5,650.90	28,254.50
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	197.48	119.73	9,217.81	2,383.75	11,918.77
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	326.95	-	1,302.34	407.32	2,036.61
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	326.95	-	1,953.51	570.11	2,850.57
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.19	5.86	16.15	6.30	31.50
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.06	4.03	39.55	11.16	55.81
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.19	5.86	21.55	7.65	38.26

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujranwala

District Code: 17

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.06	4.03	52.75	14.46	72.31
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	99.49	5.22	156.06	65.19	325.96
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	99.49	9.98	498.42	151.97	759.87
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.99	8.59	22.47	8.76	43.81
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.99	9.63	67.50	20.28	101.41
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.99	6.95	29.96	10.22	51.12
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.99	9.63	90.01	25.91	129.54
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	99.49	3.73	216.92	80.03	400.17
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	99.49	7.90	851.20	239.65	1,198.23
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	82.26	3.73	104.04	47.51	237.53
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	82.26	7.90	332.78	105.73	528.67
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	82.26	3.73	144.61	57.65	288.25
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	82.26	7.90	568.32	164.62	823.10
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	11.20	81.62	193.83	71.66	358.31
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	11.20	81.62	233.83	81.66	408.31
610b	RIGHT OF WAY MARKER	EACH	131.88	121.33	307.98	140.30	701.49
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	815.43	976.31	2,076.93	967.17	4,835.83
610d	TEN KILOMETRE POST	EACH	1,573.42	1,952.61	4,551.02	2,019.26	10,096.31
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	166.38	91.00	961.21	304.65	1,523.24

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

GUJRAT

(18)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.88	10.10	-	2.74	13.72
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.51	173.32	1.17	45.75	228.75
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	24.90	456.54	2.63	121.02	605.09
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	99.61	1,826.16	10.51	484.07	2,420.35
103	STRIPPING	CM	2.84	93.22	-	24.01	120.07
104	COMPACTION OF NATURAL GROUND	SM	0.40	9.91	0.76	2.77	13.84
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.57	135.76	-	35.08	175.41
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	140.44	316.30	50.82	126.89	634.45
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.89	337.99	-	89.47	447.35
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.91	262.40	-	68.83	344.13
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.74	120.27	-	31.00	155.01
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	140.44	316.30	50.82	126.89	634.45
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	22.34	316.03	-	84.59	422.96
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.99	263.92	-	68.48	342.39
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.59	137.60	0.38	36.39	181.96
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	73.67	287.11	70.80	107.90	539.48
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	124.12	427.01	33.88	146.25	731.26
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	105.73	292.53	-	99.57	497.83
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	63.83	238.86	-	75.67	378.37
107d	GRANULAR BACK FILL	CM	39.80	137.14	437.97	153.73	768.64
107e	COMMON BACK FILL	CM	30.85	62.84	5.09	24.69	123.47
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.63	174.71	5.09	46.86	234.29
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	22.94	482.48	54.04	139.87	699.33
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	17.21	416.71	2.42	109.08	545.42
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.30	369.34	-	96.16	480.80
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.91	177.46	7.94	48.58	242.88
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.89	76.32	5.09	22.07	110.37
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.49	110.29	3.03	32.45	162.26
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.55	27.34	1.46	7.59	37.93

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.10	18.21	0.77	5.02	25.10
110	IMPROVED SUB-GRADE	CM	11.30	120.02	50.62	45.48	227.42
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.95	15.26	0.79	4.25	21.26
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.40	15.57	0.90	4.47	22.33
201	GRANULAR SUB-BASE	CM	9.02	255.06	662.70	231.69	1,158.47
202	AGGREGATE BASE	CM	10.46	326.54	818.53	288.88	1,444.41
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	87.44	1,510.17	6,040.70	1,909.58	9,547.89
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	90.12	1,510.17	6,434.02	2,008.58	10,042.88
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	96.13	1,577.28	6,031.66	1,926.27	9,631.35
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	96.13	1,571.31	6,576.22	2,060.92	10,304.58
204b	CEMENT STABILIZED BASE	CM	32.57	569.10	1,239.13	460.20	2,301.00
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	267.67	915.38	50,623.05	12,951.52	64,757.62
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	267.67	915.38	49,044.92	12,556.99	62,784.95
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	117.89	112.80	1,131.19	340.47	1,702.34
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	173.78	2,437.94	5,785.51	2,099.31	10,496.54
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	131.10	126.27	866.16	280.88	1,404.42
207a	DEEP PATCHING (0-15 cm)	SM	1.92	45.04	1.26	12.05	60.27
207b	DEEP PATCHING (16-30 cm)	SM	1.92	39.67	1.26	10.71	53.57
208	REINSTATEMENT OF ROAD SURFACE	SM	2.07	57.10	0.56	14.93	74.67
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.17	110.61	0.68	28.37	141.83
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.43	22.12	0.14	5.67	28.37
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	35.93	9.46	47.29
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.32	1.57	40.11	10.50	52.50
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.04	3.94	19.69
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.54	4.56	22.82
304a	SINGLE SURFACE TREATMENT	SM	0.86	7.57	72.36	20.20	100.99
304b	DOUBLE SURFACE TREATMENT	SM	1.25	14.15	141.24	39.16	195.80
304c	TRIPLE SURFACE TREATMENT	SM	2.09	19.94	161.23	45.81	229.07
304d	SEAL COAT	SM	0.80	4.12	50.95	13.97	69.84

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	80.94	1,489.33	7,032.30	2,150.64	10,753.21
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	80.94	1,438.23	7,575.10	2,273.57	11,367.83
307a	DENSE GRADED HOT BIT-MAC	CM	201.35	379.77	5,810.53	1,597.91	7,989.57
307b	OPEN GRADED HOT BIT-MAC	CM	201.35	379.77	5,665.95	1,561.77	7,808.84
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	33.67	590.65	2,055.23	669.89	3,349.43
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	29.24	650.70	42,630.64	10,827.64	54,138.22
309a	COLD MILLING, 0 - 30 mm	SM	1.07	24.99	8.68	8.69	43.43
309b	COLD MILLING, 0 - 50 mm	SM	1.79	41.65	14.46	14.48	72.38
309c	COLD MILLING, 0 - 70 mm	SM	2.68	62.48	21.69	21.71	108.56
401a1i	CONCRETE CLASS "A1" (Underground)	CM	628.57	1,059.94	4,147.81	1,459.08	7,295.40
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	628.57	1,059.94	4,425.28	1,528.45	7,642.24
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	628.57	1,059.94	4,980.23	1,667.18	8,335.92
401a2i	CONCRETE CLASS "A2" (Underground)	CM	628.57	1,059.94	4,525.81	1,553.58	7,767.90
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	628.57	1,059.94	4,803.28	1,622.95	8,114.74
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	628.57	1,059.94	5,358.23	1,761.68	8,808.42
401a3i	CONCRETE CLASS "A3" (Underground)	CM	628.57	1,059.94	4,903.81	1,648.08	8,240.40
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	628.57	1,059.94	5,181.28	1,717.45	8,587.24
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	628.57	1,059.94	5,736.23	1,856.18	9,280.92
401b	CONCRETE CLASS "B"	CM	799.64	805.93	3,405.21	1,252.70	6,263.48
401ci	CONCRETE CLASS "C" (Underground)	CM	627.95	500.55	3,752.18	1,220.17	6,100.85
401cii	CONCRETE CLASS "C" (On ground)	CM	627.95	500.55	3,870.52	1,249.75	6,248.77
401ciii	CONCRETE CLASS "C" (Elevated)	CM	627.95	500.55	4,107.20	1,308.93	6,544.63
401d	CONCRETE CLASS "D1"	CM	995.05	1,265.57	5,473.26	1,933.47	9,667.34
401e	CONCRETE CLASS "Y"	CM	1,407.85	500.55	4,913.53	1,705.48	8,527.41
401f	LEAN CONCRETE	CM	538.59	507.52	2,676.25	930.59	4,652.95
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,166.34	947.15	5,165.97	2,069.87	10,349.33
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,166.34	947.15	5,921.97	2,258.87	11,294.33
401gii	PRECAST CONCRETE CLASS "B"	CM	2,166.34	947.15	4,948.41	2,015.47	10,077.37
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,166.34	947.15	6,299.97	2,353.37	11,766.83

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,166.34	947.15	6,677.97	2,447.87	12,239.33
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,166.34	947.15	7,055.97	2,542.37	12,711.83
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,914.80	781.47	59,358.00	15,513.57	77,567.84
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,914.80	781.47	66,708.00	17,351.07	86,755.34
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,562.01	5,393.81	55,752.03	15,676.96	78,384.81
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,489.14	15,659.05	132,541.15	37,922.34	189,611.68
405b	LAUNCHING OF GIRDER	TON	83.35	532.52	-	153.97	769.84
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	141.92	-	290.62	108.13	540.67
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	141.92	-	290.66	108.15	540.73
406c	STEEL EXPANSION JOINTS	KG	11.71	26.40	90.74	32.21	161.05
406d	WATER STOPS 6" SIZE	M	117.28	-	470.74	147.00	735.01
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	50.94	-	2,954.68	751.40	3,757.02
406g	STEEL OR METAL BEARING DEVICES	KG	24.66	69.68	116.69	52.76	263.80
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	453.93	1,654.04	707.24	703.80	3,519.02
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	680.90	2,481.06	1,060.86	1,055.71	5,278.53
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	680.90	2,481.06	800.66	990.66	4,953.28
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,134.84	4,135.11	968.41	1,559.59	7,797.94
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	972.72	4,884.94	1,129.30	1,746.74	8,733.69
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,702.25	6,909.78	1,246.72	2,464.69	12,323.44
407h	PILE LOAD TEST UP TO 120 TON	EACH	29,272.99	45,769.30	97,394.62	43,109.23	215,546.15
407i	PILE LOAD TEST UP TO 240 TON	EACH	55,126.71	45,769.30	194,789.24	73,921.31	369,606.57
407j	PILE LOAD TEST UP TO 360 TON	EACH	80,980.43	50,188.38	292,183.86	105,838.17	529,190.85
407k	CONFIRMATORY BORING (NX SIZE)	M	264.28	1,582.02	6.37	463.17	2,315.83
410	BRICK WORK	CM	415.23	282.72	2,815.52	878.37	4,391.85
411a	STONE MASONRY RANDOM DRY	CM	348.07	107.96	522.47	244.63	1,223.13
411b	STONE MASONRY RANDOM WITH MORTAR	CM	374.88	166.68	1,613.20	538.69	2,693.45
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	459.14	107.96	581.35	287.11	1,435.55
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	541.48	166.68	1,667.02	593.79	2,968.97

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	89.28	11.74	44.83	36.46	182.31
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	736.80	264.08	1,572.21	643.27	3,216.37
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	283.75	437.48	645.41	341.66	1,708.30
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	277.78	577.19	836.58	422.89	2,114.44
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	265.85	935.96	1,007.81	552.40	2,762.02
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	280.85	1,146.39	1,558.96	746.55	3,732.75
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	322.22	1,078.41	2,202.03	900.67	4,503.33
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	397.71	1,331.30	3,619.30	1,337.08	6,685.39
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	514.68	1,481.41	4,685.23	1,670.33	8,351.65
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	605.83	1,798.85	5,970.43	2,093.78	10,468.88
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	718.36	2,098.66	9,220.66	3,009.42	15,047.11
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	283.75	507.33	665.78	364.22	1,821.09
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	277.78	577.19	783.59	409.64	2,048.20
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	259.38	935.96	958.66	538.50	2,692.50
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	280.85	1,146.39	1,593.50	755.19	3,775.93
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	322.22	1,078.41	3,027.81	1,107.11	5,535.56
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	397.71	1,331.30	4,445.30	1,543.58	7,717.89
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	514.68	1,481.41	6,207.41	2,050.88	10,254.38
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	605.83	1,798.85	8,416.64	2,705.33	13,526.65
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	718.36	2,098.66	11,836.41	3,663.36	18,316.79
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	108.25	118.93	385.13	153.08	765.39
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	909.61	612.95	3,755.21	1,319.44	6,597.21
507a	STEEL WIRE MESH FOR GABIONS	KG	6.46	-	114.66	30.28	151.39
507b	ROCK FILL IN GABIONS	CM	119.44	-	494.08	153.38	766.90
508a	BRICK PAVING (SINGLE COURSE)	SM	138.22	32.70	214.09	96.25	481.26
508b	BRICK PAVING (DOUBLE COURSE)	SM	249.28	32.70	424.77	176.69	883.43
509a	RIP RAP CLASS "A"	CM	599.24	-	427.66	256.73	1,283.63
509b	RIP RAP CLASS "B"	CM	579.74	-	424.24	250.99	1,254.97
509c	RIP RAP CLASS "C"	CM	584.60	-	427.66	253.07	1,265.33

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	733.06	102.14	1,844.57	669.94	3,349.72
509e	GRouted RIP RAP CLASS "B"	CM	708.24	81.72	1,693.92	620.97	3,104.84
509f	GRouted RIP RAP CLASS "C"	CM	701.26	68.10	1,742.03	627.85	3,139.24
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	981.17	353.02	4,309.41	1,410.90	7,054.51
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	59.28	191.97	438.12	172.34	861.71
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	138.80	390.69	-	132.37	661.87
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	186.26	67.48	69.50	80.81	404.03
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	238.41	86.37	88.95	103.43	517.16
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	304.28	180.32	370.25	213.71	1,068.56
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	380.35	225.40	462.81	267.14	1,335.70
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	333.35	572.25	2,315.26	805.21	4,026.07
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,188.06	670.54	4,160.52	1,504.78	7,523.89
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	172.24	90.27	449.89	178.10	890.49
603	BRICK EDGING	M	10.78	-	33.60	11.10	55.48
604a	METAL GUARD RAIL	M	23.28	70.84	1,579.36	418.37	2,091.86
604b	METAL GUARD RAIL END PIECES	EACH	32.91	-	1,197.58	307.62	1,538.10
604d	STEEL POST OF METAL GUARD RAIL	EACH	103.65	976.73	3,776.31	1,214.17	6,070.86
605a	CONCRETE BEAM GUARD RAIL	M	94.36	30.82	596.18	180.34	901.71
605c	CONCRETE POST FOR GUARD RAIL	M	115.86	27.36	597.70	185.23	926.15
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	292.28	255.15	6,870.63	1,854.52	9,272.58
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	84.53	382.72	9,283.93	2,437.80	12,188.98
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	292.28	541.89	11,929.32	3,190.87	15,954.36
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	980.38	598.64	21,018.84	5,649.47	28,247.33
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	196.08	119.73	9,219.12	2,383.73	11,918.66
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	325.33	-	1,302.66	407.00	2,034.99
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	325.33	-	1,953.99	569.83	2,849.16
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.20	5.86	16.15	6.30	31.51
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.07	4.03	39.55	11.16	55.81
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.20	5.86	21.55	7.65	38.26

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Gujrat

District Code: 18

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.07	4.03	52.75	14.46	72.31
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	94.76	5.22	156.08	64.01	320.07
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	94.76	9.98	498.42	150.79	753.95
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.00	8.59	22.47	8.76	43.82
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.00	9.63	67.50	20.28	101.41
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.00	6.95	29.96	10.23	51.13
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.00	9.63	90.01	25.91	129.54
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	94.76	3.73	216.94	78.86	394.28
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	94.76	7.90	851.20	238.46	1,192.32
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	78.67	3.73	104.06	46.61	233.07
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	78.67	7.90	332.78	104.84	524.19
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	78.67	3.73	144.63	56.76	283.78
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	78.67	7.90	568.32	163.72	818.62
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.78	81.62	193.88	71.57	357.85
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.78	81.62	233.88	81.57	407.85
610b	RIGHT OF WAY MARKER	EACH	131.07	121.33	307.56	139.99	699.95
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	796.82	976.31	2,074.59	961.93	4,809.64
610d	TEN KILOMETRE POST	EACH	1,540.02	1,952.61	4,544.18	2,009.20	10,046.01
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	164.64	91.00	960.95	304.15	1,520.74

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

HAFIZABAD
(20-A)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.88	10.10	-	2.74	13.72
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.51	173.32	1.17	45.75	228.75
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	24.90	456.54	2.63	121.02	605.09
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	99.61	1,826.16	10.51	484.07	2,420.35
103	STRIPPING	CM	2.81	93.22	-	24.01	120.04
104	COMPACTION OF NATURAL GROUND	SM	0.40	9.91	0.76	2.77	13.84
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.57	135.76	-	35.08	175.41
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	140.66	316.30	50.82	126.95	634.73
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.84	337.99	-	89.46	447.30
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.83	262.40	-	68.81	344.03
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.74	120.27	-	31.00	155.01
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	140.66	316.30	50.82	126.95	634.73
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	22.40	316.03	-	84.61	423.03
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.95	263.92	-	68.47	342.34
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.49	137.60	0.38	36.37	181.84
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	71.31	287.11	70.80	107.31	536.53
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	124.42	427.01	33.88	146.33	731.65
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	106.01	292.53	-	99.64	498.18
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	63.99	238.86	-	75.71	378.57
107d	GRANULAR BACK FILL	CM	39.88	137.14	422.58	149.90	749.49
107e	COMMON BACK FILL	CM	30.85	62.84	5.09	24.69	123.47
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.58	174.71	5.09	46.84	234.22
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	22.85	482.48	54.04	139.84	699.21
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	17.14	416.71	2.42	109.07	545.33
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.23	369.34	-	96.14	480.72
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.86	177.46	7.94	48.56	242.82
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.83	76.32	5.09	22.06	110.30
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.37	110.29	3.03	32.42	162.11
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.54	27.34	1.46	7.58	37.92

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.09	18.21	0.77	5.02	25.09
110	IMPROVED SUB-GRADE	CM	11.26	120.02	51.34	45.65	228.27
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.94	15.26	0.79	4.25	21.25
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.38	15.57	0.90	4.46	22.30
201	GRANULAR SUB-BASE	CM	8.97	255.06	614.50	219.63	1,098.16
202	AGGREGATE BASE	CM	10.50	326.54	864.43	300.37	1,501.84
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	87.26	1,510.17	5,878.35	1,868.94	9,344.72
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	89.94	1,510.17	6,271.93	1,968.01	9,840.04
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	95.75	1,577.28	5,868.74	1,885.44	9,427.22
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	95.75	1,571.31	6,415.39	2,020.61	10,103.05
204b	CEMENT STABILIZED BASE	CM	32.69	569.10	1,049.21	412.75	2,063.75
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	264.38	915.38	51,023.01	13,050.69	65,253.46
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	264.38	915.38	49,444.88	12,656.16	63,280.80
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	117.67	112.80	916.55	286.75	1,433.77
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	172.99	2,437.94	5,572.91	2,045.96	10,229.80
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	131.03	126.27	721.62	244.73	1,223.66
207a	DEEP PATCHING (0-15 cm)	SM	1.91	45.04	1.26	12.05	60.25
207b	DEEP PATCHING (16-30 cm)	SM	1.91	39.67	1.26	10.71	53.55
208	REINSTATEMENT OF ROAD SURFACE	SM	2.08	57.10	0.56	14.94	74.68
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.12	110.61	0.68	28.35	141.76
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.42	22.12	0.14	5.67	28.35
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	36.21	9.53	47.64
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.32	1.57	40.42	10.58	52.89
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.16	3.97	19.83
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.68	4.60	22.99
304a	SINGLE SURFACE TREATMENT	SM	0.86	7.57	71.94	20.09	100.46
304b	DOUBLE SURFACE TREATMENT	SM	1.24	14.15	139.25	38.66	193.31
304c	TRIPLE SURFACE TREATMENT	SM	2.08	19.94	158.88	45.22	226.12
304d	SEAL COAT	SM	0.80	4.12	51.07	14.00	69.98

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	80.73	1,489.33	6,875.24	2,111.33	10,556.63
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	80.73	1,438.23	7,417.57	2,234.13	11,170.66
307a	DENSE GRADED HOT BIT-MAC	CM	201.35	379.77	5,684.00	1,566.28	7,831.41
307b	OPEN GRADED HOT BIT-MAC	CM	201.35	379.77	5,514.29	1,523.85	7,619.26
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	33.67	590.65	2,023.92	662.06	3,310.30
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	29.24	650.70	43,042.48	10,930.60	54,653.02
309a	COLD MILLING, 0 - 30 mm	SM	1.07	24.99	8.68	8.69	43.43
309b	COLD MILLING, 0 - 50 mm	SM	1.79	41.65	14.46	14.48	72.38
309c	COLD MILLING, 0 - 70 mm	SM	2.68	62.48	21.69	21.71	108.56
401a1i	CONCRETE CLASS "A1" (Underground)	CM	600.84	1,059.94	4,045.16	1,426.48	7,132.42
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	600.84	1,059.94	4,322.63	1,495.85	7,479.26
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	600.84	1,059.94	4,877.58	1,634.59	8,172.94
401a2i	CONCRETE CLASS "A2" (Underground)	CM	600.84	1,059.94	4,423.16	1,520.98	7,604.92
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	600.84	1,059.94	4,700.63	1,590.35	7,951.76
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	600.84	1,059.94	5,255.58	1,729.09	8,645.44
401a3i	CONCRETE CLASS "A3" (Underground)	CM	600.84	1,059.94	4,801.16	1,615.48	8,077.42
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	600.84	1,059.94	5,078.63	1,684.85	8,424.26
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	600.84	1,059.94	5,633.58	1,823.59	9,117.94
401b	CONCRETE CLASS "B"	CM	778.41	805.93	3,254.73	1,209.77	6,048.83
401ci	CONCRETE CLASS "C" (Underground)	CM	601.70	500.55	3,589.59	1,172.96	5,864.80
401cii	CONCRETE CLASS "C" (On ground)	CM	601.70	500.55	3,707.93	1,202.54	6,012.72
401ciii	CONCRETE CLASS "C" (Elevated)	CM	601.70	500.55	3,944.61	1,261.72	6,308.58
401d	CONCRETE CLASS "D1"	CM	941.74	1,265.57	5,372.96	1,895.07	9,475.33
401e	CONCRETE CLASS "Y"	CM	1,329.35	500.55	4,832.63	1,665.63	8,328.16
401f	LEAN CONCRETE	CM	527.97	507.52	2,526.13	890.41	4,452.03
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,083.63	947.15	5,057.06	2,021.96	10,109.79
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,083.63	947.15	5,813.06	2,210.96	11,054.79
401gii	PRECAST CONCRETE CLASS "B"	CM	2,083.63	947.15	4,779.65	1,952.61	9,763.04
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,083.63	947.15	6,191.06	2,305.46	11,527.29

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,083.63	947.15	6,569.06	2,399.96	11,999.79
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,083.63	947.15	6,947.06	2,494.46	12,472.29
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,812.48	781.47	59,358.00	15,487.99	77,439.94
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,812.48	781.47	66,708.00	17,325.49	86,627.44
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,455.07	5,393.81	55,217.99	15,516.72	77,583.60
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,506.42	15,659.05	132,542.16	37,926.91	189,634.53
405b	LAUNCHING OF GIRDER	TON	83.69	532.52	-	154.05	770.26
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.66	-	291.13	106.95	534.75
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.66	-	291.17	106.96	534.79
406c	STEEL EXPANSION JOINTS	KG	10.89	26.40	89.91	31.80	158.99
406d	WATER STOPS 6" SIZE	M	112.16	-	470.75	145.73	728.63
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	48.57	-	2,985.73	758.57	3,792.87
406g	STEEL OR METAL BEARING DEVICES	KG	23.60	69.68	115.96	52.31	261.56
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	453.19	1,654.04	717.59	706.21	3,531.03
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	679.78	2,481.06	1,076.39	1,059.31	5,296.54
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	679.78	2,481.06	816.19	994.26	4,971.29
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,132.97	4,135.11	994.28	1,565.59	7,827.95
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	971.12	4,884.94	1,173.65	1,757.43	8,787.14
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,699.46	6,909.78	1,285.53	2,473.69	12,368.46
407h	PILE LOAD TEST UP TO 120 TON	EACH	29,319.06	45,769.30	95,250.94	42,584.83	212,924.13
407i	PILE LOAD TEST UP TO 240 TON	EACH	55,172.78	45,769.30	190,501.88	72,860.99	364,304.96
407j	PILE LOAD TEST UP TO 360 TON	EACH	81,026.50	50,188.38	285,752.82	104,241.93	521,209.63
407k	CONFIRMATORY BORING (NX SIZE)	M	265.24	1,582.02	6.37	463.41	2,317.03
410	BRICK WORK	CM	394.37	282.72	2,806.07	870.79	4,353.95
411a	STONE MASONRY RANDOM DRY	CM	333.31	107.96	531.88	243.29	1,216.44
411b	STONE MASONRY RANDOM WITH MORTAR	CM	357.56	166.68	1,642.04	541.57	2,707.86
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	439.26	107.96	591.53	284.69	1,423.43
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	516.48	166.68	1,691.77	593.73	2,968.67

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	84.16	11.74	45.15	35.26	176.32
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	704.13	264.08	1,596.97	641.30	3,206.48
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	280.70	437.48	646.01	341.05	1,705.25
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	274.73	577.19	837.31	422.31	2,111.53
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	262.69	935.96	1,008.66	551.83	2,759.13
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	277.98	1,146.39	1,559.95	746.08	3,730.41
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	319.35	1,078.41	2,203.02	900.20	4,500.99
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	393.85	1,331.30	3,620.74	1,336.47	6,682.36
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	509.69	1,481.41	4,686.66	1,669.44	8,347.20
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	601.59	1,798.85	5,972.16	2,093.15	10,465.76
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	711.29	2,098.66	9,222.69	3,008.16	15,040.79
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	280.70	507.33	667.00	363.76	1,818.79
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	274.73	577.19	784.32	409.06	2,045.30
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	256.23	935.96	959.51	537.92	2,689.62
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	277.98	1,146.39	1,594.27	754.66	3,773.30
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	319.35	1,078.41	3,028.92	1,106.67	5,533.35
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	393.85	1,331.30	4,446.74	1,542.97	7,714.86
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	509.69	1,481.41	6,208.84	2,049.98	10,249.92
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	601.59	1,798.85	8,418.37	2,704.70	13,523.52
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	711.29	2,098.66	11,838.43	3,662.10	18,310.48
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	107.92	118.93	355.90	145.69	728.44
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	879.85	612.95	3,604.73	1,274.38	6,371.90
507a	STEEL WIRE MESH FOR GABIONS	KG	6.24	-	113.17	29.85	149.26
507b	ROCK FILL IN GABIONS	CM	119.11	-	501.14	155.06	775.31
508a	BRICK PAVING (SINGLE COURSE)	SM	132.90	32.70	210.05	93.91	469.57
508b	BRICK PAVING (DOUBLE COURSE)	SM	238.85	32.70	416.92	172.12	860.59
509a	RIP RAP CLASS "A"	CM	573.17	-	437.08	252.56	1,262.81
509b	RIP RAP CLASS "B"	CM	554.79	-	433.58	247.09	1,235.45
509c	RIP RAP CLASS "C"	CM	558.70	-	437.08	248.94	1,244.71

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	701.87	102.14	1,882.44	671.61	3,358.07
509e	GRouted RIP RAP CLASS "B"	CM	677.15	81.72	1,728.81	621.92	3,109.59
509f	GRouted RIP RAP CLASS "C"	CM	670.24	68.10	1,775.83	628.54	3,142.70
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	949.24	353.02	4,166.81	1,367.27	6,836.34
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	58.98	191.97	422.62	168.39	841.96
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	138.80	390.69	-	132.37	661.87
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	179.25	67.48	71.02	79.44	397.18
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	229.43	86.37	90.91	101.68	508.39
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	291.21	180.32	374.30	211.46	1,057.29
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	364.02	225.40	467.87	264.32	1,321.61
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	318.72	572.25	2,261.83	788.20	3,941.00
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,141.64	670.54	4,103.88	1,479.01	7,395.07
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	165.80	90.27	437.96	173.51	867.54
603	BRICK EDGING	M	10.48	-	33.12	10.90	54.50
604a	METAL GUARD RAIL	M	23.28	70.84	1,579.36	418.37	2,091.86
604b	METAL GUARD RAIL END PIECES	EACH	32.91	-	1,197.58	307.62	1,538.10
604d	STEEL POST OF METAL GUARD RAIL	EACH	103.65	976.73	3,776.31	1,214.17	6,070.86
605a	CONCRETE BEAM GUARD RAIL	M	91.99	30.82	592.31	178.78	893.90
605c	CONCRETE POST FOR GUARD RAIL	M	112.95	27.36	593.02	183.33	916.66
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	285.83	255.15	6,848.62	1,847.40	9,237.00
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	80.99	382.72	9,255.01	2,429.68	12,148.41
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	285.83	541.89	11,882.72	3,177.61	15,888.05
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	965.58	598.64	20,948.99	5,628.31	28,141.53
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	193.12	119.73	9,205.22	2,379.52	11,897.58
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	312.54	-	1,302.68	403.81	2,019.03
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	312.54	-	1,954.02	566.64	2,833.20
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.15	5.86	16.15	6.29	31.45
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.05	4.03	39.57	11.16	55.81
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.15	5.86	21.55	7.64	38.20

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Hafizabad

District Code: 20-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.05	4.03	52.77	14.46	72.32
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	88.01	5.22	156.08	62.33	311.63
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	88.01	9.98	498.62	149.15	745.76
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.93	8.59	22.47	8.75	43.74
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.93	9.63	67.50	20.27	101.34
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.93	6.95	29.96	10.21	51.05
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.93	9.63	90.01	25.89	129.46
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	88.01	3.73	216.94	77.17	385.84
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	88.01	7.90	851.20	236.78	1,183.88
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	73.46	3.73	104.06	45.31	226.55
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	73.46	7.90	332.91	103.57	517.84
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	73.46	3.73	144.63	55.45	277.26
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	73.46	7.90	568.32	162.42	812.10
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.21	81.62	193.90	71.43	357.16
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.21	81.62	233.90	81.43	407.17
610b	RIGHT OF WAY MARKER	EACH	129.28	121.33	303.53	138.54	692.68
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	767.69	976.31	2,042.49	946.62	4,733.11
610d	TEN KILOMETRE POST	EACH	1,486.89	1,952.61	4,478.64	1,979.53	9,897.67
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	160.51	91.00	954.50	301.50	1,507.52

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

JHANG

(22)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.71	10.10	-	2.70	13.52
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.97	173.32	1.17	45.37	226.83
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	20.29	456.54	2.63	119.86	599.32
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	81.15	1,826.16	10.51	479.45	2,397.27
103	STRIPPING	CM	2.36	93.22	-	23.90	119.48
104	COMPACTION OF NATURAL GROUND	SM	0.34	9.91	0.76	2.75	13.76
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.93	135.76	-	34.92	174.61
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	118.91	316.30	50.82	121.51	607.54
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.74	337.99	-	88.68	443.42
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.96	262.40	-	68.34	341.69
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.22	120.27	-	30.87	154.36
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	118.91	316.30	50.82	121.51	607.54
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.92	316.03	-	83.74	418.69
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.43	263.92	-	68.09	340.44
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.52	137.60	0.38	36.13	180.63
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	62.03	287.11	70.80	104.99	524.94
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	105.14	427.01	33.88	141.51	707.54
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	89.44	292.53	-	95.49	477.47
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	54.07	238.86	-	73.23	366.17
107d	GRANULAR BACK FILL	CM	32.96	137.14	422.33	148.11	740.54
107e	COMMON BACK FILL	CM	25.03	62.84	5.09	23.24	116.19
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.48	174.71	5.09	46.57	232.85
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	19.26	482.48	54.04	138.95	694.73
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.45	416.71	2.42	108.39	541.97
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.84	369.34	-	95.55	477.73
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.50	177.46	7.94	48.22	241.12
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.84	76.32	5.09	21.81	109.05
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.79	110.29	3.03	31.78	158.88
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.31	27.34	1.46	7.53	37.63

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.93	18.21	0.77	4.98	24.89
110	IMPROVED SUB-GRADE	CM	9.43	120.02	55.69	46.29	231.43
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.80	15.26	0.79	4.21	21.06
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.18	15.57	0.90	4.41	22.05
201	GRANULAR SUB-BASE	CM	7.61	255.06	515.00	194.42	972.08
202	AGGREGATE BASE	CM	8.79	326.54	797.86	283.30	1,416.49
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	71.59	1,510.17	5,847.56	1,857.33	9,286.63
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	73.91	1,510.17	6,273.68	1,964.44	9,822.19
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	79.10	1,577.28	5,838.08	1,873.62	9,368.09
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	79.10	1,571.31	6,417.35	2,016.94	10,084.70
204b	CEMENT STABILIZED BASE	CM	27.19	569.10	972.72	392.25	1,961.27
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	228.54	915.38	51,104.82	13,062.18	65,310.92
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	228.54	915.38	49,526.69	12,667.65	63,338.26
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	95.35	112.80	983.55	297.93	1,489.63
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	143.84	2,437.94	5,621.59	2,050.84	10,254.21
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	105.85	126.27	812.47	261.15	1,305.75
207a	DEEP PATCHING (0-15 cm)	SM	1.63	45.04	1.26	11.98	59.90
207b	DEEP PATCHING (16-30 cm)	SM	1.63	39.67	1.26	10.64	53.20
208	REINSTATEMENT OF ROAD SURFACE	SM	1.73	57.10	0.56	14.85	74.24
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.89	110.61	0.68	28.30	141.48
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.38	22.12	0.14	5.66	28.30
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	36.27	9.53	47.65
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	40.49	10.58	52.91
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.18	3.97	19.84
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.71	4.60	23.00
304a	SINGLE SURFACE TREATMENT	SM	0.73	7.57	72.18	20.12	100.60
304b	DOUBLE SURFACE TREATMENT	SM	1.06	14.15	140.26	38.87	194.34
304c	TRIPLE SURFACE TREATMENT	SM	1.78	19.94	159.98	45.42	227.12
304d	SEAL COAT	SM	0.68	4.12	50.74	13.89	69.43

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	66.66	1,489.33	6,858.32	2,103.58	10,517.89
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	66.66	1,438.23	7,390.66	2,223.89	11,119.43
307a	DENSE GRADED HOT BIT-MAC	CM	163.96	379.77	5,638.31	1,545.51	7,727.55
307b	OPEN GRADED HOT BIT-MAC	CM	163.96	379.77	5,520.54	1,516.07	7,580.34
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	27.30	590.65	2,038.61	664.14	3,320.69
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	24.27	650.70	43,126.72	10,950.42	54,752.11
309a	COLD MILLING, 0 - 30 mm	SM	0.90	24.99	8.68	8.64	43.20
309b	COLD MILLING, 0 - 50 mm	SM	1.49	41.65	14.46	14.40	72.01
309c	COLD MILLING, 0 - 70 mm	SM	2.24	62.48	21.69	21.60	108.01
401a1i	CONCRETE CLASS "A1" (Underground)	CM	523.29	1,059.94	4,012.28	1,398.88	6,994.39
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	523.29	1,059.94	4,289.75	1,468.25	7,341.23
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	523.29	1,059.94	4,844.70	1,606.98	8,034.91
401a2i	CONCRETE CLASS "A2" (Underground)	CM	523.29	1,059.94	4,390.28	1,493.38	7,466.89
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	523.29	1,059.94	4,667.75	1,562.75	7,813.73
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	523.29	1,059.94	5,222.70	1,701.48	8,507.41
401a3i	CONCRETE CLASS "A3" (Underground)	CM	523.29	1,059.94	4,768.28	1,587.88	7,939.39
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	523.29	1,059.94	5,045.75	1,657.25	8,286.23
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	523.29	1,059.94	5,600.70	1,795.98	8,979.91
401b	CONCRETE CLASS "B"	CM	664.26	805.93	3,321.87	1,198.01	5,990.07
401ci	CONCRETE CLASS "C" (Underground)	CM	518.70	500.55	3,615.55	1,158.70	5,793.49
401cii	CONCRETE CLASS "C" (On ground)	CM	518.70	500.55	3,733.89	1,188.28	5,941.42
401ciii	CONCRETE CLASS "C" (Elevated)	CM	518.70	500.55	3,970.57	1,247.45	6,237.27
401d	CONCRETE CLASS "D1"	CM	826.38	1,265.57	5,355.48	1,861.86	9,309.28
401e	CONCRETE CLASS "Y"	CM	1,169.19	500.55	4,770.32	1,610.01	8,050.07
401f	LEAN CONCRETE	CM	439.73	507.52	2,592.73	885.00	4,424.98
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,782.71	947.15	5,012.88	1,935.68	9,678.42
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,782.71	947.15	5,768.88	2,124.68	10,623.42
401gii	PRECAST CONCRETE CLASS "B"	CM	1,782.71	947.15	4,853.10	1,895.74	9,478.70
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,782.71	947.15	6,146.88	2,219.18	11,095.92

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,782.71	947.15	6,524.88	2,313.68	11,568.42
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,782.71	947.15	6,902.88	2,408.18	12,040.92
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,591.83	781.47	59,888.00	15,565.33	77,826.63
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,591.83	781.47	67,238.00	17,402.83	87,014.13
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,281.23	5,393.81	55,648.40	15,580.86	77,904.31
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,894.50	15,659.05	132,552.11	37,776.42	188,882.08
405b	LAUNCHING OF GIRDER	TON	68.82	532.52	-	150.34	751.68
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.11	-	294.11	102.80	514.02
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.11	-	293.89	102.75	513.74
406c	STEEL EXPANSION JOINTS	KG	9.55	26.40	90.43	31.59	157.97
406d	WATER STOPS 6" SIZE	M	95.38	-	469.30	141.17	705.85
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	42.93	-	2,947.46	747.60	3,737.99
406g	STEEL OR METAL BEARING DEVICES	KG	20.10	69.68	116.37	51.54	257.69
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	372.42	1,654.04	715.42	685.47	3,427.36
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	558.63	2,481.06	1,073.14	1,028.21	5,141.04
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	558.63	2,481.06	812.94	963.16	4,815.79
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	931.05	4,135.11	988.87	1,513.76	7,568.78
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	798.04	4,884.94	1,164.37	1,711.84	8,559.19
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,396.58	6,909.78	1,277.41	2,395.94	11,979.70
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,642.97	45,769.30	90,962.70	40,093.74	200,468.72
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,322.27	45,769.30	181,925.40	68,004.24	340,021.22
407j	PILE LOAD TEST UP TO 360 TON	EACH	65,001.57	50,188.38	272,888.10	97,019.51	485,097.57
407k	CONFIRMATORY BORING (NX SIZE)	M	214.65	1,582.02	6.37	450.76	2,253.80
410	BRICK WORK	CM	346.09	282.72	2,813.86	860.67	4,303.34
411a	STONE MASONRY RANDOM DRY	CM	289.69	107.96	516.07	228.43	1,142.14
411b	STONE MASONRY RANDOM WITH MORTAR	CM	312.66	166.68	1,635.97	528.83	2,644.14
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	381.59	107.96	574.45	266.00	1,330.00
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	450.52	166.68	1,682.00	574.80	2,874.01

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	74.56	11.74	45.31	32.91	164.53
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	611.36	264.08	1,587.19	615.66	3,078.30
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	231.00	437.48	646.32	328.70	1,643.50
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	225.82	577.19	837.68	410.17	2,050.85
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	218.08	935.96	1,009.09	540.78	2,703.91
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	229.59	1,146.39	1,560.45	734.11	3,670.54
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	263.70	1,078.41	2,203.52	886.41	4,432.04
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	326.39	1,331.30	3,621.45	1,319.79	6,598.93
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	422.39	1,481.41	4,687.38	1,647.79	8,238.96
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	496.49	1,798.85	5,973.03	2,067.09	10,335.47
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	590.24	2,098.66	9,223.70	2,978.15	14,890.76
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	231.00	507.33	667.61	351.48	1,757.42
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	225.82	577.19	784.69	396.92	1,984.62
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	213.20	935.96	959.94	527.27	2,636.37
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	229.59	1,146.39	1,594.66	742.66	3,713.30
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	263.70	1,078.41	3,029.47	1,092.90	5,464.48
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	326.39	1,331.30	4,447.45	1,526.29	7,631.43
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	422.39	1,481.41	6,209.56	2,028.34	10,141.69
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	496.49	1,798.85	8,419.24	2,678.65	13,393.23
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	590.24	2,098.66	11,839.45	3,632.09	18,160.44
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	88.52	118.93	297.42	126.22	631.09
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	752.33	612.95	3,671.87	1,259.29	6,296.43
507a	STEEL WIRE MESH FOR GABIONS	KG	5.41	-	114.07	29.87	149.35
507b	ROCK FILL IN GABIONS	CM	96.93	-	458.79	138.93	694.65
508a	BRICK PAVING (SINGLE COURSE)	SM	114.37	32.70	207.61	88.67	443.35
508b	BRICK PAVING (DOUBLE COURSE)	SM	206.28	32.70	412.54	162.88	814.39
509a	RIP RAP CLASS "A"	CM	497.32	-	421.26	229.65	1,148.23
509b	RIP RAP CLASS "B"	CM	480.58	-	417.89	224.62	1,123.09
509c	RIP RAP CLASS "C"	CM	484.73	-	421.26	226.50	1,132.49

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	607.99	102.14	1,856.40	641.63	3,208.17
509e	GRouted RIP RAP CLASS "B"	CM	587.49	81.72	1,703.90	593.28	2,966.39
509f	GRouted RIP RAP CLASS "C"	CM	581.49	68.10	1,752.65	600.56	3,002.78
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	804.00	353.02	4,230.35	1,346.84	6,734.22
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	48.30	191.97	421.99	165.57	827.83
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	112.62	390.69	-	125.83	629.14
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	154.44	67.48	68.46	72.59	362.97
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	197.69	86.37	87.62	92.92	464.60
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	252.83	180.32	371.34	201.12	1,005.61
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	316.04	225.40	464.17	251.40	1,257.01
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	277.49	572.25	2,244.81	773.64	3,868.19
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	978.32	670.54	4,091.93	1,435.20	7,175.99
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	141.84	90.27	436.79	167.23	836.13
603	BRICK EDGING	M	8.91	-	33.12	10.51	52.54
604a	METAL GUARD RAIL	M	19.24	70.84	1,579.36	417.36	2,086.80
604b	METAL GUARD RAIL END PIECES	EACH	26.72	-	1,197.58	306.07	1,530.37
604d	STEEL POST OF METAL GUARD RAIL	EACH	86.23	976.73	3,776.31	1,209.82	6,049.09
605a	CONCRETE BEAM GUARD RAIL	M	76.99	30.82	592.63	175.11	875.56
605c	CONCRETE POST FOR GUARD RAIL	M	94.54	27.36	593.08	178.74	893.72
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	242.03	255.15	6,860.13	1,839.33	9,196.63
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	69.58	382.72	9,273.27	2,431.39	12,156.96
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	242.03	541.89	11,913.25	3,174.29	15,871.46
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	799.61	598.64	20,997.57	5,598.96	27,994.78
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	159.92	119.73	9,219.63	2,374.82	11,874.11
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	275.89	-	1,303.87	394.94	1,974.70
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	275.89	-	1,955.81	557.93	2,789.63
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.65	5.86	16.16	6.17	30.83
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.88	4.03	39.65	11.14	55.70
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.65	5.86	21.56	7.52	37.59

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhang

District Code: 22

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.88	4.03	52.89	14.45	72.25
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	79.92	5.22	156.16	60.32	301.61
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	79.92	9.98	499.68	147.39	736.97
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.31	8.59	22.48	8.59	42.97
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.31	9.63	67.50	20.11	100.56
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.31	6.95	29.97	10.06	50.29
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.31	9.63	90.01	25.74	128.68
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	79.92	3.73	217.02	75.16	375.82
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	79.92	7.90	851.20	234.75	1,173.77
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	66.13	3.73	104.11	43.49	217.45
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	66.13	7.90	333.62	101.91	509.56
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	66.13	3.73	144.68	53.63	268.17
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	66.13	7.90	568.32	160.59	802.94
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	8.99	81.62	193.92	71.13	355.66
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	8.99	81.62	233.92	81.13	405.66
610b	RIGHT OF WAY MARKER	EACH	106.14	121.33	301.91	132.34	661.72
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	658.43	976.31	2,031.94	916.67	4,583.35
610d	TEN KILOMETRE POST	EACH	1,270.90	1,952.61	4,456.49	1,920.00	9,600.01
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	135.52	91.00	955.82	295.59	1,477.93

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

JHELUM

(23)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.92	10.10	-	2.76	13.78
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.89	173.32	1.17	45.84	229.22
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	26.13	456.54	2.63	121.33	606.63
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	104.53	1,826.16	10.51	485.30	2,426.51
103	STRIPPING	CM	2.93	93.22	-	24.04	120.19
104	COMPACTION OF NATURAL GROUND	SM	0.41	9.91	0.76	2.77	13.85
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.59	135.76	-	35.09	175.44
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	144.16	316.30	50.82	127.82	639.10
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	20.52	337.99	-	89.63	448.14
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	13.25	262.40	-	68.91	344.56
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.76	120.27	-	31.01	155.03
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	144.16	316.30	50.82	127.82	639.10
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	22.93	316.03	-	84.74	423.70
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	10.28	263.92	-	68.55	342.76
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.64	137.60	0.38	36.40	182.02
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	73.99	287.11	70.80	107.98	539.89
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	127.37	427.01	33.88	147.06	735.32
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	108.65	292.53	-	100.30	501.49
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	65.50	238.86	-	76.09	380.46
107d	GRANULAR BACK FILL	CM	41.41	137.14	400.28	144.71	723.53
107e	COMMON BACK FILL	CM	32.54	62.84	5.09	25.12	125.59
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.80	174.71	5.09	46.90	234.50
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	23.65	482.48	54.04	140.04	700.22
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	17.74	416.71	2.42	109.22	546.09
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.77	369.34	-	96.28	481.39
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	9.16	177.46	7.94	48.64	243.19
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.05	76.32	5.09	22.11	110.57
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	17.03	110.29	3.03	32.59	162.93
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.59	27.34	1.46	7.59	37.97

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.12	18.21	0.77	5.03	25.13
110	IMPROVED SUB-GRADE	CM	11.64	120.02	58.11	47.44	237.22
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.98	15.26	0.79	4.26	21.29
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.43	15.57	0.90	4.47	22.37
201	GRANULAR SUB-BASE	CM	9.25	255.06	515.99	195.07	975.37
202	AGGREGATE BASE	CM	10.71	326.54	723.95	265.30	1,326.50
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	91.50	1,510.17	5,811.23	1,853.22	9,266.12
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	94.18	1,510.17	6,210.50	1,953.71	9,768.56
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	100.30	1,577.28	5,801.73	1,869.83	9,349.14
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	100.30	1,571.31	6,353.24	2,006.21	10,031.07
204b	CEMENT STABILIZED BASE	CM	33.54	569.10	1,008.73	402.84	2,014.22
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	272.80	915.38	50,559.42	12,936.90	64,684.49
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	272.80	915.38	48,981.29	12,542.37	62,711.83
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	124.71	112.80	922.59	290.02	1,450.12
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	180.25	2,437.94	5,537.54	2,038.93	10,194.66
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	138.91	126.27	697.01	240.55	1,202.74
207a	DEEP PATCHING (0-15 cm)	SM	1.97	45.04	1.26	12.07	60.33
207b	DEEP PATCHING (16-30 cm)	SM	1.97	39.67	1.26	10.73	53.63
208	REINSTATEMENT OF ROAD SURFACE	SM	2.13	57.10	0.56	14.95	74.74
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.17	110.61	0.68	28.37	141.83
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.43	22.12	0.14	5.67	28.37
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.34	1.57	35.88	9.45	47.24
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	40.06	10.49	52.44
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.02	3.93	19.67
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.52	4.56	22.79
304a	SINGLE SURFACE TREATMENT	SM	0.88	7.57	71.21	19.91	99.57
304b	DOUBLE SURFACE TREATMENT	SM	1.27	14.15	137.93	38.34	191.69
304c	TRIPLE SURFACE TREATMENT	SM	2.13	19.94	157.35	44.85	224.27
304d	SEAL COAT	SM	0.81	4.12	50.45	13.85	69.23

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	84.27	1,489.33	6,800.60	2,093.55	10,467.75
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	84.27	1,438.23	7,333.22	2,213.93	11,069.66
307a	DENSE GRADED HOT BIT-MAC	CM	210.71	379.77	5,604.02	1,548.63	7,743.14
307b	OPEN GRADED HOT BIT-MAC	CM	210.71	379.77	5,452.47	1,510.74	7,553.70
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	35.13	590.65	2,014.05	659.96	3,299.79
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	30.30	650.70	42,565.12	10,811.53	54,057.64
309a	COLD MILLING, 0 - 30 mm	SM	1.10	24.99	8.68	8.69	43.46
309b	COLD MILLING, 0 - 50 mm	SM	1.83	41.65	14.46	14.49	72.43
309c	COLD MILLING, 0 - 70 mm	SM	2.75	62.48	21.69	21.73	108.65
401a1i	CONCRETE CLASS "A1" (Underground)	CM	621.92	1,059.94	3,909.17	1,397.76	6,988.78
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	621.92	1,059.94	4,186.64	1,467.12	7,335.62
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	621.92	1,059.94	4,741.59	1,605.86	8,029.31
401a2i	CONCRETE CLASS "A2" (Underground)	CM	621.92	1,059.94	4,287.17	1,492.26	7,461.28
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	621.92	1,059.94	4,564.64	1,561.62	7,808.12
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	621.92	1,059.94	5,119.59	1,700.36	8,501.81
401a3i	CONCRETE CLASS "A3" (Underground)	CM	621.92	1,059.94	4,665.17	1,586.76	7,933.78
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	621.92	1,059.94	4,942.64	1,656.12	8,280.62
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	621.92	1,059.94	5,497.59	1,794.86	8,974.31
401b	CONCRETE CLASS "B"	CM	807.10	805.93	3,138.31	1,187.83	5,939.17
401ci	CONCRETE CLASS "C" (Underground)	CM	626.36	500.55	3,465.54	1,148.11	5,740.56
401cii	CONCRETE CLASS "C" (On ground)	CM	626.36	500.55	3,583.88	1,177.70	5,888.49
401ciii	CONCRETE CLASS "C" (Elevated)	CM	626.36	500.55	3,820.57	1,236.87	6,184.35
401d	CONCRETE CLASS "D1"	CM	976.44	1,265.57	5,253.29	1,873.82	9,369.12
401e	CONCRETE CLASS "Y"	CM	1,382.45	500.55	4,699.22	1,645.55	8,227.77
401f	LEAN CONCRETE	CM	554.76	507.52	2,409.20	867.87	4,339.35
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,175.83	947.15	4,906.80	2,007.44	10,037.22
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,175.83	947.15	5,662.80	2,196.44	10,982.22
401gii	PRECAST CONCRETE CLASS "B"	CM	2,175.83	947.15	4,664.45	1,946.86	9,734.28
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,175.83	947.15	6,040.80	2,290.94	11,454.72

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,175.83	947.15	6,418.80	2,385.44	11,927.22
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,175.83	947.15	6,796.80	2,479.94	12,399.72
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,872.73	781.47	59,888.00	15,635.55	78,177.75
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,872.73	781.47	67,238.00	17,473.05	87,365.25
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,513.73	5,393.81	55,672.12	15,644.92	78,224.58
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,635.32	15,659.05	132,699.25	37,998.41	189,992.03
405b	LAUNCHING OF GIRDER	TON	87.08	532.52	-	154.90	774.51
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	142.13	-	292.66	108.70	543.49
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	142.13	-	292.55	108.67	543.35
406c	STEEL EXPANSION JOINTS	KG	11.41	26.40	90.47	32.07	160.34
406d	WATER STOPS 6" SIZE	M	116.90	-	471.14	147.01	735.04
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	50.17	-	2,957.96	752.03	3,760.17
406g	STEEL OR METAL BEARING DEVICES	KG	24.76	69.68	116.48	52.73	263.65
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	473.51	1,654.04	713.61	710.29	3,551.45
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	710.27	2,481.06	1,070.41	1,065.43	5,327.17
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	710.27	2,481.06	810.21	1,000.38	5,001.92
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,183.78	4,135.11	984.32	1,575.80	7,879.01
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	1,014.67	4,884.94	1,156.58	1,764.05	8,820.24
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,775.66	6,909.78	1,270.60	2,489.01	12,445.05
407h	PILE LOAD TEST UP TO 120 TON	EACH	31,037.74	45,769.30	97,393.74	43,550.20	217,750.98
407i	PILE LOAD TEST UP TO 240 TON	EACH	58,610.14	45,769.30	194,787.48	74,791.73	373,958.66
407j	PILE LOAD TEST UP TO 360 TON	EACH	86,182.54	50,188.38	292,181.22	107,138.04	535,690.18
407k	CONFIRMATORY BORING (NX SIZE)	M	279.56	1,582.02	6.37	466.99	2,334.94
410	BRICK WORK	CM	411.57	282.72	2,728.11	855.60	4,278.00
411a	STONE MASONRY RANDOM DRY	CM	349.03	107.96	469.18	231.54	1,157.72
411b	STONE MASONRY RANDOM WITH MORTAR	CM	373.92	166.68	1,481.90	505.63	2,528.13
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	460.09	107.96	617.62	296.42	1,482.08
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	540.51	166.68	1,644.78	587.99	2,939.96

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	87.74	11.74	43.52	35.75	178.76
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	737.73	264.08	1,549.98	637.95	3,189.73
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	296.41	437.48	642.97	344.21	1,721.07
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	290.43	577.19	833.66	425.32	2,126.60
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	276.27	935.96	1,004.40	554.16	2,770.78
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	292.93	1,146.39	1,554.97	748.57	3,742.86
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	336.03	1,078.41	2,198.04	903.12	4,515.61
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	413.43	1,331.30	3,613.54	1,339.57	6,697.83
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	535.03	1,481.41	4,679.49	1,673.98	8,369.91
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	631.90	1,798.85	5,963.46	2,098.55	10,492.77
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	746.47	2,098.66	9,212.54	3,014.42	15,072.08
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	296.41	507.33	660.91	366.16	1,830.81
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	290.43	577.19	780.67	412.07	2,060.36
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	269.37	935.96	955.25	540.14	2,700.72
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	292.93	1,146.39	1,590.40	757.43	3,787.14
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	336.03	1,078.41	3,023.38	1,109.46	5,547.29
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	413.43	1,331.30	4,439.54	1,546.07	7,730.33
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	535.03	1,481.41	6,201.67	2,054.53	10,272.64
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	631.90	1,798.85	8,409.67	2,710.11	13,550.53
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	746.47	2,098.66	11,828.28	3,668.35	18,341.76
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	113.51	118.93	385.12	154.39	771.95
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	913.25	612.95	3,488.31	1,253.63	6,268.13
507a	STEEL WIRE MESH FOR GABIONS	KG	6.46	-	114.07	30.13	150.66
507b	ROCK FILL IN GABIONS	CM	125.97	-	423.50	137.37	686.83
508a	BRICK PAVING (SINGLE COURSE)	SM	139.26	32.70	211.27	95.81	479.03
508b	BRICK PAVING (DOUBLE COURSE)	SM	250.31	32.70	419.12	175.53	877.66
509a	RIP RAP CLASS "A"	CM	599.44	-	374.38	243.45	1,217.27
509b	RIP RAP CLASS "B"	CM	580.65	-	371.38	238.01	1,190.04
509c	RIP RAP CLASS "C"	CM	584.72	-	374.38	239.77	1,198.87

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	734.20	102.14	1,742.53	644.72	3,223.59
509e	GRouted RIP RAP CLASS "B"	CM	708.37	81.72	1,597.37	596.86	2,984.32
509f	GRouted RIP RAP CLASS "C"	CM	701.37	68.10	1,643.23	603.17	3,015.87
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	994.85	353.02	4,056.85	1,351.18	6,755.91
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	62.32	191.97	400.63	163.73	818.66
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	146.44	390.69	-	134.28	671.42
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	187.74	67.48	60.84	79.01	395.07
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	240.31	86.37	77.87	101.14	505.69
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	304.65	180.32	350.72	208.92	1,044.61
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	380.81	225.40	438.40	261.15	1,305.77
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	329.92	572.25	2,191.08	773.31	3,866.56
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,191.67	670.54	4,036.77	1,474.74	7,373.72
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	173.12	90.27	424.42	171.95	859.75
603	BRICK EDGING	M	11.00	-	33.12	11.03	55.15
604a	METAL GUARD RAIL	M	24.22	70.84	1,579.36	418.61	2,093.03
604b	METAL GUARD RAIL END PIECES	EACH	34.70	-	1,197.58	308.07	1,540.34
604d	STEEL POST OF METAL GUARD RAIL	EACH	107.23	976.73	3,776.31	1,215.07	6,075.33
605a	CONCRETE BEAM GUARD RAIL	M	96.88	30.82	589.40	179.27	896.37
605c	CONCRETE POST FOR GUARD RAIL	M	118.95	27.36	589.13	183.86	919.30
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	298.71	255.15	6,853.01	1,851.72	9,258.59
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	85.41	382.72	9,239.89	2,427.00	12,135.02
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	298.71	541.89	11,855.81	3,174.10	15,870.51
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,018.66	598.64	20,910.46	5,631.94	28,159.71
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	203.73	119.73	9,201.06	2,381.13	11,905.66
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	320.53	-	1,303.53	406.02	2,030.08
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	320.53	-	1,955.29	568.96	2,844.79
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.32	5.86	16.16	6.33	31.67
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.11	4.03	39.62	11.19	55.94
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.32	5.86	21.56	7.68	38.42

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Jhelum

District Code: 23

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.11	4.03	52.84	14.49	72.47
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	91.02	5.22	156.13	63.09	315.46
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	91.02	9.98	499.28	150.07	750.36
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.15	8.59	22.47	8.80	44.01
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.15	9.63	67.50	20.32	101.60
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.15	6.95	29.97	10.27	51.33
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.15	9.63	90.01	25.95	129.73
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	91.02	3.73	216.99	77.93	389.67
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	91.02	7.90	851.20	237.53	1,187.65
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	76.09	3.73	104.09	45.98	229.88
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	76.09	7.90	333.36	104.34	521.68
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	76.09	3.73	144.66	56.12	280.59
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	76.09	7.90	568.32	163.08	815.39
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.77	81.62	193.78	71.54	357.71
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.77	81.62	233.78	81.54	407.71
610b	RIGHT OF WAY MARKER	EACH	136.70	121.33	298.40	139.11	695.54
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	804.89	976.31	2,000.33	945.38	4,726.90
610d	TEN KILOMETRE POST	EACH	1,560.00	1,952.61	4,399.01	1,977.90	9,889.52
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	168.50	91.00	948.53	302.01	1,510.04

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

KASUR

(28)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.84	10.10	-	2.74	13.68
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.05	173.32	1.17	45.64	228.18
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	23.76	456.54	2.63	120.73	603.66
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	95.03	1,826.16	10.51	482.92	2,414.62
103	STRIPPING	CM	2.67	93.22	-	23.97	119.86
104	COMPACTION OF NATURAL GROUND	SM	0.37	9.91	0.76	2.76	13.81
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.03	135.76	-	34.95	174.73
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	128.37	316.30	50.82	123.87	619.36
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.46	337.99	-	89.11	445.57
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.95	262.40	-	68.59	342.94
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.30	120.27	-	30.89	154.46
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	128.37	316.30	50.82	123.87	619.36
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.38	316.03	-	84.10	420.51
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.26	263.92	-	68.29	341.47
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.86	137.60	0.38	36.21	181.06
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	67.24	287.11	70.80	106.29	531.45
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	113.22	427.01	33.88	143.53	717.64
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	96.67	292.53	-	97.30	486.51
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	58.23	238.86	-	74.27	371.36
107d	GRANULAR BACK FILL	CM	37.26	137.14	528.87	175.82	879.10
107e	COMMON BACK FILL	CM	29.70	62.84	5.09	24.41	122.04
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.01	174.71	5.09	46.70	233.52
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	21.34	482.48	54.04	139.47	697.33
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	16.00	416.71	2.42	108.78	543.92
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.23	369.34	-	95.89	479.46
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.27	177.46	7.94	48.42	242.08
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.36	76.32	5.09	21.94	109.71
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	15.45	110.29	3.03	32.19	160.96
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.43	27.34	1.46	7.56	37.78

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.01	18.21	0.77	5.00	24.99
110	IMPROVED SUB-GRADE	CM	10.50	120.02	58.10	47.16	235.78
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.89	15.26	0.79	4.24	21.18
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.31	15.57	0.90	4.44	22.21
201	GRANULAR SUB-BASE	CM	8.33	255.06	677.81	235.30	1,176.50
202	AGGREGATE BASE	CM	9.48	326.54	1,073.32	352.33	1,761.67
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	83.27	1,510.17	6,256.24	1,962.42	9,812.10
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	85.62	1,510.17	6,660.69	2,064.12	10,320.59
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	91.35	1,577.28	6,247.47	1,979.03	9,895.13
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	91.35	1,571.31	6,803.57	2,116.56	10,582.78
204b	CEMENT STABILIZED BASE	CM	29.85	569.10	1,390.48	497.36	2,486.80
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	247.29	915.38	51,304.80	13,116.87	65,584.33
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	247.29	915.38	49,726.67	12,722.33	63,611.67
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	114.38	112.80	1,307.69	383.72	1,918.59
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	163.56	2,437.94	6,027.67	2,157.29	10,786.46
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	127.29	126.27	1,094.94	337.13	1,685.63
207a	DEEP PATCHING (0-15 cm)	SM	1.78	45.04	1.26	12.02	60.09
207b	DEEP PATCHING (16-30 cm)	SM	1.78	39.67	1.26	10.68	53.39
208	REINSTATEMENT OF ROAD SURFACE	SM	1.89	57.10	0.56	14.89	74.44
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.98	110.61	0.68	28.32	141.59
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.40	22.12	0.14	5.66	28.32
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	36.41	9.57	47.86
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	40.65	10.63	53.14
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.24	3.99	19.93
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.78	4.62	23.10
304a	SINGLE SURFACE TREATMENT	SM	0.78	7.57	74.20	20.64	103.19
304b	DOUBLE SURFACE TREATMENT	SM	1.14	14.15	145.78	40.27	201.33
304c	TRIPLE SURFACE TREATMENT	SM	1.90	19.94	166.48	47.08	235.40
304d	SEAL COAT	SM	0.72	4.12	51.85	14.17	70.86

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	76.46	1,489.33	7,268.28	2,208.52	11,042.59
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	76.46	1,438.23	7,823.20	2,334.47	11,672.36
307a	DENSE GRADED HOT BIT-MAC	CM	191.13	379.77	6,016.85	1,646.94	8,234.70
307b	OPEN GRADED HOT BIT-MAC	CM	191.13	379.77	5,889.55	1,615.11	8,075.57
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	31.79	590.65	2,104.99	681.86	3,409.29
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	27.27	650.70	43,332.64	11,002.65	55,013.26
309a	COLD MILLING, 0 - 30 mm	SM	0.98	24.99	8.68	8.66	43.31
309b	COLD MILLING, 0 - 50 mm	SM	1.64	41.65	14.46	14.44	72.19
309c	COLD MILLING, 0 - 70 mm	SM	2.46	62.48	21.69	21.66	108.28
401a1i	CONCRETE CLASS "A1" (Underground)	CM	572.07	1,059.94	4,325.34	1,489.34	7,446.68
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	572.07	1,059.94	4,602.81	1,558.70	7,793.52
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	572.07	1,059.94	5,157.76	1,697.44	8,487.20
401a2i	CONCRETE CLASS "A2" (Underground)	CM	572.07	1,059.94	4,703.34	1,583.84	7,919.18
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	572.07	1,059.94	4,980.81	1,653.20	8,266.02
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	572.07	1,059.94	5,535.76	1,791.94	8,959.70
401a3i	CONCRETE CLASS "A3" (Underground)	CM	572.07	1,059.94	5,081.34	1,678.34	8,391.68
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	572.07	1,059.94	5,358.81	1,747.70	8,738.52
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	572.07	1,059.94	5,913.76	1,886.44	9,432.20
401b	CONCRETE CLASS "B"	CM	744.58	805.93	3,633.74	1,296.06	6,480.31
401ci	CONCRETE CLASS "C" (Underground)	CM	583.28	500.55	3,983.16	1,266.75	6,333.73
401cii	CONCRETE CLASS "C" (On ground)	CM	583.28	500.55	4,101.50	1,296.33	6,481.66
401ciii	CONCRETE CLASS "C" (Elevated)	CM	583.28	500.55	4,338.19	1,355.50	6,777.52
401d	CONCRETE CLASS "D1"	CM	892.90	1,265.57	5,640.49	1,949.74	9,748.69
401e	CONCRETE CLASS "Y"	CM	1,267.82	500.55	5,063.59	1,707.99	8,539.94
401f	LEAN CONCRETE	CM	514.99	507.52	2,904.87	981.84	4,909.22
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,035.49	947.15	5,356.25	2,084.72	10,423.61
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,035.49	947.15	6,112.25	2,273.72	11,368.61
401gii	PRECAST CONCRETE CLASS "B"	CM	2,035.49	947.15	5,191.41	2,043.51	10,217.56
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,035.49	947.15	6,490.25	2,368.22	11,841.11

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,035.49	947.15	6,868.25	2,462.72	12,313.61
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,035.49	947.15	7,246.25	2,557.22	12,786.11
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,685.10	781.47	59,358.00	15,456.14	77,280.72
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,685.10	781.47	66,708.00	17,293.64	86,468.22
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,374.46	5,393.81	55,190.15	15,489.61	77,448.04
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,258.60	15,659.05	132,536.80	37,863.61	189,318.06
405b	LAUNCHING OF GIRDER	TON	78.35	532.52	-	152.72	763.59
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	128.11	-	290.11	104.55	522.77
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	128.11	-	290.24	104.59	522.94
406c	STEEL EXPANSION JOINTS	KG	10.43	26.40	89.91	31.68	158.41
406d	WATER STOPS 6" SIZE	M	105.85	-	470.41	144.07	720.33
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	49.81	-	2,957.66	751.87	3,759.34
406g	STEEL OR METAL BEARING DEVICES	KG	22.57	69.68	115.96	52.05	260.27
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	428.23	1,654.04	626.95	677.30	3,386.52
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	642.34	2,481.06	940.42	1,015.96	5,079.78
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	642.34	2,481.06	725.98	962.35	4,811.73
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,070.57	4,135.11	904.94	1,527.65	7,638.27
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	917.63	4,884.94	1,085.86	1,722.11	8,610.54
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,605.85	6,909.78	1,185.83	2,425.37	12,126.83
407h	PILE LOAD TEST UP TO 120 TON	EACH	28,362.94	45,769.30	88,884.98	40,754.31	203,771.53
407i	PILE LOAD TEST UP TO 240 TON	EACH	53,735.51	45,769.30	177,769.96	69,318.69	346,593.47
407j	PILE LOAD TEST UP TO 360 TON	EACH	79,108.08	50,188.38	266,654.94	98,987.85	494,939.26
407k	CONFIRMATORY BORING (NX SIZE)	M	254.14	1,582.02	6.37	460.63	2,303.17
410	BRICK WORK	CM	412.29	282.72	2,905.05	900.01	4,500.07
411a	STONE MASONRY RANDOM DRY	CM	342.94	107.96	621.49	268.10	1,340.49
411b	STONE MASONRY RANDOM WITH MORTAR	CM	370.11	166.68	1,780.38	579.29	2,896.46
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	453.67	107.96	688.31	312.48	1,562.42
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	536.20	166.68	1,825.10	631.99	3,159.97

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	89.22	11.74	45.97	36.73	183.66
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	730.48	264.08	1,730.29	681.21	3,406.07
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	276.04	437.48	647.54	340.27	1,701.33
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	270.81	577.19	839.14	421.79	2,108.93
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	256.92	935.96	1,010.79	550.92	2,754.58
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	272.00	1,146.39	1,562.44	745.21	3,726.05
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	310.97	1,078.41	2,205.51	898.73	4,493.63
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	382.87	1,331.30	3,624.33	1,334.63	6,673.13
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	495.48	1,481.41	4,690.24	1,666.78	8,333.91
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	582.24	1,798.85	5,976.51	2,089.40	10,447.01
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	691.35	2,098.66	9,227.76	3,004.44	15,022.22
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	276.04	507.33	670.04	363.35	1,816.77
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	270.81	577.19	786.15	408.54	2,042.69
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	250.57	935.96	961.64	537.04	2,685.21
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	272.00	1,146.39	1,596.21	753.65	3,768.25
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	310.97	1,078.41	3,031.68	1,105.27	5,526.34
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	382.87	1,331.30	4,450.33	1,541.13	7,705.63
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	495.48	1,481.41	6,212.42	2,047.33	10,236.64
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	582.24	1,798.85	8,422.72	2,700.96	13,504.78
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	691.35	2,098.66	11,843.51	3,658.38	18,291.90
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	103.61	118.93	321.31	135.96	679.82
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	835.73	612.95	3,983.74	1,358.11	6,790.53
507a	STEEL WIRE MESH FOR GABIONS	KG	5.81	-	115.88	30.42	152.12
507b	ROCK FILL IN GABIONS	CM	115.44	-	522.32	159.44	797.20
508a	BRICK PAVING (SINGLE COURSE)	SM	136.46	32.70	213.21	95.59	477.97
508b	BRICK PAVING (DOUBLE COURSE)	SM	247.19	32.70	423.97	175.96	879.82
509a	RIP RAP CLASS "A"	CM	593.18	-	526.69	279.97	1,399.83
509b	RIP RAP CLASS "B"	CM	574.40	-	522.47	274.22	1,371.09
509c	RIP RAP CLASS "C"	CM	580.00	-	526.69	276.67	1,383.35

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	725.34	102.14	1,986.19	703.42	3,517.09
509e	GRouted RIP RAP CLASS "B"	CM	701.86	81.72	1,830.32	653.47	3,267.37
509f	GRouted RIP RAP CLASS "C"	CM	695.61	68.10	1,880.81	661.13	3,305.65
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	953.39	353.02	4,525.68	1,458.02	7,290.11
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	57.18	191.97	527.76	194.23	971.15
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	133.67	390.69	-	131.09	655.45
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	183.22	67.48	85.59	84.07	420.36
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	234.53	86.37	109.55	107.61	538.06
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	300.55	180.32	391.71	218.15	1,090.73
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	375.69	225.40	489.63	272.68	1,363.41
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	303.36	572.25	2,407.67	820.82	4,104.11
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,115.20	670.54	4,259.46	1,511.30	7,556.49
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	162.35	90.27	469.21	180.46	902.28
603	BRICK EDGING	M	10.53	-	34.27	11.20	56.00
604a	METAL GUARD RAIL	M	21.87	70.84	1,579.36	418.02	2,090.09
604b	METAL GUARD RAIL END PIECES	EACH	31.65	-	1,197.58	307.31	1,536.54
604d	STEEL POST OF METAL GUARD RAIL	EACH	96.40	976.73	3,776.31	1,212.36	6,061.80
605a	CONCRETE BEAM GUARD RAIL	M	90.38	30.82	602.76	180.99	904.95
605c	CONCRETE POST FOR GUARD RAIL	M	110.97	27.36	605.70	186.01	930.04
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	276.98	255.15	6,887.50	1,854.91	9,274.53
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	83.62	382.72	9,323.71	2,447.51	12,237.56
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	276.98	541.89	11,996.33	3,203.80	16,019.00
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	939.37	598.64	21,117.88	5,663.97	28,319.87
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	187.87	119.73	9,237.16	2,386.19	11,930.96
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	286.59	-	1,302.13	397.18	1,985.90
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	286.59	-	1,953.19	559.95	2,799.73
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.06	5.86	16.15	6.27	31.34
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.02	4.03	39.53	11.15	55.73
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.06	5.86	21.55	7.62	38.09

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Kasur

District Code: 28

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.02	4.03	52.73	14.44	72.22
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	82.10	5.22	156.05	60.84	304.21
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	82.10	9.98	498.16	147.56	737.80
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.83	8.59	22.47	8.72	43.60
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.83	9.63	67.50	20.24	101.21
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.83	6.95	29.95	10.18	50.92
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.83	9.63	90.01	25.87	129.33
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	82.10	3.73	216.91	75.68	378.42
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	82.10	7.90	851.20	235.30	1,176.50
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	68.71	3.73	104.03	44.12	220.59
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	68.71	7.90	332.61	102.30	511.52
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	68.71	3.73	144.61	54.26	271.30
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	68.71	7.90	568.32	161.23	806.16
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.64	81.62	193.97	71.56	357.79
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.64	81.62	233.97	81.55	407.77
610b	RIGHT OF WAY MARKER	EACH	126.72	121.33	314.55	140.65	703.25
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	752.24	976.31	2,133.29	965.46	4,827.30
610d	TEN KILOMETRE POST	EACH	1,440.44	1,952.61	4,658.39	2,012.86	10,064.30
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	157.61	91.00	971.25	304.96	1,524.82

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

KHANEWAL

(30)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	1.07	10.10	-	2.79	13.97
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	10.13	173.32	1.17	46.15	230.77
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	30.18	456.54	2.63	122.34	611.68
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	120.71	1,826.16	10.51	489.34	2,446.72
103	STRIPPING	CM	3.34	93.22	-	24.14	120.70
104	COMPACTION OF NATURAL GROUND	SM	0.46	9.91	0.76	2.78	13.91
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.49	135.76	-	35.06	175.31
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	151.46	316.30	50.82	129.65	648.23
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	22.54	337.99	-	90.13	450.66
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	14.40	262.40	-	69.20	345.99
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.67	120.27	-	30.99	154.93
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	151.46	316.30	50.82	129.65	648.23
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	23.93	316.03	-	84.99	424.95
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	11.30	263.92	-	68.81	344.03
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	8.06	137.60	0.38	36.51	182.56
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	80.83	287.11	70.80	109.69	548.44
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	132.94	427.01	33.88	148.46	742.29
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	114.02	292.53	-	101.64	508.19
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	68.37	238.86	-	76.81	384.04
107d	GRANULAR BACK FILL	CM	45.37	137.14	431.15	153.42	767.08
107e	COMMON BACK FILL	CM	37.81	62.84	5.09	26.43	132.17
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	8.44	174.71	5.09	47.06	235.30
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	26.07	482.48	54.04	140.65	703.24
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	19.55	416.71	2.42	109.67	548.35
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	17.38	369.34	-	96.68	483.41
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	10.08	177.46	7.94	48.87	244.35
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.74	76.32	5.09	22.29	111.44
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	19.15	110.29	3.03	33.12	165.58
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.72	27.34	1.46	7.63	38.14

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.23	18.21	0.77	5.05	25.26
110	IMPROVED SUB-GRADE	CM	13.04	120.02	52.88	46.48	232.42
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	1.11	15.26	0.79	4.29	21.45
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.63	15.57	0.90	4.52	22.62
201	GRANULAR SUB-BASE	CM	10.08	255.06	604.34	217.37	1,086.85
202	AGGREGATE BASE	CM	11.34	326.54	889.68	306.89	1,534.45
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	105.23	1,510.17	6,071.16	1,921.64	9,608.19
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	107.75	1,510.17	6,470.32	2,022.06	10,110.29
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	114.64	1,577.28	6,061.69	1,938.40	9,692.02
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	114.64	1,571.31	6,614.66	2,075.15	10,375.75
204b	CEMENT STABILIZED BASE	CM	36.20	569.10	1,179.09	446.10	2,230.50
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	288.45	915.38	51,771.42	13,243.81	66,219.06
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	288.45	915.38	50,193.29	12,849.28	64,246.40
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	147.79	112.80	1,041.94	325.63	1,628.15
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	203.82	2,437.94	5,770.49	2,103.06	10,515.32
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	164.35	126.27	820.58	277.80	1,389.00
207a	DEEP PATCHING (0-15 cm)	SM	2.19	45.04	1.26	12.12	60.60
207b	DEEP PATCHING (16-30 cm)	SM	2.19	39.67	1.26	10.78	53.90
208	REINSTATEMENT OF ROAD SURFACE	SM	2.30	57.10	0.56	14.99	74.95
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.32	110.61	0.68	28.40	142.01
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.46	22.12	0.14	5.68	28.40
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.36	1.57	36.74	9.67	48.35
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.34	1.57	41.02	10.73	53.66
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.14	0.58	15.38	4.03	20.13
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.14	0.58	17.94	4.67	23.33
304a	SINGLE SURFACE TREATMENT	SM	0.91	7.57	73.68	20.54	102.71
304b	DOUBLE SURFACE TREATMENT	SM	1.33	14.15	143.31	39.70	198.48
304c	TRIPLE SURFACE TREATMENT	SM	2.23	19.94	163.57	46.43	232.16
304d	SEAL COAT	SM	0.83	4.12	52.04	14.25	71.24

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	95.63	1,489.33	7,086.81	2,167.94	10,839.72
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	95.63	1,438.23	7,642.46	2,294.08	11,470.40
307a	DENSE GRADED HOT BIT-MAC	CM	245.29	379.77	5,875.95	1,625.26	8,126.28
307b	OPEN GRADED HOT BIT-MAC	CM	245.29	379.77	5,710.70	1,583.94	7,919.71
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	41.86	590.65	2,066.04	674.64	3,373.19
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	33.01	650.70	43,813.12	11,124.21	55,621.03
309a	COLD MILLING, 0 - 30 mm	SM	1.19	24.99	8.68	8.71	43.57
309b	COLD MILLING, 0 - 50 mm	SM	1.98	41.65	14.46	14.52	72.62
309c	COLD MILLING, 0 - 70 mm	SM	2.97	62.48	21.69	21.79	108.93
401a1i	CONCRETE CLASS "A1" (Underground)	CM	689.07	1,059.94	4,186.33	1,483.83	7,419.17
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	689.07	1,059.94	4,463.80	1,553.20	7,766.01
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	689.07	1,059.94	5,018.75	1,691.94	8,459.69
401a2i	CONCRETE CLASS "A2" (Underground)	CM	689.07	1,059.94	4,564.33	1,578.33	7,891.67
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	689.07	1,059.94	4,841.80	1,647.70	8,238.51
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	689.07	1,059.94	5,396.75	1,786.44	8,932.19
401a3i	CONCRETE CLASS "A3" (Underground)	CM	689.07	1,059.94	4,942.33	1,672.83	8,364.17
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	689.07	1,059.94	5,219.80	1,742.20	8,711.01
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	689.07	1,059.94	5,774.75	1,880.94	9,404.69
401b	CONCRETE CLASS "B"	CM	896.94	805.93	3,419.74	1,280.65	6,403.27
401ci	CONCRETE CLASS "C" (Underground)	CM	705.32	500.55	3,762.69	1,242.14	6,210.70
401cii	CONCRETE CLASS "C" (On ground)	CM	705.32	500.55	3,881.03	1,271.72	6,358.62
401ciii	CONCRETE CLASS "C" (Elevated)	CM	705.32	500.55	4,117.71	1,330.90	6,654.48
401d	CONCRETE CLASS "D1"	CM	1,083.35	1,265.57	5,503.86	1,963.19	9,815.96
401e	CONCRETE CLASS "Y"	CM	1,521.51	500.55	4,956.56	1,744.65	8,723.26
401f	LEAN CONCRETE	CM	644.39	507.52	2,690.82	960.68	4,803.40
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,441.34	947.15	5,209.59	2,149.52	10,747.61
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,441.34	947.15	5,965.59	2,338.52	11,692.61
401gii	PRECAST CONCRETE CLASS "B"	CM	2,441.34	947.15	4,955.64	2,086.03	10,430.17
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,441.34	947.15	6,343.59	2,433.02	12,165.11

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,441.34	947.15	6,721.59	2,527.52	12,637.61
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,441.34	947.15	7,099.59	2,622.02	13,110.11
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	2,054.01	781.47	59,888.00	15,680.87	78,404.36
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	2,054.01	781.47	67,238.00	17,518.37	87,591.86
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,667.48	5,393.81	55,743.93	15,701.31	78,506.54
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,545.98	15,659.05	132,547.92	37,938.24	189,691.18
405b	LAUNCHING OF GIRDER	TON	85.34	532.52	-	154.47	772.33
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	158.53	-	297.14	113.92	569.60
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	158.53	-	296.74	113.82	569.10
406c	STEEL EXPANSION JOINTS	KG	12.54	26.40	90.45	32.35	161.73
406d	WATER STOPS 6" SIZE	M	139.23	-	468.77	152.00	760.00
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	51.04	-	2,963.33	753.59	3,767.96
406g	STEEL OR METAL BEARING DEVICES	KG	26.70	69.68	116.46	53.21	266.05
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	470.65	1,654.04	717.59	710.57	3,552.86
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	705.98	2,481.06	1,076.39	1,065.86	5,329.29
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	705.98	2,481.06	816.19	1,000.81	5,004.04
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,176.63	4,135.11	994.28	1,576.51	7,882.53
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	1,008.54	4,884.94	1,173.65	1,766.78	8,833.92
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,764.95	6,909.78	1,285.53	2,490.06	12,450.32
407h	PILE LOAD TEST UP TO 120 TON	EACH	36,438.07	45,769.30	90,968.86	43,294.06	216,470.29
407i	PILE LOAD TEST UP TO 240 TON	EACH	69,656.10	45,769.30	181,937.72	74,340.78	371,703.91
407j	PILE LOAD TEST UP TO 360 TON	EACH	102,874.14	50,188.38	272,906.58	106,492.28	532,461.38
407k	CONFIRMATORY BORING (NX SIZE)	M	300.29	1,582.02	6.37	472.17	2,360.85
410	BRICK WORK	CM	439.01	282.72	2,795.11	879.21	4,396.06
411a	STONE MASONRY RANDOM DRY	CM	386.16	107.96	591.09	271.30	1,356.52
411b	STONE MASONRY RANDOM WITH MORTAR	CM	409.55	166.68	1,750.06	581.57	2,907.87
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	506.76	107.96	655.46	317.55	1,587.73
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	590.45	166.68	1,792.31	637.36	3,186.80

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	92.20	11.74	45.97	37.48	187.39
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	808.25	264.08	1,697.51	692.46	3,462.31
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	343.88	437.48	647.54	357.23	1,786.13
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	338.25	577.19	839.14	438.65	2,193.23
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	316.82	935.96	1,010.79	565.89	2,829.47
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	338.35	1,146.39	1,562.45	761.80	3,808.99
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	386.27	1,078.41	2,205.52	917.55	4,587.75
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	469.96	1,331.30	3,624.34	1,356.40	6,782.00
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	608.18	1,481.41	4,690.25	1,694.96	8,474.80
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	721.80	1,798.85	5,976.52	2,124.29	10,621.46
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	844.67	2,098.66	9,227.77	3,042.78	15,213.88
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	343.88	507.33	670.05	380.32	1,901.58
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	338.25	577.19	786.15	425.40	2,126.99
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	306.67	935.96	961.64	551.07	2,755.35
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	338.35	1,146.39	1,596.21	770.24	3,851.19
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	386.27	1,078.41	3,031.69	1,124.09	5,620.47
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	469.96	1,331.30	4,450.34	1,562.90	7,814.50
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	608.18	1,481.41	6,212.43	2,075.50	10,377.52
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	721.80	1,798.85	8,422.73	2,735.85	13,679.23
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	844.67	2,098.66	11,843.52	3,696.71	18,483.56
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	131.29	118.93	297.51	136.93	684.66
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	1,032.05	612.95	3,769.74	1,353.69	6,768.43
507a	STEEL WIRE MESH FOR GABIONS	KG	6.76	-	114.07	30.21	151.04
507b	ROCK FILL IN GABIONS	CM	148.39	-	494.08	160.62	803.10
508a	BRICK PAVING (SINGLE COURSE)	SM	152.93	32.70	201.97	96.90	484.50
508b	BRICK PAVING (DOUBLE COURSE)	SM	273.53	32.70	401.25	176.87	884.34
509a	RIP RAP CLASS "A"	CM	648.94	-	496.29	286.31	1,431.53
509b	RIP RAP CLASS "B"	CM	630.39	-	492.32	280.68	1,403.39
509c	RIP RAP CLASS "C"	CM	633.62	-	496.29	282.48	1,412.39

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	795.89	102.14	1,972.16	717.55	3,587.74
509e	GRouted RIP RAP CLASS "B"	CM	766.67	81.72	1,814.88	665.81	3,329.07
509f	GRouted RIP RAP CLASS "C"	CM	759.49	68.10	1,863.51	672.77	3,363.87
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,138.69	353.02	4,322.40	1,453.53	7,267.65
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	73.54	191.97	430.77	174.07	870.35
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	158.14	390.69	-	137.21	686.04
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	207.31	67.48	80.65	88.86	444.29
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	265.35	86.37	103.23	113.74	568.69
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	332.30	180.32	389.59	225.55	1,127.77
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	415.38	225.40	486.98	281.94	1,409.71
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	365.55	572.25	2,335.54	818.34	4,091.68
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,334.42	670.54	4,194.22	1,549.80	7,748.98
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	194.02	90.27	453.00	184.32	921.61
603	BRICK EDGING	M	12.40	-	32.16	11.14	55.70
604a	METAL GUARD RAIL	M	24.81	70.84	1,579.36	418.75	2,093.76
604b	METAL GUARD RAIL END PIECES	EACH	36.48	-	1,197.58	308.51	1,542.57
604d	STEEL POST OF METAL GUARD RAIL	EACH	108.59	976.73	3,776.31	1,215.41	6,077.03
605a	CONCRETE BEAM GUARD RAIL	M	110.81	30.82	600.01	185.41	927.06
605c	CONCRETE POST FOR GUARD RAIL	M	136.06	27.36	602.12	191.39	956.93
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	328.99	255.15	6,868.58	1,863.18	9,315.91
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	102.45	382.72	9,294.09	2,444.82	12,224.08
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	328.99	541.89	11,948.14	3,204.75	16,023.77
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,167.72	598.64	21,052.56	5,704.73	28,523.65
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	233.54	119.73	9,233.82	2,396.77	11,983.86
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	321.75	-	1,304.83	406.65	2,033.23
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	321.75	-	1,957.24	569.75	2,848.74
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.96	5.86	16.10	6.48	32.40
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.32	4.03	39.70	11.26	56.31
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.96	5.86	21.48	7.83	39.13

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khanewal

District Code: 30

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.32	4.03	52.95	14.57	72.87
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.34	5.22	155.55	63.52	317.62
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.34	9.98	500.27	150.90	754.49
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.95	8.59	22.48	9.01	45.03
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.95	9.63	67.50	20.52	102.61
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.95	6.95	29.98	10.47	52.35
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.95	9.63	90.01	26.15	130.74
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.34	3.73	217.07	78.53	392.66
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.34	7.90	851.20	238.11	1,190.54
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	79.30	3.73	103.70	46.68	233.41
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	79.30	7.90	334.02	105.30	526.52
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	79.30	3.73	144.71	56.93	284.67
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	79.30	7.90	568.32	163.88	819.40
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	13.23	81.62	193.97	72.21	361.03
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	13.23	81.62	233.97	82.20	411.02
610b	RIGHT OF WAY MARKER	EACH	160.56	121.33	309.79	147.92	739.59
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	887.02	976.31	2,096.79	990.03	4,950.14
610d	TEN KILOMETRE POST	EACH	1,727.25	1,952.61	4,585.31	2,066.29	10,331.46
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	188.91	91.00	962.54	310.61	1,553.06

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

KHUSHAB

(32)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.68	10.10	-	2.70	13.48
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.65	173.32	1.17	45.28	226.42
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	19.38	456.54	2.63	119.64	598.19
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	77.52	1,826.16	10.51	478.55	2,392.74
103	STRIPPING	CM	2.25	93.22	-	23.87	119.34
104	COMPACTION OF NATURAL GROUND	SM	0.32	9.91	0.76	2.75	13.74
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.68	135.76	-	34.86	174.30
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	113.01	316.30	50.82	120.03	600.16
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.02	337.99	-	88.50	442.52
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.46	262.40	-	68.21	341.06
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.01	120.27	-	30.82	154.10
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	113.01	316.30	50.82	120.03	600.16
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	17.97	316.03	-	83.50	417.50
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.07	263.92	-	68.00	339.99
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.16	137.60	0.38	36.04	180.18
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	57.41	287.11	70.80	103.83	519.16
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	99.83	427.01	33.88	140.18	700.91
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	85.03	292.53	-	94.39	471.95
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	51.34	238.86	-	72.55	362.76
107d	GRANULAR BACK FILL	CM	31.30	137.14	384.49	138.23	691.16
107e	COMMON BACK FILL	CM	23.91	62.84	5.09	22.96	114.79
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.17	174.71	5.09	46.49	232.46
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	18.37	482.48	54.04	138.72	693.62
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	13.78	416.71	2.42	108.23	541.14
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.25	369.34	-	95.40	476.99
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.15	177.46	7.94	48.14	240.69
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.57	76.32	5.09	21.74	108.72
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.16	110.29	3.03	31.62	158.10
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.24	27.34	1.46	7.51	37.55

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.89	18.21	0.77	4.97	24.84
110	IMPROVED SUB-GRADE	CM	9.01	120.02	58.10	46.78	233.91
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.76	15.26	0.79	4.20	21.02
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.12	15.57	0.90	4.40	21.99
201	GRANULAR SUB-BASE	CM	7.24	255.06	416.32	169.65	848.27
202	AGGREGATE BASE	CM	8.35	326.54	719.82	263.68	1,318.39
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	68.33	1,510.17	5,795.92	1,843.60	9,218.02
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	70.49	1,510.17	6,192.62	1,943.32	9,716.60
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	75.41	1,577.28	5,786.24	1,859.73	9,298.66
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	75.41	1,571.31	6,335.95	1,995.67	9,978.33
204b	CEMENT STABILIZED BASE	CM	25.89	569.10	976.62	392.90	1,964.51
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	215.19	915.38	50,829.09	12,989.91	64,949.57
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	215.19	915.38	49,250.96	12,595.38	62,976.91
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	91.42	112.80	864.67	267.22	1,336.11
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	137.01	2,437.94	5,497.65	2,018.15	10,090.75
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	101.48	126.27	716.03	235.95	1,179.74
207a	DEEP PATCHING (0-15 cm)	SM	1.55	45.04	1.26	11.96	59.81
207b	DEEP PATCHING (16-30 cm)	SM	1.55	39.67	1.26	10.62	53.11
208	REINSTATEMENT OF ROAD SURFACE	SM	1.65	57.10	0.56	14.83	74.14
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.78	110.61	0.68	28.27	141.34
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.36	22.12	0.14	5.65	28.27
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	36.08	9.48	47.39
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.25	1.57	40.27	10.52	52.62
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.10	3.95	19.73
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.61	4.57	22.87
304a	SINGLE SURFACE TREATMENT	SM	0.69	7.57	71.37	19.91	99.54
304b	DOUBLE SURFACE TREATMENT	SM	1.00	14.15	137.92	38.27	191.34
304c	TRIPLE SURFACE TREATMENT	SM	1.67	19.94	157.32	44.73	223.67
304d	SEAL COAT	SM	0.63	4.12	50.70	13.86	69.32

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	63.52	1,489.33	6,788.80	2,085.41	10,427.06
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	63.52	1,438.23	7,324.56	2,206.58	11,032.88
307a	DENSE GRADED HOT BIT-MAC	CM	157.06	379.77	5,601.96	1,534.70	7,673.49
307b	OPEN GRADED HOT BIT-MAC	CM	157.06	379.77	5,437.25	1,493.52	7,467.59
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	26.32	590.65	2,009.86	656.71	3,283.53
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	22.98	650.70	42,842.80	10,879.12	54,395.60
309a	COLD MILLING, 0 - 30 mm	SM	0.85	24.99	8.68	8.63	43.15
309b	COLD MILLING, 0 - 50 mm	SM	1.42	41.65	14.46	14.38	71.91
309c	COLD MILLING, 0 - 70 mm	SM	2.12	62.48	21.69	21.57	107.87
401a1i	CONCRETE CLASS "A1" (Underground)	CM	489.66	1,059.94	3,917.43	1,366.76	6,833.78
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	489.66	1,059.94	4,194.90	1,436.12	7,180.62
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	489.66	1,059.94	4,749.85	1,574.86	7,874.30
401a2i	CONCRETE CLASS "A2" (Underground)	CM	489.66	1,059.94	4,295.43	1,461.26	7,306.28
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	489.66	1,059.94	4,572.90	1,530.62	7,653.12
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	489.66	1,059.94	5,127.85	1,669.36	8,346.80
401a3i	CONCRETE CLASS "A3" (Underground)	CM	489.66	1,059.94	4,673.43	1,555.76	7,778.78
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	489.66	1,059.94	4,950.90	1,625.12	8,125.62
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	489.66	1,059.94	5,505.85	1,763.86	8,819.30
401b	CONCRETE CLASS "B"	CM	636.32	805.93	3,127.47	1,142.43	5,712.14
401ci	CONCRETE CLASS "C" (Underground)	CM	494.08	500.55	3,454.70	1,112.33	5,561.66
401cii	CONCRETE CLASS "C" (On ground)	CM	494.08	500.55	3,573.04	1,141.92	5,709.58
401ciii	CONCRETE CLASS "C" (Elevated)	CM	494.08	500.55	3,809.73	1,201.09	6,005.44
401d	CONCRETE CLASS "D1"	CM	758.11	1,265.57	5,257.11	1,820.20	9,100.98
401e	CONCRETE CLASS "Y"	CM	1,069.50	500.55	4,714.80	1,571.21	7,856.06
401f	LEAN CONCRETE	CM	424.51	507.52	2,400.18	833.05	4,165.26
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,709.42	947.15	4,916.89	1,893.36	9,466.82
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,709.42	947.15	5,672.89	2,082.36	10,411.82
401gii	PRECAST CONCRETE CLASS "B"	CM	1,709.42	947.15	4,646.38	1,825.74	9,128.69
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,709.42	947.15	6,050.89	2,176.86	10,884.32

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,709.42	947.15	6,428.89	2,271.36	11,356.82
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,709.42	947.15	6,806.89	2,365.86	11,829.32
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,613.96	781.47	60,418.00	15,703.36	78,516.79
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,613.96	781.47	67,768.00	17,540.86	87,704.29
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,281.75	5,393.81	56,112.19	15,696.94	78,484.69
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,038.78	15,659.05	132,577.71	37,818.88	189,094.42
405b	LAUNCHING OF GIRDER	TON	73.04	532.52	-	151.39	756.96
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	107.39	-	293.40	100.20	500.99
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	107.39	-	293.22	100.15	500.77
406c	STEEL EXPANSION JOINTS	KG	9.47	26.40	91.14	31.75	158.76
406d	WATER STOPS 6" SIZE	M	88.02	-	470.35	139.59	697.96
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	44.19	-	2,987.14	757.83	3,789.16
406g	STEEL OR METAL BEARING DEVICES	KG	19.12	69.68	117.07	51.47	257.35
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	397.22	1,654.04	806.45	714.43	3,572.14
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	595.83	2,481.06	1,209.68	1,071.64	5,358.21
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	595.83	2,481.06	903.72	995.15	4,975.76
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	993.04	4,135.11	1,079.17	1,551.83	7,759.15
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	851.18	4,884.94	1,253.81	1,747.48	8,737.41
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,489.56	6,909.78	1,378.54	2,444.47	12,222.36
407h	PILE LOAD TEST UP TO 120 TON	EACH	22,661.34	45,769.30	93,106.38	40,384.26	201,921.28
407i	PILE LOAD TEST UP TO 240 TON	EACH	42,525.39	45,769.30	186,212.76	68,626.86	343,134.32
407j	PILE LOAD TEST UP TO 360 TON	EACH	62,389.44	50,188.38	279,319.14	97,974.24	489,871.21
407k	CONFIRMATORY BORING (NX SIZE)	M	221.49	1,582.02	6.37	452.47	2,262.35
410	BRICK WORK	CM	356.44	282.72	2,701.49	835.16	4,175.82
411a	STONE MASONRY RANDOM DRY	CM	293.47	107.96	489.07	222.62	1,113.12
411b	STONE MASONRY RANDOM WITH MORTAR	CM	318.59	166.68	1,531.01	504.07	2,520.35
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	387.84	107.96	545.29	260.27	1,301.37
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	460.15	166.68	1,594.37	555.30	2,776.50

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	77.68	11.74	44.01	33.36	166.79
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	623.78	264.08	1,499.57	596.86	2,984.29
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	224.33	437.48	643.88	326.42	1,632.12
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	219.50	577.19	834.76	407.86	2,039.30
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	212.03	935.96	1,005.67	538.42	2,692.08
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	222.85	1,146.39	1,556.47	731.43	3,657.14
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	255.23	1,078.41	2,199.54	883.30	4,416.48
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	316.37	1,331.30	3,615.70	1,315.84	6,579.20
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	409.41	1,481.41	4,681.64	1,643.12	8,215.58
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	479.21	1,798.85	5,966.07	2,061.03	10,305.16
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	571.73	2,098.66	9,215.58	2,971.49	14,857.46
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	224.33	507.33	662.73	348.60	1,742.99
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	219.50	577.19	781.77	394.61	1,973.07
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	207.07	935.96	956.52	524.89	2,624.44
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	222.85	1,146.39	1,591.56	740.20	3,701.00
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	255.23	1,078.41	3,025.04	1,089.67	5,448.36
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	316.37	1,331.30	4,441.70	1,522.34	7,611.70
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	409.41	1,481.41	6,203.82	2,023.66	10,118.31
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	479.21	1,798.85	8,412.28	2,672.59	13,362.93
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	571.73	2,098.66	11,831.33	3,625.43	18,127.14
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	84.52	118.93	326.66	132.53	662.63
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	709.43	612.95	3,477.47	1,199.96	5,999.80
507a	STEEL WIRE MESH FOR GABIONS	KG	5.31	-	114.97	30.07	150.34
507b	ROCK FILL IN GABIONS	CM	92.81	-	458.79	137.90	689.50
508a	BRICK PAVING (SINGLE COURSE)	SM	115.80	32.70	203.18	87.92	439.60
508b	BRICK PAVING (DOUBLE COURSE)	SM	210.18	32.70	403.43	161.58	807.88
509a	RIP RAP CLASS "A"	CM	507.50	-	394.26	225.44	1,127.20
509b	RIP RAP CLASS "B"	CM	490.33	-	391.11	220.36	1,101.79
509c	RIP RAP CLASS "C"	CM	495.62	-	394.26	222.47	1,112.36

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	619.68	102.14	1,780.68	625.63	3,128.13
509e	GRouted RIP RAP CLASS "B"	CM	600.16	81.72	1,633.47	578.84	2,894.18
509f	GRouted RIP RAP CLASS "C"	CM	594.51	68.10	1,680.17	585.69	2,928.47
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	801.27	353.02	4,046.14	1,300.11	6,500.54
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	46.26	191.97	384.55	155.70	778.48
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	115.99	390.69	-	126.67	633.35
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	155.77	67.48	64.07	71.83	359.14
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	199.39	86.37	82.01	91.94	459.70
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	257.23	180.32	356.27	198.46	992.28
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	321.54	225.40	445.34	248.07	1,240.34
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	259.60	572.25	2,195.40	756.81	3,784.06
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	941.47	670.54	4,053.04	1,416.26	7,081.31
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	136.56	90.27	424.63	162.87	814.33
603	BRICK EDGING	M	8.85	-	32.16	10.25	51.26
604a	METAL GUARD RAIL	M	19.62	70.84	1,579.36	417.46	2,087.28
604b	METAL GUARD RAIL END PIECES	EACH	28.14	-	1,197.58	306.43	1,532.15
604d	STEEL POST OF METAL GUARD RAIL	EACH	86.83	976.73	3,776.31	1,209.97	6,049.83
605a	CONCRETE BEAM GUARD RAIL	M	74.36	30.82	592.12	174.33	871.63
605c	CONCRETE POST FOR GUARD RAIL	M	91.31	27.36	592.18	177.71	888.56
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	232.58	255.15	6,849.27	1,834.25	9,171.25
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	70.72	382.72	9,238.71	2,423.04	12,115.20
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	232.58	541.89	11,856.78	3,157.81	15,789.05
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	762.72	598.64	20,911.88	5,568.31	27,841.55
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	152.54	119.73	9,202.66	2,368.73	11,843.67
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	270.88	-	1,303.71	393.65	1,968.24
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	270.88	-	1,955.56	556.61	2,783.06
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.54	5.86	16.16	6.14	30.70
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.85	4.03	39.63	11.13	55.63
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.54	5.86	21.56	7.49	37.45

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Khushab

District Code: 32

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.85	4.03	52.86	14.43	72.17
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	69.80	5.22	156.14	57.79	288.94
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	69.80	9.98	499.41	144.80	723.99
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.18	8.59	22.47	8.56	42.80
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.18	9.63	67.50	20.08	100.39
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.18	6.95	29.97	10.02	50.12
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.18	9.63	90.01	25.70	128.52
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	69.80	3.73	217.00	72.63	363.15
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	69.80	7.90	851.20	232.22	1,161.12
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	58.21	3.73	104.09	41.51	207.53
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	58.21	7.90	333.44	99.89	499.44
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	58.21	3.73	144.66	51.65	258.24
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	58.21	7.90	568.32	158.61	793.03
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.16	81.62	193.82	71.15	355.75
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.16	81.62	233.82	81.15	405.75
610b	RIGHT OF WAY MARKER	EACH	102.20	121.33	299.44	130.74	653.71
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	624.48	976.31	2,012.18	903.24	4,516.20
610d	TEN KILOMETRE POST	EACH	1,187.13	1,952.61	4,421.27	1,890.25	9,451.27
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	134.75	91.00	948.69	293.61	1,468.05

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

LAHORE

(37)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.99	10.10	-	2.77	13.86
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	9.55	173.32	1.17	46.01	230.04
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	28.05	456.54	2.63	121.80	609.02
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	112.19	1,826.16	10.51	487.21	2,436.07
103	STRIPPING	CM	3.16	93.22	-	24.09	120.47
104	COMPACTION OF NATURAL GROUND	SM	0.45	9.91	0.76	2.78	13.89
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.94	135.76	-	35.17	175.87
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	154.25	316.30	50.82	130.34	651.71
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	21.97	337.99	-	89.99	449.96
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	14.23	262.40	-	69.16	345.78
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	4.04	120.27	-	31.08	155.39
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	154.25	316.30	50.82	130.34	651.71
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	24.52	316.03	-	85.14	425.69
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	11.02	263.92	-	68.74	343.68
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	8.26	137.60	0.38	36.56	182.80
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	78.70	287.11	70.80	109.15	545.77
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	136.24	427.01	33.88	149.28	746.41
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	116.18	292.53	-	102.18	510.90
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	70.06	238.86	-	77.23	386.16
107d	GRANULAR BACK FILL	CM	44.38	137.14	493.46	168.75	843.73
107e	COMMON BACK FILL	CM	34.91	62.84	5.09	25.71	128.55
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	8.38	174.71	5.09	47.05	235.23
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	25.39	482.48	54.04	140.48	702.39
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	19.04	416.71	2.42	109.54	547.72
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	16.93	369.34	-	96.57	482.84
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	9.84	177.46	7.94	48.81	244.05
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.58	76.32	5.09	22.25	111.24
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	18.32	110.29	3.03	32.91	164.54
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.70	27.34	1.46	7.62	38.12

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.21	18.21	0.77	5.05	25.24
110	IMPROVED SUB-GRADE	CM	12.51	120.02	54.22	46.69	233.45
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	1.06	15.26	0.79	4.28	21.39
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.54	15.57	0.90	4.50	22.51
201	GRANULAR SUB-BASE	CM	9.94	255.06	724.34	247.33	1,236.67
202	AGGREGATE BASE	CM	11.46	326.54	1,036.59	343.65	1,718.24
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	98.30	1,510.17	6,139.61	1,937.02	9,685.09
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	101.18	1,510.17	6,528.69	2,035.01	10,175.05
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	107.85	1,577.28	6,130.73	1,953.96	9,769.82
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	107.85	1,571.31	6,672.25	2,087.85	10,439.26
204b	CEMENT STABILIZED BASE	CM	35.91	569.10	1,286.07	472.77	2,363.86
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	294.69	915.38	51,304.80	13,128.72	65,643.58
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	294.69	915.38	49,726.67	12,734.18	63,670.92
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	133.84	112.80	1,128.37	343.75	1,718.76
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	193.92	2,437.94	5,842.73	2,118.65	10,593.24
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	148.97	126.27	986.23	315.37	1,576.84
207a	DEEP PATCHING (0-15 cm)	SM	2.12	45.04	1.26	12.10	60.51
207b	DEEP PATCHING (16-30 cm)	SM	2.12	39.67	1.26	10.76	53.81
208	REINSTATEMENT OF ROAD SURFACE	SM	2.28	57.10	0.56	14.99	74.93
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.36	110.61	0.68	28.41	142.07
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.47	22.12	0.14	5.68	28.41
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.36	1.57	36.41	9.59	47.94
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.35	1.57	40.65	10.64	53.21
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.15	0.58	15.24	3.99	19.96
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.15	0.58	17.78	4.63	23.13
304a	SINGLE SURFACE TREATMENT	SM	0.94	7.57	73.44	20.49	102.45
304b	DOUBLE SURFACE TREATMENT	SM	1.37	14.15	143.27	39.70	198.49
304c	TRIPLE SURFACE TREATMENT	SM	2.29	19.94	163.58	46.45	232.26
304d	SEAL COAT	SM	0.87	4.12	51.80	14.20	71.00

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	90.57	1,489.33	7,149.95	2,182.46	10,912.32
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	90.57	1,438.23	7,706.55	2,308.84	11,544.19
307a	DENSE GRADED HOT BIT-MAC	CM	226.18	379.77	5,935.17	1,635.28	8,176.40
307b	OPEN GRADED HOT BIT-MAC	CM	226.18	379.77	5,767.76	1,593.43	7,967.14
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	37.71	590.65	2,071.43	674.95	3,374.74
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	32.54	650.70	43,332.64	11,003.97	55,019.85
309a	COLD MILLING, 0 - 30 mm	SM	1.18	24.99	8.68	8.71	43.56
309b	COLD MILLING, 0 - 50 mm	SM	1.97	41.65	14.46	14.52	72.60
309c	COLD MILLING, 0 - 70 mm	SM	2.96	62.48	21.69	21.78	108.91
401a1i	CONCRETE CLASS "A1" (Underground)	CM	662.84	1,059.94	4,219.03	1,485.45	7,427.25
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	662.84	1,059.94	4,496.50	1,554.82	7,774.10
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	662.84	1,059.94	5,051.44	1,693.56	8,467.78
401a2i	CONCRETE CLASS "A2" (Underground)	CM	662.84	1,059.94	4,597.03	1,579.95	7,899.75
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	662.84	1,059.94	4,874.50	1,649.32	8,246.60
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	662.84	1,059.94	5,429.44	1,788.06	8,940.28
401a3i	CONCRETE CLASS "A3" (Underground)	CM	662.84	1,059.94	4,975.03	1,674.45	8,372.25
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	662.84	1,059.94	5,252.50	1,743.82	8,719.10
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	662.84	1,059.94	5,807.44	1,882.56	9,412.78
401b	CONCRETE CLASS "B"	CM	872.41	805.93	3,453.03	1,282.84	6,414.21
401ci	CONCRETE CLASS "C" (Underground)	CM	674.45	500.55	3,811.97	1,246.74	6,233.70
401cii	CONCRETE CLASS "C" (On ground)	CM	674.45	500.55	3,930.31	1,276.33	6,381.63
401ciii	CONCRETE CLASS "C" (Elevated)	CM	674.45	500.55	4,166.99	1,335.50	6,677.49
401d	CONCRETE CLASS "D1"	CM	1,027.19	1,265.57	5,533.37	1,956.53	9,782.65
401e	CONCRETE CLASS "Y"	CM	1,454.24	500.55	4,989.54	1,736.08	8,680.41
401f	LEAN CONCRETE	CM	599.66	507.52	2,724.64	957.95	4,789.77
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,351.27	947.15	5,247.23	2,136.41	10,682.07
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,351.27	947.15	6,003.23	2,325.41	11,627.07
401gii	PRECAST CONCRETE CLASS "B"	CM	2,351.27	947.15	4,995.34	2,073.44	10,367.20
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,351.27	947.15	6,381.23	2,419.91	12,099.57

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,351.27	947.15	6,759.23	2,514.41	12,572.07
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,351.27	947.15	7,137.23	2,608.91	13,044.57
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,946.31	781.47	59,358.00	15,521.45	77,607.23
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,946.31	781.47	66,708.00	17,358.95	86,794.73
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,589.50	5,393.81	56,919.36	15,975.67	79,878.34
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,412.61	15,659.05	132,541.66	37,903.33	189,516.66
405b	LAUNCHING OF GIRDER	TON	80.68	532.52	-	153.30	766.50
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	148.53	-	288.20	109.18	545.91
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	148.53	-	288.50	109.26	546.28
406c	STEEL EXPANSION JOINTS	KG	12.03	26.40	92.66	32.77	163.86
406d	WATER STOPS 6" SIZE	M	122.24	-	470.13	148.09	740.46
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	57.50	-	2,981.84	759.83	3,799.17
406g	STEEL OR METAL BEARING DEVICES	KG	26.57	69.68	118.35	53.65	268.26
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	437.13	1,654.04	629.03	680.05	3,400.26
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	655.70	2,481.06	943.54	1,020.08	5,100.38
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	655.70	2,481.06	729.09	966.46	4,832.32
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,092.83	4,135.11	910.13	1,534.52	7,672.59
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	936.72	4,884.94	1,094.78	1,729.11	8,645.55
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,639.25	6,909.78	1,193.62	2,435.66	12,178.31
407h	PILE LOAD TEST UP TO 120 TON	EACH	33,243.98	45,769.30	101,681.98	45,173.81	225,869.07
407i	PILE LOAD TEST UP TO 240 TON	EACH	62,808.21	45,769.30	203,363.95	77,985.37	389,926.84
407j	PILE LOAD TEST UP TO 360 TON	EACH	92,372.45	50,188.38	305,045.93	111,901.69	559,508.45
407k	CONFIRMATORY BORING (NX SIZE)	M	272.64	1,582.02	6.36	465.26	2,326.29
410	BRICK WORK	CM	472.58	282.72	2,971.71	931.76	4,658.78
411a	STONE MASONRY RANDOM DRY	CM	394.70	107.96	554.48	264.29	1,321.43
411b	STONE MASONRY RANDOM WITH MORTAR	CM	425.26	166.68	1,684.20	569.04	2,845.18
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	521.53	107.96	615.93	311.36	1,556.78
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	615.51	166.68	1,730.85	628.26	3,141.30

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	101.84	11.74	45.48	39.77	198.83
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	838.61	264.08	1,636.04	684.68	3,423.42
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	322.06	437.48	646.63	351.54	1,757.71
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	315.63	577.19	838.05	432.72	2,163.58
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	300.35	935.96	1,009.51	561.46	2,807.28
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	317.84	1,146.39	1,560.95	756.30	3,781.48
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	364.12	1,078.41	2,204.02	911.64	4,558.20
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	448.78	1,331.30	3,622.18	1,350.56	6,752.82
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	580.77	1,481.41	4,688.10	1,687.57	8,437.85
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	683.39	1,798.85	5,973.91	2,114.04	10,570.19
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	810.44	2,098.66	9,224.72	3,033.46	15,167.28
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	322.06	507.33	668.22	374.40	1,872.01
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	315.63	577.19	785.06	419.47	2,097.34
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	292.96	935.96	960.36	547.32	2,736.60
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	317.84	1,146.39	1,595.05	764.82	3,824.10
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	364.12	1,078.41	3,030.03	1,118.14	5,590.70
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	448.78	1,331.30	4,448.18	1,557.07	7,785.33
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	580.77	1,481.41	6,210.27	2,068.11	10,340.57
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	683.39	1,798.85	8,420.11	2,725.59	13,627.95
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	810.44	2,098.66	11,840.47	3,687.39	18,436.96
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	121.97	118.93	443.60	171.12	855.61
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	974.85	612.95	3,803.03	1,347.71	6,738.53
507a	STEEL WIRE MESH FOR GABIONS	KG	6.80	-	115.21	30.50	152.50
507b	ROCK FILL IN GABIONS	CM	135.29	-	522.32	164.40	822.01
508a	BRICK PAVING (SINGLE COURSE)	SM	157.20	32.70	230.66	105.14	525.70
508b	BRICK PAVING (DOUBLE COURSE)	SM	284.03	32.70	457.40	193.53	967.67
509a	RIP RAP CLASS "A"	CM	681.88	-	459.68	285.39	1,426.95
509b	RIP RAP CLASS "B"	CM	660.11	-	456.00	279.03	1,395.14
509c	RIP RAP CLASS "C"	CM	665.98	-	459.68	281.41	1,407.06

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	834.17	102.14	1,900.96	709.32	3,546.59
509e	GRouted RIP RAP CLASS "B"	CM	806.39	81.72	1,747.51	658.91	3,294.53
509f	GRouted RIP RAP CLASS "C"	CM	798.83	68.10	1,796.79	665.93	3,329.64
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,102.40	353.02	4,354.04	1,452.37	7,261.83
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	67.00	191.97	493.68	188.17	940.83
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	143.10	390.69	-	133.45	667.24
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	211.36	67.48	74.70	88.38	441.92
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	270.55	86.37	95.61	113.13	565.66
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	345.73	180.32	384.66	227.68	1,138.40
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	432.16	225.40	480.83	284.60	1,423.00
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	351.54	572.25	2,352.25	819.01	4,095.05
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,287.91	670.54	4,202.77	1,540.30	7,701.52
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	187.66	90.27	457.00	183.73	918.66
603	BRICK EDGING	M	12.21	-	36.00	12.05	60.26
604a	METAL GUARD RAIL	M	23.71	70.84	1,579.41	418.49	2,092.46
604b	METAL GUARD RAIL END PIECES	EACH	32.85	-	1,197.61	307.61	1,538.07
604d	STEEL POST OF METAL GUARD RAIL	EACH	106.42	976.73	3,776.44	1,214.90	6,074.48
605a	CONCRETE BEAM GUARD RAIL	M	104.68	30.82	599.13	183.66	918.29
605c	CONCRETE POST FOR GUARD RAIL	M	128.53	27.36	601.31	189.30	946.51
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	322.79	255.15	6,867.25	1,861.30	9,306.49
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	95.94	382.72	9,287.34	2,441.50	12,207.50
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	322.79	541.89	11,936.12	3,200.20	16,000.99
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,092.86	598.64	21,025.34	5,679.21	28,396.05
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	218.57	119.73	9,216.00	2,388.57	11,942.87
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	336.30	-	1,301.33	409.41	2,047.04
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	336.30	-	1,952.00	572.07	2,860.37
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.58	5.86	16.14	6.40	31.98
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.19	4.03	39.49	11.18	55.89
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.58	5.86	21.54	7.75	38.73

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lahore

District Code: 37

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.19	4.03	52.67	14.47	72.36
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.57	5.22	156.00	63.70	318.49
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.57	9.98	497.61	150.29	751.46
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.48	8.59	22.46	8.88	44.41
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.48	9.63	67.51	20.40	102.02
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.48	6.95	29.95	10.34	51.72
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.48	9.63	90.01	26.03	130.15
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	93.57	3.73	216.86	78.54	392.70
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	93.57	7.90	851.21	238.17	1,190.85
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	78.50	3.73	104.00	46.56	232.79
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	78.50	7.90	332.24	104.66	523.30
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	78.50	3.73	144.57	56.70	283.50
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	78.50	7.90	568.33	163.68	818.42
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	12.16	81.62	193.93	71.93	359.64
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	12.16	81.62	233.93	81.93	409.63
610b	RIGHT OF WAY MARKER	EACH	147.42	121.33	310.74	144.87	724.36
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	868.20	976.31	2,101.53	986.51	4,932.55
610d	TEN KILOMETRE POST	EACH	1,664.37	1,952.61	4,596.26	2,053.31	10,266.55
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	177.45	91.00	963.93	308.10	1,540.48

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

LEIAH

(40)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.71	10.10	-	2.70	13.51
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.87	173.32	1.17	45.34	226.70
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	20.10	456.54	2.63	119.82	599.08
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	80.39	1,826.16	10.51	479.27	2,396.33
103	STRIPPING	CM	2.32	93.22	-	23.88	119.42
104	COMPACTION OF NATURAL GROUND	SM	0.33	9.91	0.76	2.75	13.75
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.69	135.76	-	34.86	174.31
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	114.96	316.30	50.82	120.52	602.59
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.39	337.99	-	88.60	442.99
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.68	262.40	-	68.27	341.34
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.02	120.27	-	30.82	154.11
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	114.96	316.30	50.82	120.52	602.59
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.27	316.03	-	83.57	417.87
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.25	263.92	-	68.04	340.21
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.23	137.60	0.38	36.05	180.27
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	57.47	287.11	70.80	103.85	519.24
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	101.48	427.01	33.88	140.59	702.97
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	86.51	292.53	-	94.76	473.80
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	52.19	238.86	-	72.76	363.82
107d	GRANULAR BACK FILL	CM	32.19	137.14	469.28	159.65	798.26
107e	COMMON BACK FILL	CM	24.90	62.84	5.09	23.21	116.03
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.29	174.71	5.09	46.52	232.61
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	18.82	482.48	54.04	138.84	694.18
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.12	416.71	2.42	108.31	541.56
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.55	369.34	-	95.47	477.36
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.32	177.46	7.94	48.18	240.89
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.68	76.32	5.09	21.77	108.87
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.52	110.29	3.03	31.71	158.55
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.27	27.34	1.46	7.52	37.58

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.90	18.21	0.77	4.97	24.86
110	IMPROVED SUB-GRADE	CM	9.23	120.02	58.10	46.84	234.19
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.78	15.26	0.79	4.21	21.04
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.15	15.57	0.90	4.40	22.02
201	GRANULAR SUB-BASE	CM	7.40	255.06	604.91	216.84	1,084.21
202	AGGREGATE BASE	CM	8.48	326.54	873.16	302.04	1,510.21
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	70.78	1,510.17	6,086.45	1,916.85	9,584.25
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	72.94	1,510.17	6,478.61	2,015.43	10,077.14
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	78.02	1,577.28	6,077.09	1,933.10	9,665.48
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	78.02	1,571.31	6,622.43	2,067.94	10,339.69
204b	CEMENT STABILIZED BASE	CM	26.38	569.10	1,220.62	454.03	2,270.14
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	219.69	915.38	51,522.96	13,164.51	65,822.53
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	219.69	915.38	49,944.83	12,769.97	63,849.87
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	95.49	112.80	1,064.38	318.17	1,590.84
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	141.14	2,437.94	5,783.80	2,090.72	10,453.61
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	106.06	126.27	794.81	256.78	1,283.92
207a	DEEP PATCHING (0-15 cm)	SM	1.59	45.04	1.26	11.97	59.85
207b	DEEP PATCHING (16-30 cm)	SM	1.59	39.67	1.26	10.63	53.15
208	REINSTATEMENT OF ROAD SURFACE	SM	1.68	57.10	0.56	14.84	74.18
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.81	110.61	0.68	28.28	141.38
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.36	22.12	0.14	5.66	28.28
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	36.57	9.60	48.01
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	40.82	10.66	53.31
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.30	4.00	19.99
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.85	4.64	23.18
304a	SINGLE SURFACE TREATMENT	SM	0.70	7.57	73.45	20.43	102.15
304b	DOUBLE SURFACE TREATMENT	SM	1.01	14.15	142.95	39.53	197.64
304c	TRIPLE SURFACE TREATMENT	SM	1.70	19.94	163.18	46.21	231.03
304d	SEAL COAT	SM	0.64	4.12	51.90	14.17	70.83

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	65.56	1,489.33	7,094.87	2,162.44	10,812.20
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	65.56	1,438.23	7,650.08	2,288.47	11,442.34
307a	DENSE GRADED HOT BIT-MAC	CM	162.52	379.77	5,884.55	1,606.71	8,033.56
307b	OPEN GRADED HOT BIT-MAC	CM	162.52	379.77	5,715.76	1,564.51	7,822.56
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	27.18	590.65	2,064.41	670.56	3,352.79
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	23.60	650.70	43,557.28	11,057.89	55,289.47
309a	COLD MILLING, 0 - 30 mm	SM	0.87	24.99	8.68	8.63	43.17
309b	COLD MILLING, 0 - 50 mm	SM	1.44	41.65	14.46	14.39	71.95
309c	COLD MILLING, 0 - 70 mm	SM	2.16	62.48	21.69	21.58	107.92
401a1i	CONCRETE CLASS "A1" (Underground)	CM	474.12	1,059.94	4,100.58	1,408.66	7,043.30
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	474.12	1,059.94	4,378.05	1,478.03	7,390.14
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	474.12	1,059.94	4,933.00	1,616.76	8,083.82
401a2i	CONCRETE CLASS "A2" (Underground)	CM	474.12	1,059.94	4,478.58	1,503.16	7,515.80
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	474.12	1,059.94	4,756.05	1,572.53	7,862.64
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	474.12	1,059.94	5,311.00	1,711.26	8,556.32
401a3i	CONCRETE CLASS "A3" (Underground)	CM	474.12	1,059.94	4,856.58	1,597.66	7,988.30
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	474.12	1,059.94	5,134.05	1,667.03	8,335.14
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	474.12	1,059.94	5,689.00	1,805.76	9,028.82
401b	CONCRETE CLASS "B"	CM	628.53	805.93	3,316.61	1,187.77	5,938.83
401ci	CONCRETE CLASS "C" (Underground)	CM	479.31	500.55	3,674.59	1,163.61	5,818.06
401cii	CONCRETE CLASS "C" (On ground)	CM	479.31	500.55	3,792.93	1,193.20	5,965.98
401ciii	CONCRETE CLASS "C" (Elevated)	CM	479.31	500.55	4,029.62	1,252.37	6,261.84
401d	CONCRETE CLASS "D1"	CM	729.11	1,265.57	5,424.90	1,854.89	9,274.46
401e	CONCRETE CLASS "Y"	CM	1,028.36	500.55	4,882.69	1,602.90	8,014.50
401f	LEAN CONCRETE	CM	427.23	507.52	2,587.15	880.47	4,402.37
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,661.37	947.15	5,118.59	1,931.78	9,658.89
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,661.37	947.15	5,874.59	2,120.78	10,603.89
401gii	PRECAST CONCRETE CLASS "B"	CM	1,661.37	947.15	4,855.12	1,865.91	9,329.55
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,661.37	947.15	6,252.59	2,215.28	11,076.39

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,661.37	947.15	6,630.59	2,309.78	11,548.89
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,661.37	947.15	7,008.59	2,404.28	12,021.39
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,326.07	781.47	60,418.00	15,631.39	78,156.93
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,326.07	781.47	67,768.00	17,468.89	87,344.43
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,087.66	5,393.81	56,227.34	15,677.20	78,386.02
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,704.93	15,659.05	132,572.60	37,734.14	188,670.72
405b	LAUNCHING OF GIRDER	TON	64.25	532.52	-	149.19	745.97
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	105.82	-	299.30	101.28	506.40
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	105.82	-	298.72	101.14	505.68
406c	STEEL EXPANSION JOINTS	KG	8.23	26.40	91.06	31.42	157.11
406d	WATER STOPS 6" SIZE	M	86.50	-	468.83	138.83	694.16
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	40.70	-	2,980.52	755.30	3,776.52
406g	STEEL OR METAL BEARING DEVICES	KG	18.93	69.68	117.02	51.41	257.05
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	347.04	1,654.04	717.96	679.76	3,398.79
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	520.56	2,481.06	1,076.94	1,019.64	5,098.19
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	520.56	2,481.06	816.74	954.59	4,772.94
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	867.59	4,135.11	995.20	1,499.47	7,497.37
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	743.65	4,884.94	1,175.23	1,700.95	8,504.77
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,301.39	6,909.78	1,286.91	2,374.52	11,872.59
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,662.89	45,769.30	99,537.42	42,242.40	211,212.01
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,528.49	45,769.30	199,074.84	72,343.16	361,715.79
407j	PILE LOAD TEST UP TO 360 TON	EACH	65,394.09	50,188.38	298,612.26	103,548.68	517,743.41
407k	CONFIRMATORY BORING (NX SIZE)	M	207.11	1,582.02	6.37	448.88	2,244.38
410	BRICK WORK	CM	331.02	282.72	2,717.09	832.71	4,163.53
411a	STONE MASONRY RANDOM DRY	CM	280.27	107.96	639.68	256.98	1,284.89
411b	STONE MASONRY RANDOM WITH MORTAR	CM	301.34	166.68	1,701.12	542.28	2,711.42
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	368.77	107.96	707.90	296.16	1,480.79
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	434.09	166.68	1,771.60	593.09	2,965.46

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	70.92	11.74	44.33	31.75	158.75
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	590.03	264.08	1,676.79	632.73	3,163.63
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	228.99	437.48	644.49	327.74	1,638.71
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	224.17	577.19	835.49	409.21	2,046.05
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	215.40	935.96	1,006.53	539.47	2,697.36
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	227.44	1,146.39	1,557.46	732.82	3,664.11
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	260.82	1,078.41	2,200.53	884.94	4,424.71
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	321.64	1,331.30	3,617.14	1,317.52	6,587.59
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	416.23	1,481.41	4,683.08	1,645.18	8,225.90
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	490.38	1,798.85	5,967.81	2,064.26	10,321.31
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	580.97	2,098.66	9,217.61	2,974.31	14,871.55
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	228.99	507.33	663.95	350.07	1,750.35
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	224.17	577.19	782.50	395.96	1,979.82
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	210.18	935.96	957.38	525.88	2,629.40
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	227.44	1,146.39	1,592.33	741.54	3,707.70
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	260.82	1,078.41	3,026.15	1,091.35	5,456.73
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	321.64	1,331.30	4,443.14	1,524.02	7,620.09
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	416.23	1,481.41	6,205.26	2,025.72	10,128.62
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	490.38	1,798.85	8,414.02	2,675.81	13,379.07
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	580.97	2,098.66	11,833.36	3,628.25	18,141.23
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	87.74	118.93	414.35	155.25	776.27
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	699.79	612.95	3,666.61	1,244.84	6,224.18
507a	STEEL WIRE MESH FOR GABIONS	KG	4.74	-	114.70	29.86	149.30
507b	ROCK FILL IN GABIONS	CM	96.76	-	458.79	138.89	694.44
508a	BRICK PAVING (SINGLE COURSE)	SM	110.63	32.70	206.84	87.54	437.71
508b	BRICK PAVING (DOUBLE COURSE)	SM	199.13	32.70	410.01	160.46	802.30
509a	RIP RAP CLASS "A"	CM	478.50	-	544.88	255.84	1,279.22
509b	RIP RAP CLASS "B"	CM	462.88	-	540.52	250.85	1,254.24
509c	RIP RAP CLASS "C"	CM	466.50	-	544.88	252.84	1,264.22

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	585.37	102.14	1,943.48	657.75	3,288.73
509e	GRouted RIP RAP CLASS "B"	CM	565.22	81.72	1,793.79	610.18	3,050.91
509f	GRouted RIP RAP CLASS "C"	CM	559.52	68.10	1,842.15	617.44	3,087.21
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	778.74	353.02	4,225.01	1,339.19	6,695.97
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	48.17	191.97	469.44	177.40	886.99
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	108.32	390.69	-	124.75	623.76
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	149.59	67.48	88.54	76.40	382.01
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	191.47	86.37	113.33	97.79	488.97
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	243.73	180.32	386.04	202.52	1,012.61
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	304.66	225.40	482.55	253.15	1,265.76
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	251.47	572.25	2,290.97	778.67	3,893.36
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	908.77	670.54	4,157.92	1,434.31	7,171.53
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	132.73	90.27	444.13	166.78	833.90
603	BRICK EDGING	M	8.70	-	32.16	10.22	51.08
604a	METAL GUARD RAIL	M	18.18	70.84	1,579.36	417.10	2,085.48
604b	METAL GUARD RAIL END PIECES	EACH	25.40	-	1,197.58	305.74	1,528.72
604d	STEEL POST OF METAL GUARD RAIL	EACH	81.34	976.73	3,776.31	1,208.59	6,042.97
605a	CONCRETE BEAM GUARD RAIL	M	73.67	30.82	599.42	175.98	879.90
605c	CONCRETE POST FOR GUARD RAIL	M	90.46	27.36	601.07	179.72	898.62
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	231.25	255.15	6,875.08	1,840.37	9,201.85
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	68.76	382.72	9,282.06	2,433.38	12,166.92
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	231.25	541.89	11,926.27	3,174.85	15,874.26
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	776.11	598.64	21,022.07	5,599.21	27,996.03
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	155.22	119.73	9,231.84	2,376.70	11,883.49
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	235.15	-	1,305.85	385.25	1,926.26
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	235.15	-	1,958.77	548.48	2,742.41
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.63	5.86	16.17	6.17	30.83
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.88	4.03	39.76	11.17	55.84
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.63	5.86	21.58	7.52	37.59

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Leiah

District Code: 40

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.88	4.03	53.03	14.49	72.43
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	62.32	5.22	156.27	55.95	279.75
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	62.32	9.98	501.07	143.34	716.71
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.29	8.59	22.49	8.59	42.96
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.29	9.63	67.50	20.11	100.54
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.29	6.95	29.98	10.06	50.29
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.29	9.63	90.01	25.73	128.66
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	62.32	3.73	217.12	70.79	353.96
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	62.32	7.90	851.20	230.35	1,151.77
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	52.63	3.73	104.18	40.13	200.67
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	52.63	7.90	334.55	98.77	493.85
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	52.63	3.73	144.75	50.28	251.38
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	52.63	7.90	568.32	157.21	786.06
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	8.90	81.62	193.84	71.09	355.45
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	8.90	81.62	233.84	81.09	405.45
610b	RIGHT OF WAY MARKER	EACH	104.33	121.33	307.12	133.19	665.97
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	609.13	976.31	2,074.56	915.00	4,574.99
610d	TEN KILOMETRE POST	EACH	1,166.28	1,952.61	4,545.97	1,916.21	9,581.07
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	129.67	91.00	958.09	294.69	1,473.46

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

LODHERAN
(41-A)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.72	10.10	-	2.70	13.52
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.17	173.32	1.17	45.41	227.07
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	20.58	456.54	2.63	119.94	599.68
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	82.32	1,826.16	10.51	479.75	2,398.74
103	STRIPPING	CM	2.46	93.22	-	23.92	119.60
104	COMPACTION OF NATURAL GROUND	SM	0.35	9.91	0.76	2.75	13.77
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.31	135.76	-	35.02	175.08
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	126.03	316.30	50.82	123.29	616.44
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	17.71	337.99	-	88.93	444.63
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.56	262.40	-	68.49	342.44
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.53	120.27	-	30.95	154.74
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	126.03	316.30	50.82	123.29	616.44
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.05	316.03	-	84.02	420.10
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.96	263.92	-	68.22	341.10
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.12	137.60	0.38	36.27	181.37
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	62.71	287.11	70.80	105.16	525.79
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	111.38	427.01	33.88	143.07	715.35
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	94.62	292.53	-	96.79	483.94
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	57.28	238.86	-	74.04	370.18
107d	GRANULAR BACK FILL	CM	33.65	137.14	474.54	161.33	806.66
107e	COMMON BACK FILL	CM	24.78	62.84	5.09	23.18	115.89
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.95	174.71	5.09	46.69	233.43
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	20.27	482.48	54.04	139.20	695.99
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.20	416.71	2.42	108.58	542.91
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.51	369.34	-	95.71	478.57
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.94	177.46	7.94	48.33	241.67
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.25	76.32	5.09	21.91	109.57
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.44	110.29	3.03	31.94	159.70
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.39	27.34	1.46	7.55	37.73

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.00	18.21	0.77	4.99	24.97
110	IMPROVED SUB-GRADE	CM	10.09	120.02	56.03	46.53	232.67
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.84	15.26	0.79	4.22	21.12
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.25	15.57	0.90	4.43	22.15
201	GRANULAR SUB-BASE	CM	8.07	255.06	633.39	224.13	1,120.65
202	AGGREGATE BASE	CM	9.58	326.54	935.59	317.93	1,589.64
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	72.74	1,510.17	6,220.91	1,950.95	9,754.76
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	75.26	1,510.17	6,614.50	2,049.98	10,249.90
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	80.42	1,577.28	6,211.62	1,967.33	9,836.65
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	80.42	1,571.31	6,758.94	2,102.67	10,513.33
204b	CEMENT STABILIZED BASE	CM	29.21	569.10	1,314.90	478.30	2,391.52
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	234.84	915.38	52,044.12	13,298.58	66,492.92
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	234.84	915.38	50,465.99	12,904.05	64,520.26
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	94.28	112.80	1,144.39	337.87	1,689.33
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	149.05	2,437.94	5,914.15	2,125.28	10,626.42
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	104.22	126.27	847.94	269.61	1,348.05
207a	DEEP PATCHING (0-15 cm)	SM	1.74	45.04	1.26	12.01	60.04
207b	DEEP PATCHING (16-30 cm)	SM	1.74	39.67	1.26	10.67	53.34
208	REINSTATEMENT OF ROAD SURFACE	SM	1.89	57.10	0.56	14.89	74.44
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.03	110.61	0.68	28.33	141.65
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.33
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	36.94	9.70	48.51
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	41.23	10.77	53.86
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.46	4.04	20.20
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	18.04	4.68	23.42
304a	SINGLE SURFACE TREATMENT	SM	0.77	7.57	74.64	20.75	103.73
304b	DOUBLE SURFACE TREATMENT	SM	1.12	14.15	145.66	40.23	201.17
304c	TRIPLE SURFACE TREATMENT	SM	1.89	19.94	166.32	47.04	235.19
304d	SEAL COAT	SM	0.71	4.12	52.61	14.36	71.81

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	68.52	1,489.33	7,241.69	2,199.88	10,999.42
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	68.52	1,438.23	7,807.30	2,328.51	11,642.55
307a	DENSE GRADED HOT BIT-MAC	CM	170.57	379.77	6,020.55	1,642.72	8,213.62
307b	OPEN GRADED HOT BIT-MAC	CM	170.57	379.77	5,850.08	1,600.11	8,000.53
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	29.62	590.65	2,092.05	678.08	3,390.40
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	24.87	650.70	44,093.92	11,192.37	55,961.86
309a	COLD MILLING, 0 - 30 mm	SM	0.96	24.99	8.68	8.66	43.29
309b	COLD MILLING, 0 - 50 mm	SM	1.60	41.65	14.46	14.43	72.15
309c	COLD MILLING, 0 - 70 mm	SM	2.41	62.48	21.69	21.64	108.22
401a1i	CONCRETE CLASS "A1" (Underground)	CM	543.03	1,059.94	4,359.89	1,490.71	7,453.57
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	543.03	1,059.94	4,637.36	1,560.08	7,800.41
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	543.03	1,059.94	5,192.31	1,698.82	8,494.10
401a2i	CONCRETE CLASS "A2" (Underground)	CM	543.03	1,059.94	4,737.89	1,585.21	7,926.07
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	543.03	1,059.94	5,015.36	1,654.58	8,272.91
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	543.03	1,059.94	5,570.31	1,793.32	8,966.60
401a3i	CONCRETE CLASS "A3" (Underground)	CM	543.03	1,059.94	5,115.89	1,679.71	8,398.57
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	543.03	1,059.94	5,393.36	1,749.08	8,745.41
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	543.03	1,059.94	5,948.31	1,887.82	9,439.10
401b	CONCRETE CLASS "B"	CM	696.53	805.93	3,490.91	1,248.34	6,241.72
401ci	CONCRETE CLASS "C" (Underground)	CM	536.39	500.55	3,854.16	1,222.77	6,113.87
401cii	CONCRETE CLASS "C" (On ground)	CM	536.39	500.55	3,972.50	1,252.36	6,261.80
401ciii	CONCRETE CLASS "C" (Elevated)	CM	536.39	500.55	4,209.19	1,311.53	6,557.65
401d	CONCRETE CLASS "D1"	CM	839.82	1,265.57	5,705.41	1,952.70	9,763.49
401e	CONCRETE CLASS "Y"	CM	1,160.06	500.55	5,029.11	1,672.43	8,362.15
401f	LEAN CONCRETE	CM	449.46	507.52	2,761.96	929.73	4,648.67
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,813.35	947.15	5,293.40	2,013.47	10,067.37
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,813.35	947.15	6,049.40	2,202.47	11,012.37
401gii	PRECAST CONCRETE CLASS "B"	CM	1,813.35	947.15	5,035.33	1,948.96	9,744.78
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,813.35	947.15	6,427.40	2,296.97	11,484.87

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,813.35	947.15	6,805.40	2,391.47	11,957.37
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,813.35	947.15	7,183.40	2,485.97	12,429.87
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,610.32	781.47	59,358.00	15,437.45	77,187.24
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,610.32	781.47	66,708.00	17,274.95	86,374.74
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,316.65	5,393.81	55,463.10	15,543.39	77,716.96
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,801.08	15,659.05	132,524.39	37,746.13	188,730.64
405b	LAUNCHING OF GIRDER	TON	65.72	532.52	-	149.56	747.81
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.60	-	300.97	104.64	523.22
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.60	-	286.67	101.07	505.34
406c	STEEL EXPANSION JOINTS	KG	9.56	26.40	89.85	31.45	157.26
406d	WATER STOPS 6" SIZE	M	100.93	-	468.09	142.25	711.27
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	44.76	-	2,914.15	739.73	3,698.63
406g	STEEL OR METAL BEARING DEVICES	KG	20.33	69.68	115.96	51.49	257.47
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	354.09	1,654.04	717.59	681.43	3,407.15
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	531.13	2,481.06	1,076.39	1,022.14	5,110.72
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	531.13	2,481.06	816.19	957.09	4,785.47
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	885.21	4,135.11	994.28	1,503.65	7,518.25
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	758.75	4,884.94	1,173.65	1,704.34	8,521.69
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,327.82	6,909.78	1,285.53	2,380.78	11,903.91
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,251.01	45,769.30	91,305.02	40,081.33	200,406.67
407i	PILE LOAD TEST UP TO 240 TON	EACH	43,281.99	45,769.30	182,610.04	67,915.33	339,576.66
407j	PILE LOAD TEST UP TO 360 TON	EACH	63,312.96	50,188.38	273,915.06	96,854.10	484,270.51
407k	CONFIRMATORY BORING (NX SIZE)	M	203.96	1,582.02	6.37	448.09	2,240.44
410	BRICK WORK	CM	355.63	282.72	2,787.25	856.40	4,282.00
411a	STONE MASONRY RANDOM DRY	CM	299.12	107.96	740.28	286.84	1,434.21
411b	STONE MASONRY RANDOM WITH MORTAR	CM	323.55	166.68	1,889.42	594.91	2,974.57
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	392.50	107.96	818.06	329.63	1,648.14
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	463.62	166.68	1,947.54	644.46	3,222.29

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	76.69	11.74	45.80	33.56	167.80
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	625.94	264.08	1,852.73	685.69	3,428.44
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	230.28	437.48	647.23	328.75	1,643.75
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	224.66	577.19	838.78	410.15	2,050.77
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	220.46	935.96	1,010.36	541.70	2,708.48
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	230.77	1,146.39	1,561.95	734.78	3,673.88
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	265.37	1,078.41	2,205.02	887.20	4,436.00
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	329.55	1,331.30	3,623.61	1,321.12	6,605.58
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	426.47	1,481.41	4,689.53	1,649.35	8,246.76
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	500.41	1,798.85	5,975.64	2,068.73	10,343.63
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	593.97	2,098.66	9,226.75	2,979.84	14,899.22
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	230.28	507.33	669.43	351.76	1,758.81
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	224.66	577.19	785.79	396.91	1,984.53
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	214.34	935.96	961.21	527.88	2,639.39
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	230.77	1,146.39	1,595.82	743.25	3,716.23
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	265.37	1,078.41	3,031.13	1,093.73	5,468.64
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	329.55	1,331.30	4,449.61	1,527.62	7,638.08
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	426.47	1,481.41	6,211.71	2,029.90	10,149.48
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	500.41	1,798.85	8,421.85	2,680.28	13,401.39
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	593.97	2,098.66	11,842.49	3,633.78	18,168.90
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	89.05	118.93	313.15	130.28	651.42
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	787.70	612.95	3,840.91	1,310.39	6,551.95
507a	STEEL WIRE MESH FOR GABIONS	KG	5.26	-	112.89	29.54	147.68
507b	ROCK FILL IN GABIONS	CM	96.39	-	536.43	158.21	791.03
508a	BRICK PAVING (SINGLE COURSE)	SM	116.48	32.70	202.16	87.84	439.18
508b	BRICK PAVING (DOUBLE COURSE)	SM	209.86	32.70	401.59	161.04	805.18
509a	RIP RAP CLASS "A"	CM	508.08	-	645.48	288.39	1,441.94
509b	RIP RAP CLASS "B"	CM	490.06	-	640.31	282.59	1,412.97
509c	RIP RAP CLASS "C"	CM	494.34	-	645.48	284.95	1,424.77

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	620.48	102.14	2,098.89	705.38	3,526.89
509e	GRouted RIP RAP CLASS "B"	CM	599.53	81.72	1,942.70	655.99	3,279.93
509f	GRouted RIP RAP CLASS "C"	CM	592.98	68.10	1,993.92	663.75	3,318.74
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	838.78	353.02	4,389.80	1,395.40	6,977.00
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	48.46	191.97	473.95	178.60	892.98
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	106.76	390.69	-	124.36	621.82
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	158.19	67.48	104.89	82.64	413.19
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	202.48	86.37	134.26	105.78	528.89
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	259.38	180.32	410.43	212.53	1,062.66
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	324.22	225.40	513.03	265.66	1,328.32
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	287.85	572.25	2,426.04	821.53	4,107.67
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	995.25	670.54	4,226.78	1,473.14	7,365.70
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	144.65	90.27	460.80	173.93	869.64
603	BRICK EDGING	M	9.10	-	32.16	10.31	51.57
604a	METAL GUARD RAIL	M	18.78	70.84	1,579.36	417.25	2,086.23
604b	METAL GUARD RAIL END PIECES	EACH	25.00	-	1,197.58	305.64	1,528.22
604d	STEEL POST OF METAL GUARD RAIL	EACH	85.64	976.73	3,776.31	1,209.67	6,048.34
605a	CONCRETE BEAM GUARD RAIL	M	76.15	30.82	600.77	176.93	884.67
605c	CONCRETE POST FOR GUARD RAIL	M	93.49	27.36	603.32	181.04	905.22
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	241.86	255.15	6,881.03	1,844.51	9,222.55
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	74.95	382.72	9,311.26	2,442.23	12,211.17
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	241.86	541.89	11,974.97	3,189.68	15,948.39
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	781.87	598.64	21,097.38	5,619.47	28,097.37
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	156.37	119.73	9,246.93	2,380.76	11,903.79
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	269.95	-	1,306.29	394.06	1,970.30
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	269.95	-	1,959.43	557.35	2,786.73
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.75	5.86	16.17	6.20	30.99
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.92	4.03	39.78	11.18	55.91
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.75	5.86	21.58	7.55	37.75

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Lodheran

District Code: 41-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.92	4.03	53.06	14.50	72.51
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	74.61	5.22	156.29	59.03	295.14
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	74.61	9.98	501.33	146.48	732.41
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.44	8.59	22.49	8.63	43.15
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.44	9.63	67.50	20.14	100.72
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.44	6.95	29.99	10.10	50.48
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.44	9.63	90.01	25.77	128.85
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	74.61	3.73	217.15	73.87	369.35
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	74.61	7.90	851.20	233.43	1,167.13
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	62.39	3.73	104.19	42.58	212.89
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	62.39	7.90	334.73	101.25	506.27
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	62.39	3.73	144.77	52.72	263.61
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	62.39	7.90	568.32	159.65	798.27
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.98	81.62	193.95	71.39	356.94
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.98	81.62	233.95	81.39	406.94
610b	RIGHT OF WAY MARKER	EACH	105.56	121.33	312.49	134.84	674.22
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	640.66	976.31	2,116.13	933.28	4,666.38
610d	TEN KILOMETRE POST	EACH	1,224.32	1,952.61	4,625.03	1,950.49	9,752.44
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	136.59	91.00	965.93	298.38	1,491.91

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

MIANWALI

(45)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.73	10.10	-	2.71	13.54
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.30	173.32	1.17	45.45	227.23
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	21.05	456.54	2.63	120.05	600.27
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	84.21	1,826.16	10.51	480.22	2,401.10
103	STRIPPING	CM	2.51	93.22	-	23.93	119.66
104	COMPACTION OF NATURAL GROUND	SM	0.36	9.91	0.76	2.76	13.79
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.36	135.76	-	35.03	175.14
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	124.46	316.30	50.82	122.89	614.47
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	17.03	337.99	-	88.76	443.78
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.13	262.40	-	68.38	341.91
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.56	120.27	-	30.96	154.79
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	124.46	316.30	50.82	122.89	614.47
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	19.81	316.03	-	83.96	419.80
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.57	263.92	-	68.12	340.62
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.02	137.60	0.38	36.25	181.25
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	63.80	287.11	70.80	105.43	527.15
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	110.06	427.01	33.88	142.74	713.70
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	93.10	292.53	-	96.41	482.05
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	56.60	238.86	-	73.87	369.33
107d	GRANULAR BACK FILL	CM	34.49	137.14	330.80	125.61	628.04
107e	COMMON BACK FILL	CM	25.90	62.84	5.09	23.46	117.29
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.70	174.71	5.09	46.62	233.12
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	19.91	482.48	54.04	139.11	695.55
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.94	416.71	2.42	108.52	542.58
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.28	369.34	-	95.65	478.27
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.73	177.46	7.94	48.28	241.41
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.05	76.32	5.09	21.86	109.32
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.26	110.29	3.03	31.90	159.48
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.36	27.34	1.46	7.54	37.70

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.98	18.21	0.77	4.99	24.96
110	IMPROVED SUB-GRADE	CM	9.76	120.02	58.25	47.01	235.04
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.84	15.26	0.79	4.22	21.12
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.22	15.57	0.90	4.42	22.11
201	GRANULAR SUB-BASE	CM	7.83	255.06	535.59	199.62	998.10
202	AGGREGATE BASE	CM	9.07	326.54	788.68	281.07	1,405.37
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	72.62	1,510.17	5,796.67	1,844.86	9,224.31
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	74.96	1,510.17	6,193.04	1,944.54	9,722.71
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	80.22	1,577.28	5,786.92	1,861.11	9,305.53
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	80.22	1,571.31	6,336.62	1,997.04	9,985.18
204b	CEMENT STABILIZED BASE	CM	27.99	569.10	968.23	391.33	1,956.66
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	240.31	915.38	50,962.41	13,029.52	65,147.62
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	240.31	915.38	49,384.28	12,634.99	63,174.96
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	97.07	112.80	848.25	264.53	1,322.64
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	146.30	2,437.94	5,489.73	2,018.49	10,092.47
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	107.35	126.27	782.15	253.94	1,269.72
207a	DEEP PATCHING (0-15 cm)	SM	1.70	45.04	1.26	12.00	59.99
207b	DEEP PATCHING (16-30 cm)	SM	1.70	39.67	1.26	10.66	53.29
208	REINSTATEMENT OF ROAD SURFACE	SM	1.80	57.10	0.56	14.87	74.33
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.06	110.61	0.68	28.34	141.69
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.34
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	36.17	9.51	47.54
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	40.37	10.56	52.79
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.14	3.96	19.79
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.66	4.59	22.95
304a	SINGLE SURFACE TREATMENT	SM	0.76	7.57	71.50	19.96	99.79
304b	DOUBLE SURFACE TREATMENT	SM	1.10	14.15	138.07	38.33	191.66
304c	TRIPLE SURFACE TREATMENT	SM	1.85	19.94	157.50	44.82	224.10
304d	SEAL COAT	SM	0.71	4.12	50.84	13.92	69.58

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	67.65	1,489.33	6,791.96	2,087.23	10,436.17
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	67.65	1,438.23	7,329.50	2,208.84	11,044.22
307a	DENSE GRADED HOT BIT-MAC	CM	165.43	379.77	5,607.90	1,538.28	7,691.39
307b	OPEN GRADED HOT BIT-MAC	CM	165.43	379.77	5,438.70	1,495.98	7,479.88
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	27.68	590.65	2,009.90	657.06	3,285.28
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.11	650.70	42,980.08	10,914.22	54,571.11
309a	COLD MILLING, 0 - 30 mm	SM	0.93	24.99	8.68	8.65	43.25
309b	COLD MILLING, 0 - 50 mm	SM	1.55	41.65	14.46	14.42	72.09
309c	COLD MILLING, 0 - 70 mm	SM	2.33	62.48	21.69	21.63	108.13
401a1i	CONCRETE CLASS "A1" (Underground)	CM	530.99	1,059.94	3,904.38	1,373.83	6,869.13
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	530.99	1,059.94	4,181.85	1,443.19	7,215.97
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	530.99	1,059.94	4,736.80	1,581.93	7,909.65
401a2i	CONCRETE CLASS "A2" (Underground)	CM	530.99	1,059.94	4,282.38	1,468.33	7,341.63
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	530.99	1,059.94	4,559.85	1,537.69	7,688.47
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	530.99	1,059.94	5,114.80	1,676.43	8,382.15
401a3i	CONCRETE CLASS "A3" (Underground)	CM	530.99	1,059.94	4,660.38	1,562.83	7,814.13
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	530.99	1,059.94	4,937.85	1,632.19	8,160.97
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	530.99	1,059.94	5,492.80	1,770.93	8,854.65
401b	CONCRETE CLASS "B"	CM	680.70	805.93	3,103.94	1,147.64	5,738.21
401ci	CONCRETE CLASS "C" (Underground)	CM	526.98	500.55	3,433.56	1,115.27	5,576.36
401cii	CONCRETE CLASS "C" (On ground)	CM	526.98	500.55	3,551.90	1,144.86	5,724.28
401ciii	CONCRETE CLASS "C" (Elevated)	CM	526.98	500.55	3,788.58	1,204.03	6,020.14
401d	CONCRETE CLASS "D1"	CM	836.81	1,265.57	5,244.57	1,836.74	9,183.68
401e	CONCRETE CLASS "Y"	CM	1,183.34	500.55	4,703.71	1,596.90	7,984.49
401f	LEAN CONCRETE	CM	449.73	507.52	2,374.63	832.97	4,164.86
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,810.71	947.15	4,903.93	1,915.45	9,577.24
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,810.71	947.15	5,659.93	2,104.45	10,522.24
401gii	PRECAST CONCRETE CLASS "B"	CM	1,810.71	947.15	4,624.32	1,845.54	9,227.72
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,810.71	947.15	6,037.93	2,198.95	10,994.74

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,810.71	947.15	6,415.93	2,293.45	11,467.24
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,810.71	947.15	6,793.93	2,387.95	11,939.74
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,555.30	781.47	59,888.00	15,556.19	77,780.97
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,555.30	781.47	67,238.00	17,393.69	86,968.47
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,254.64	5,393.81	57,471.53	16,030.00	80,149.98
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,779.09	15,659.05	135,997.37	38,608.88	193,044.39
405b	LAUNCHING OF GIRDER	TON	65.62	532.52	-	149.54	747.68
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	118.53	-	296.36	103.72	518.61
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	118.53	-	295.97	103.63	518.13
406c	STEEL EXPANSION JOINTS	KG	9.42	26.40	93.10	32.23	161.14
406d	WATER STOPS 6" SIZE	M	97.70	-	469.71	141.85	709.26
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	43.48	-	2,983.62	756.78	3,783.88
406g	STEEL OR METAL BEARING DEVICES	KG	20.51	69.68	119.20	52.35	261.74
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	358.72	1,654.04	814.73	706.87	3,534.36
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	538.07	2,481.06	1,222.10	1,060.31	5,301.55
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	538.07	2,481.06	916.15	983.82	4,919.10
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	896.79	4,135.11	1,099.88	1,532.94	7,664.71
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	768.68	4,884.94	1,289.31	1,735.73	8,678.65
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,345.18	6,909.78	1,409.61	2,416.14	12,080.71
407h	PILE LOAD TEST UP TO 120 TON	EACH	24,027.15	45,769.30	86,675.34	39,117.95	195,589.74
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,892.75	45,769.30	173,350.68	66,003.18	330,015.91
407j	PILE LOAD TEST UP TO 360 TON	EACH	65,758.35	50,188.38	260,026.02	93,993.19	469,965.94
407k	CONFIRMATORY BORING (NX SIZE)	M	208.73	1,582.02	6.37	449.28	2,246.39
410	BRICK WORK	CM	351.54	282.72	2,743.70	844.49	4,222.46
411a	STONE MASONRY RANDOM DRY	CM	295.21	107.96	442.96	211.53	1,057.66
411b	STONE MASONRY RANDOM WITH MORTAR	CM	318.39	166.68	1,475.16	490.06	2,450.30
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	387.95	107.96	499.01	248.73	1,243.65
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	457.50	166.68	1,540.79	541.24	2,706.21

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	75.38	11.74	43.85	32.74	163.71
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	619.79	264.08	1,445.99	582.46	2,912.32
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	236.72	437.48	643.58	329.45	1,647.23
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	230.77	577.19	834.39	410.59	2,052.93
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	223.30	935.96	1,005.25	541.13	2,705.63
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	234.61	1,146.39	1,555.97	734.24	3,671.21
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	269.03	1,078.41	2,199.04	886.62	4,433.10
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	332.44	1,331.30	3,614.98	1,319.68	6,598.39
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	430.21	1,481.41	4,680.93	1,648.14	8,240.68
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	505.84	1,798.85	5,965.20	2,067.47	10,337.37
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	601.25	2,098.66	9,214.57	2,978.62	14,893.10
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	236.72	507.33	662.13	351.55	1,757.73
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	230.77	577.19	781.40	397.34	1,986.69
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	218.37	935.96	956.10	527.61	2,638.03
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	234.61	1,146.39	1,591.17	743.04	3,715.22
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	269.03	1,078.41	3,024.49	1,092.98	5,464.91
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	332.44	1,331.30	4,440.98	1,526.18	7,630.89
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	430.21	1,481.41	6,203.11	2,028.68	10,143.41
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	505.84	1,798.85	8,411.41	2,679.03	13,395.13
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	601.25	2,098.66	11,830.31	3,632.56	18,162.78
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	92.23	118.93	238.96	112.53	562.65
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	769.56	612.95	3,453.94	1,209.11	6,045.56
507a	STEEL WIRE MESH FOR GABIONS	KG	5.43	-	114.07	29.87	149.37
507b	ROCK FILL IN GABIONS	CM	99.75	-	458.79	139.64	698.18
508a	BRICK PAVING (SINGLE COURSE)	SM	115.98	32.70	205.18	88.46	442.32
508b	BRICK PAVING (DOUBLE COURSE)	SM	208.72	32.70	408.15	162.39	811.96
509a	RIP RAP CLASS "A"	CM	504.72	-	348.15	213.22	1,066.09
509b	RIP RAP CLASS "B"	CM	487.24	-	345.36	208.15	1,040.75
509c	RIP RAP CLASS "C"	CM	491.04	-	348.15	209.80	1,048.99

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	616.38	102.14	1,744.80	615.83	3,079.16
509e	GRouted RIP RAP CLASS "B"	CM	595.12	81.72	1,596.94	568.44	2,842.22
509f	GRouted RIP RAP CLASS "C"	CM	588.67	68.10	1,641.43	574.55	2,872.74
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	814.85	353.02	4,023.76	1,297.91	6,489.55
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	49.18	191.97	330.58	142.93	714.67
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	111.91	390.69	-	125.65	628.26
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	157.66	67.48	56.57	70.43	352.13
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	201.80	86.37	72.42	90.15	450.73
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	257.44	180.32	344.98	195.69	978.43
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	321.80	225.40	431.22	244.61	1,223.03
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	281.59	572.25	2,188.71	760.64	3,803.19
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	992.32	670.54	4,035.28	1,424.53	7,122.67
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	144.18	90.27	422.75	164.30	821.49
603	BRICK EDGING	M	9.13	-	33.12	10.56	52.82
604a	METAL GUARD RAIL	M	19.13	70.84	1,579.36	417.33	2,086.66
604b	METAL GUARD RAIL END PIECES	EACH	26.24	-	1,197.58	305.95	1,529.77
604d	STEEL POST OF METAL GUARD RAIL	EACH	87.76	976.73	3,776.31	1,210.20	6,050.99
605a	CONCRETE BEAM GUARD RAIL	M	78.10	30.82	589.33	174.56	872.81
605c	CONCRETE POST FOR GUARD RAIL	M	95.89	27.36	589.08	178.08	890.41
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	245.10	255.15	7,135.56	1,908.95	9,544.77
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	70.21	382.72	9,521.49	2,493.61	12,468.03
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	245.10	541.89	12,425.68	3,303.17	16,515.84
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	808.15	598.64	21,679.72	5,771.63	28,858.13
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	161.63	119.73	9,481.15	2,440.63	12,203.14
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	283.68	-	1,304.87	397.14	1,985.69
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	283.68	-	1,957.31	560.25	2,801.23
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.74	5.86	16.17	6.19	30.96
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.91	4.03	39.70	11.16	55.80
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.74	5.86	21.57	7.54	37.72

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mianwali

District Code: 45

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.91	4.03	52.95	14.47	72.37
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	76.40	5.22	156.21	59.46	297.28
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	76.40	9.98	500.27	146.66	733.32
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.43	8.59	22.48	8.62	43.12
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.43	9.63	67.50	20.14	100.71
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.43	6.95	29.98	10.09	50.45
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.43	9.63	90.01	25.77	128.83
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	76.40	3.73	217.07	74.30	371.49
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	76.40	7.90	851.20	233.87	1,169.37
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	63.60	3.73	104.14	42.87	214.33
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	63.60	7.90	334.02	101.38	506.90
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	63.60	3.73	144.71	53.01	265.05
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	63.60	7.90	568.32	159.96	799.78
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.07	81.62	193.81	71.13	355.63
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.07	81.62	233.81	81.12	405.62
610b	RIGHT OF WAY MARKER	EACH	108.07	121.33	298.37	131.94	659.71
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	664.63	976.31	2,000.52	910.36	4,551.81
610d	TEN KILOMETRE POST	EACH	1,279.17	1,952.61	4,398.54	1,907.58	9,537.91
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	136.53	91.00	948.37	293.98	1,469.89

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

MULTAN

(46)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.76	10.10	-	2.72	13.58
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.49	173.32	1.17	45.49	227.47
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	21.76	456.54	2.63	120.23	601.15
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	87.02	1,826.16	10.51	480.92	2,404.61
103	STRIPPING	CM	2.55	93.22	-	23.94	119.71
104	COMPACTION OF NATURAL GROUND	SM	0.36	9.91	0.76	2.76	13.79
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.25	135.76	-	35.00	175.00
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	128.14	316.30	50.82	123.81	619.07
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.08	337.99	-	89.02	445.10
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.83	262.40	-	68.56	342.79
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.47	120.27	-	30.94	154.68
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	128.14	316.30	50.82	123.81	619.07
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.38	316.03	-	84.10	420.52
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.11	263.92	-	68.26	341.29
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.07	137.60	0.38	36.26	181.32
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	65.80	287.11	70.80	105.93	529.66
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	113.24	427.01	33.88	143.53	717.66
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	96.34	292.53	-	97.22	486.09
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	58.24	238.86	-	74.28	371.38
107d	GRANULAR BACK FILL	CM	35.31	137.14	454.31	156.69	783.44
107e	COMMON BACK FILL	CM	26.74	62.84	5.09	23.67	118.34
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.01	174.71	5.09	46.70	233.52
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	20.78	482.48	54.04	139.33	696.63
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.59	416.71	2.42	108.68	543.40
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.86	369.34	-	95.80	479.00
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.10	177.46	7.94	48.38	241.88
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.32	76.32	5.09	21.93	109.66
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.88	110.29	3.03	32.05	160.25
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.41	27.34	1.46	7.55	37.76

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.01	18.21	0.77	5.00	24.99
110	IMPROVED SUB-GRADE	CM	10.21	120.02	52.41	45.66	228.30
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.86	15.26	0.79	4.23	21.14
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.28	15.57	0.90	4.44	22.18
201	GRANULAR SUB-BASE	CM	8.22	255.06	656.11	229.85	1,149.24
202	AGGREGATE BASE	CM	9.51	326.54	898.87	308.73	1,543.65
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	76.81	1,510.17	6,029.56	1,904.13	9,520.67
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	79.31	1,510.17	6,429.21	2,004.67	10,023.35
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	84.89	1,577.28	6,019.93	1,920.53	9,602.64
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	84.89	1,571.31	6,573.94	2,057.53	10,287.67
204b	CEMENT STABILIZED BASE	CM	29.37	569.10	1,127.55	431.50	2,157.52
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	245.33	915.38	51,907.77	13,267.12	66,335.60
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	245.33	915.38	50,329.64	12,872.59	64,362.94
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	102.01	112.80	984.33	299.78	1,498.92
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	154.81	2,437.94	5,715.11	2,076.96	10,384.82
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	113.13	126.27	850.55	272.49	1,362.45
207a	DEEP PATCHING (0-15 cm)	SM	1.76	45.04	1.26	12.01	60.07
207b	DEEP PATCHING (16-30 cm)	SM	1.76	39.67	1.26	10.67	53.36
208	REINSTATEMENT OF ROAD SURFACE	SM	1.88	57.10	0.56	14.88	74.42
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.05	110.61	0.68	28.33	141.67
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.33
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	36.84	9.68	48.39
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	41.12	10.75	53.74
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.42	4.03	20.15
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.99	4.67	23.36
304a	SINGLE SURFACE TREATMENT	SM	0.78	7.57	73.61	20.49	102.46
304b	DOUBLE SURFACE TREATMENT	SM	1.14	14.15	142.85	39.54	197.68
304c	TRIPLE SURFACE TREATMENT	SM	1.91	19.94	163.03	46.22	231.10
304d	SEAL COAT	SM	0.73	4.12	52.10	14.24	71.18

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	71.63	1,489.33	7,047.40	2,152.09	10,760.45
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	71.63	1,438.23	7,603.25	2,278.28	11,391.39
307a	DENSE GRADED HOT BIT-MAC	CM	176.64	379.77	5,844.57	1,600.25	8,001.23
307b	OPEN GRADED HOT BIT-MAC	CM	176.64	379.77	5,672.55	1,557.24	7,786.21
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	29.66	590.65	2,058.30	669.65	3,348.26
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.01	650.70	43,953.52	11,157.56	55,787.78
309a	COLD MILLING, 0 - 30 mm	SM	0.97	24.99	8.68	8.66	43.29
309b	COLD MILLING, 0 - 50 mm	SM	1.61	41.65	14.46	14.43	72.16
309c	COLD MILLING, 0 - 70 mm	SM	2.42	62.48	21.69	21.65	108.24
401a1i	CONCRETE CLASS "A1" (Underground)	CM	550.26	1,059.94	4,084.33	1,423.63	7,118.15
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	550.26	1,059.94	4,361.80	1,493.00	7,464.99
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	550.26	1,059.94	4,916.74	1,631.73	8,158.67
401a2i	CONCRETE CLASS "A2" (Underground)	CM	550.26	1,059.94	4,462.33	1,518.13	7,590.65
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	550.26	1,059.94	4,739.80	1,587.50	7,937.49
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	550.26	1,059.94	5,294.74	1,726.23	8,631.17
401a3i	CONCRETE CLASS "A3" (Underground)	CM	550.26	1,059.94	4,840.33	1,612.63	8,063.15
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	550.26	1,059.94	5,117.80	1,682.00	8,409.99
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	550.26	1,059.94	5,672.74	1,820.73	9,103.67
401b	CONCRETE CLASS "B"	CM	705.68	805.93	3,299.79	1,202.85	6,014.25
401ci	CONCRETE CLASS "C" (Underground)	CM	545.60	500.55	3,643.83	1,172.49	5,862.47
401cii	CONCRETE CLASS "C" (On ground)	CM	545.60	500.55	3,762.17	1,202.08	6,010.40
401ciii	CONCRETE CLASS "C" (Elevated)	CM	545.60	500.55	3,998.85	1,261.25	6,306.25
401d	CONCRETE CLASS "D1"	CM	863.24	1,265.57	5,408.97	1,884.44	9,422.21
401e	CONCRETE CLASS "Y"	CM	1,215.79	500.55	4,868.26	1,646.15	8,230.75
401f	LEAN CONCRETE	CM	467.36	507.52	2,570.78	886.42	4,432.08
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,868.61	947.15	5,100.76	1,979.13	9,895.65
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,868.61	947.15	5,856.76	2,168.13	10,840.65
401gii	PRECAST CONCRETE CLASS "B"	CM	1,868.61	947.15	4,831.03	1,911.70	9,558.48
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,868.61	947.15	6,234.76	2,262.63	11,313.15

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,868.61	947.15	6,612.76	2,357.13	11,785.65
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,868.61	947.15	6,990.76	2,451.63	12,258.15
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,663.96	781.47	59,358.00	15,450.86	77,254.29
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,663.96	781.47	66,708.00	17,288.36	86,441.79
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,359.31	5,393.81	55,328.45	15,520.39	77,601.97
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,999.06	15,659.05	132,528.82	37,796.73	188,983.67
405b	LAUNCHING OF GIRDER	TON	71.01	532.52	-	150.88	754.42
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	123.06	-	298.62	105.42	527.10
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	123.06	-	298.12	105.30	526.48
406c	STEEL EXPANSION JOINTS	KG	10.13	26.40	89.74	31.57	157.83
406d	WATER STOPS 6" SIZE	M	101.22	-	468.46	142.42	712.10
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	44.35	-	3,009.35	763.42	3,817.12
406g	STEEL OR METAL BEARING DEVICES	KG	21.69	69.68	115.85	51.81	259.03
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	384.16	1,654.04	712.24	687.61	3,438.05
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	576.24	2,481.06	1,068.36	1,031.41	5,157.07
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	576.24	2,481.06	808.15	966.36	4,831.82
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	960.40	4,135.11	980.89	1,519.10	7,595.49
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	823.20	4,884.94	1,150.72	1,714.72	8,573.58
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,440.60	6,909.78	1,265.44	2,403.95	12,019.77
407h	PILE LOAD TEST UP TO 120 TON	EACH	25,249.20	45,769.30	97,452.70	42,117.80	210,589.00
407i	PILE LOAD TEST UP TO 240 TON	EACH	47,307.12	45,769.30	194,905.39	71,995.45	359,977.27
407j	PILE LOAD TEST UP TO 360 TON	EACH	69,365.04	50,188.38	292,358.09	102,977.88	514,889.39
407k	CONFIRMATORY BORING (NX SIZE)	M	223.72	1,582.02	6.36	453.03	2,265.14
410	BRICK WORK	CM	357.36	282.72	2,823.32	865.85	4,329.25
411a	STONE MASONRY RANDOM DRY	CM	302.97	107.96	620.70	257.91	1,289.55
411b	STONE MASONRY RANDOM WITH MORTAR	CM	325.95	166.68	1,721.18	553.45	2,767.27
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	397.95	107.96	688.51	298.60	1,493.02
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	468.41	166.68	1,781.49	604.15	3,020.73

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	76.48	11.74	44.99	33.30	166.52
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	635.38	264.08	1,686.69	646.54	3,232.68
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	245.48	437.48	645.71	332.17	1,660.85
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	239.91	577.19	836.95	413.51	2,067.55
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	232.18	935.96	1,008.24	544.09	2,720.47
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	244.50	1,146.39	1,559.46	737.59	3,687.93
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	281.02	1,078.41	2,202.53	890.49	4,452.45
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	347.40	1,331.30	3,620.02	1,324.68	6,623.40
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	449.58	1,481.41	4,685.95	1,654.23	8,271.17
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	529.51	1,798.85	5,971.30	2,074.91	10,374.57
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	627.71	2,098.66	9,221.68	2,987.01	14,935.07
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	245.48	507.33	666.39	354.80	1,774.01
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	239.91	577.19	783.96	400.26	2,001.32
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	226.67	935.96	959.08	530.43	2,652.14
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	244.50	1,146.39	1,593.88	746.19	3,730.96
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	281.02	1,078.41	3,028.37	1,096.95	5,484.75
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	347.40	1,331.30	4,446.02	1,531.18	7,655.91
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	449.58	1,481.41	6,208.12	2,034.78	10,173.89
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	529.51	1,798.85	8,417.50	2,686.47	13,432.33
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	627.71	2,098.66	11,837.42	3,640.95	18,204.75
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	94.87	118.93	385.92	149.93	749.65
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	798.43	612.95	3,649.79	1,265.29	6,326.46
507a	STEEL WIRE MESH FOR GABIONS	KG	5.66	-	116.15	30.45	152.26
507b	ROCK FILL IN GABIONS	CM	103.77	-	529.38	158.29	791.43
508a	BRICK PAVING (SINGLE COURSE)	SM	119.14	32.70	214.13	91.49	457.46
508b	BRICK PAVING (DOUBLE COURSE)	SM	214.11	32.70	424.83	167.91	839.55
509a	RIP RAP CLASS "A"	CM	515.80	-	525.90	260.42	1,302.12
509b	RIP RAP CLASS "B"	CM	498.42	-	521.69	255.03	1,275.15
509c	RIP RAP CLASS "C"	CM	502.15	-	525.90	257.01	1,285.07

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	630.86	102.14	1,948.90	670.48	3,352.38
509e	GRouted RIP RAP CLASS "B"	CM	608.85	81.72	1,796.83	621.85	3,109.24
509f	GRouted RIP RAP CLASS "C"	CM	602.35	68.10	1,845.95	629.10	3,145.50
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	847.20	353.02	4,209.00	1,352.31	6,761.53
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	51.81	191.97	454.37	174.54	872.69
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	117.32	390.69	-	127.00	635.01
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	161.49	67.48	85.46	78.60	393.02
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	206.70	86.37	109.39	100.61	503.07
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	263.07	180.32	388.94	208.08	1,040.42
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	328.84	225.40	486.17	260.10	1,300.52
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	291.82	572.25	2,282.48	786.64	3,933.19
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,024.95	670.54	4,126.61	1,455.52	7,277.62
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	148.77	90.27	442.34	170.34	851.72
603	BRICK EDGING	M	9.40	-	33.60	10.75	53.74
604a	METAL GUARD RAIL	M	20.10	70.84	1,579.41	417.59	2,087.95
604b	METAL GUARD RAIL END PIECES	EACH	27.61	-	1,197.61	306.31	1,531.53
604d	STEEL POST OF METAL GUARD RAIL	EACH	90.53	976.73	3,776.44	1,210.93	6,054.63
605a	CONCRETE BEAM GUARD RAIL	M	81.00	30.82	593.91	176.43	882.16
605c	CONCRETE POST FOR GUARD RAIL	M	99.46	27.36	594.96	180.44	902.22
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	255.01	255.15	6,862.31	1,843.12	9,215.58
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	74.01	382.72	9,273.00	2,432.43	12,162.16
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	255.01	541.89	11,911.39	3,177.07	15,885.35
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	845.12	598.64	20,999.50	5,610.82	28,054.08
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	169.02	119.73	9,224.33	2,378.27	11,891.36
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	287.68	-	1,305.38	398.27	1,991.33
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	287.68	-	1,958.08	561.44	2,807.20
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.86	5.86	16.17	6.22	31.12
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.95	4.03	39.74	11.18	55.90
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.86	5.86	21.58	7.57	37.87

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Multan

District Code: 46

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.95	4.03	53.00	14.50	72.48
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	81.68	5.22	156.24	60.78	303.92
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	81.68	9.98	500.73	148.10	740.49
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.58	8.59	22.49	8.66	43.32
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.58	9.63	67.51	20.18	100.90
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.58	6.95	29.98	10.13	50.64
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.58	9.63	90.01	25.80	129.02
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	81.68	3.73	217.10	75.63	378.13
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	81.68	7.90	851.21	235.20	1,175.99
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	67.90	3.73	104.16	43.95	219.73
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	67.90	7.90	334.32	102.53	512.64
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	67.90	3.73	144.73	54.09	270.44
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	67.90	7.90	568.33	161.03	805.16
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.66	81.62	193.89	71.29	356.46
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.66	81.62	233.89	81.29	406.45
610b	RIGHT OF WAY MARKER	EACH	112.68	121.33	305.20	134.80	674.01
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	686.61	976.31	2,055.63	929.64	4,648.19
610d	TEN KILOMETRE POST	EACH	1,327.26	1,952.61	4,505.86	1,946.43	9,732.16
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	142.61	91.00	956.65	297.56	1,487.82

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

MUZAFARGARH
(47)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.71	10.10	-	2.70	13.52
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.03	173.32	1.17	45.38	226.90
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	20.41	456.54	2.63	119.89	599.47
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	81.63	1,826.16	10.51	479.58	2,397.88
103	STRIPPING	CM	2.42	93.22	-	23.91	119.55
104	COMPACTION OF NATURAL GROUND	SM	0.34	9.91	0.76	2.75	13.77
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.00	135.76	-	34.94	174.70
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	121.28	316.30	50.82	122.10	610.50
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	17.20	337.99	-	88.80	443.99
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.30	262.40	-	68.42	342.11
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.27	120.27	-	30.89	154.43
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	121.28	316.30	50.82	122.10	610.50
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	19.27	316.03	-	83.83	419.13
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.68	263.92	-	68.15	340.75
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.76	137.60	0.38	36.19	180.93
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	62.54	287.11	70.80	105.12	525.58
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	107.08	427.01	33.88	141.99	709.97
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	91.12	292.53	-	95.91	479.56
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	55.07	238.86	-	73.48	367.42
107d	GRANULAR BACK FILL	CM	33.16	137.14	394.25	141.14	705.69
107e	COMMON BACK FILL	CM	25.07	62.84	5.09	23.25	116.25
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.69	174.71	5.09	46.62	233.11
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	19.73	482.48	54.04	139.06	695.32
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.80	416.71	2.42	108.48	542.41
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.15	369.34	-	95.62	478.12
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.71	177.46	7.94	48.28	241.38
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.03	76.32	5.09	21.86	109.30
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	14.14	110.29	3.03	31.86	159.32
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.34	27.34	1.46	7.53	37.67

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.96	18.21	0.77	4.99	24.93
110	IMPROVED SUB-GRADE	CM	9.67	120.02	56.78	46.62	233.08
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.82	15.26	0.79	4.22	21.09
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.22	15.57	0.90	4.42	22.11
201	GRANULAR SUB-BASE	CM	7.81	255.06	520.59	195.86	979.32
202	AGGREGATE BASE	CM	8.95	326.54	708.80	261.07	1,305.36
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	72.25	1,510.17	5,886.57	1,867.25	9,336.23
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	74.61	1,510.17	6,293.69	1,969.62	9,848.08
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	80.05	1,577.28	5,876.49	1,883.46	9,417.28
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	80.05	1,571.31	6,439.53	2,022.72	10,113.62
204b	CEMENT STABILIZED BASE	CM	27.62	569.10	950.91	386.91	1,934.54
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	233.98	915.38	52,268.34	13,354.42	66,772.12
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	233.98	915.38	50,690.21	12,959.89	64,799.46
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	95.87	112.80	818.64	256.83	1,284.13
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	146.16	2,437.94	5,547.11	2,032.80	10,164.02
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	106.16	126.27	693.99	231.61	1,158.03
207a	DEEP PATCHING (0-15 cm)	SM	1.68	45.04	1.26	11.99	59.97
207b	DEEP PATCHING (16-30 cm)	SM	1.68	39.67	1.26	10.65	53.27
208	REINSTATEMENT OF ROAD SURFACE	SM	1.76	57.10	0.56	14.86	74.28
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.98	110.61	0.68	28.32	141.59
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.40	22.12	0.14	5.66	28.32
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	37.10	9.74	48.69
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	41.41	10.81	54.07
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.53	4.05	20.27
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	18.11	4.70	23.51
304a	SINGLE SURFACE TREATMENT	SM	0.74	7.57	73.32	20.41	102.04
304b	DOUBLE SURFACE TREATMENT	SM	1.08	14.15	141.42	39.16	195.81
304c	TRIPLE SURFACE TREATMENT	SM	1.81	19.94	161.31	45.77	228.83
304d	SEAL COAT	SM	0.68	4.12	52.13	14.23	71.16

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	67.45	1,489.33	6,912.14	2,117.23	10,586.16
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	67.45	1,438.23	7,465.55	2,242.81	11,214.04
307a	DENSE GRADED HOT BIT-MAC	CM	165.76	379.77	5,728.68	1,568.56	7,842.78
307b	OPEN GRADED HOT BIT-MAC	CM	165.76	379.77	5,546.85	1,523.10	7,615.48
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	27.84	590.65	2,035.29	663.44	3,317.22
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	24.43	650.70	44,324.80	11,249.98	56,249.91
309a	COLD MILLING, 0 - 30 mm	SM	0.91	24.99	8.68	8.64	43.22
309b	COLD MILLING, 0 - 50 mm	SM	1.52	41.65	14.46	14.41	72.04
309c	COLD MILLING, 0 - 70 mm	SM	2.27	62.48	21.69	21.61	108.06
401a1i	CONCRETE CLASS "A1" (Underground)	CM	528.87	1,059.94	3,993.77	1,395.64	6,978.22
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	528.87	1,059.94	4,271.25	1,465.01	7,325.06
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	528.87	1,059.94	4,826.19	1,603.75	8,018.74
401a2i	CONCRETE CLASS "A2" (Underground)	CM	528.87	1,059.94	4,371.77	1,490.14	7,450.72
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	528.87	1,059.94	4,649.25	1,559.51	7,797.56
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	528.87	1,059.94	5,204.19	1,698.25	8,491.24
401a3i	CONCRETE CLASS "A3" (Underground)	CM	528.87	1,059.94	4,749.77	1,584.64	7,923.22
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	528.87	1,059.94	5,027.25	1,654.01	8,270.06
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	528.87	1,059.94	5,582.19	1,792.75	8,963.74
401b	CONCRETE CLASS "B"	CM	680.22	805.93	3,189.56	1,168.93	5,844.64
401ci	CONCRETE CLASS "C" (Underground)	CM	528.66	500.55	3,514.54	1,135.94	5,679.69
401cii	CONCRETE CLASS "C" (On ground)	CM	528.66	500.55	3,632.88	1,165.52	5,827.61
401ciii	CONCRETE CLASS "C" (Elevated)	CM	528.66	500.55	3,869.57	1,224.69	6,123.47
401d	CONCRETE CLASS "D1"	CM	823.54	1,265.57	5,323.98	1,853.27	9,266.37
401e	CONCRETE CLASS "Y"	CM	1,160.73	500.55	4,788.12	1,612.35	8,061.74
401f	LEAN CONCRETE	CM	448.24	507.52	2,460.14	853.97	4,269.87
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,814.26	947.15	5,002.04	1,940.86	9,704.31
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,814.26	947.15	5,758.04	2,129.86	10,649.31
401gii	PRECAST CONCRETE CLASS "B"	CM	1,814.26	947.15	4,707.64	1,867.26	9,336.31
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,814.26	947.15	6,136.04	2,224.36	11,121.81

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,814.26	947.15	6,514.04	2,318.86	11,594.31
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,814.26	947.15	6,892.04	2,413.36	12,066.81
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,566.72	781.47	59,888.00	15,559.05	77,795.24
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,566.72	781.47	67,238.00	17,396.55	86,982.74
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,264.53	5,393.81	55,809.49	15,616.96	78,084.80
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,693.07	15,659.05	132,548.05	37,725.04	188,625.22
405b	LAUNCHING OF GIRDER	TON	63.41	532.52	-	148.98	744.91
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	115.73	-	299.89	103.91	519.53
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	115.73	-	299.33	103.76	518.82
406c	STEEL EXPANSION JOINTS	KG	9.39	26.40	90.43	31.55	157.76
406d	WATER STOPS 6" SIZE	M	95.19	-	468.25	140.86	704.30
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	46.08	-	3,012.28	764.59	3,822.95
406g	STEEL OR METAL BEARING DEVICES	KG	20.00	69.68	116.46	51.54	257.69
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	341.57	1,654.04	739.82	683.86	3,419.30
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	512.36	2,481.06	1,109.74	1,025.79	5,128.95
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	512.36	2,481.06	849.54	960.74	4,803.70
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	853.94	4,135.11	1,049.87	1,509.73	7,548.64
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	731.95	4,884.94	1,268.94	1,721.46	8,607.28
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,280.91	6,909.78	1,368.91	2,389.90	11,949.49
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,660.53	45,769.30	97,394.62	41,706.11	208,530.56
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,312.25	45,769.30	194,789.24	71,217.70	356,088.50
407j	PILE LOAD TEST UP TO 360 TON	EACH	64,963.98	50,188.38	292,183.86	101,834.06	509,170.28
407k	CONFIRMATORY BORING (NX SIZE)	M	202.85	1,582.02	6.37	447.81	2,239.05
410	BRICK WORK	CM	371.13	282.72	2,763.86	854.43	4,272.14
411a	STONE MASONRY RANDOM DRY	CM	308.40	107.96	575.92	248.07	1,240.35
411b	STONE MASONRY RANDOM WITH MORTAR	CM	334.41	166.68	1,695.82	549.23	2,746.14
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	406.32	107.96	639.09	288.34	1,441.71
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	481.30	166.68	1,746.64	598.65	2,993.27

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	80.62	11.74	45.31	34.42	172.09
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	651.13	264.08	1,651.83	641.76	3,208.80
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	235.04	437.48	646.32	329.71	1,648.55
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	229.78	577.19	837.68	411.16	2,055.81
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	223.19	935.96	1,009.09	542.06	2,710.29
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	234.19	1,146.39	1,560.45	735.26	3,676.29
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	268.47	1,078.41	2,203.52	887.60	4,438.01
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	332.83	1,331.30	3,621.45	1,321.39	6,606.97
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	430.72	1,481.41	4,687.38	1,649.87	8,249.37
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	504.43	1,798.85	5,973.03	2,069.08	10,345.40
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	601.57	2,098.66	9,223.70	2,980.98	14,904.92
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	235.04	507.33	667.61	352.49	1,762.47
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	229.78	577.19	784.69	397.91	1,989.57
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	218.03	935.96	959.94	528.48	2,642.40
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	234.19	1,146.39	1,594.66	743.81	3,719.05
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	268.47	1,078.41	3,029.47	1,094.09	5,470.45
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	332.83	1,331.30	4,447.45	1,527.89	7,639.47
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	430.72	1,481.41	6,209.56	2,030.42	10,152.10
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	504.43	1,798.85	8,419.24	2,680.63	13,403.16
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	601.57	2,098.66	11,839.45	3,634.92	18,174.60
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	89.31	118.93	385.13	148.34	741.71
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	762.72	612.95	3,539.56	1,228.80	6,144.02
507a	STEEL WIRE MESH FOR GABIONS	KG	5.32	-	114.07	29.85	149.24
507b	ROCK FILL IN GABIONS	CM	97.60	-	508.20	151.45	757.25
508a	BRICK PAVING (SINGLE COURSE)	SM	120.81	32.70	205.62	89.78	448.91
508b	BRICK PAVING (DOUBLE COURSE)	SM	218.73	32.70	407.82	164.81	824.06
509a	RIP RAP CLASS "A"	CM	528.67	-	481.11	252.44	1,262.22
509b	RIP RAP CLASS "B"	CM	510.45	-	477.26	246.93	1,234.64
509c	RIP RAP CLASS "C"	CM	515.65	-	481.11	249.19	1,245.95

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	645.44	102.14	1,932.57	670.04	3,350.19
509e	GRouted RIP RAP CLASS "B"	CM	624.68	81.72	1,777.95	621.09	3,105.43
509f	GRouted RIP RAP CLASS "C"	CM	618.49	68.10	1,825.55	628.03	3,140.17
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	840.31	353.02	4,104.56	1,324.47	6,622.36
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	48.88	191.97	394.64	158.87	794.36
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	106.30	390.69	-	124.25	621.24
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	163.19	67.48	78.18	77.21	386.06
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	208.88	86.37	100.07	98.83	494.15
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	268.86	180.32	386.23	208.85	1,044.27
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	336.08	225.40	482.78	261.07	1,305.33
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	280.37	572.25	2,235.38	772.00	3,860.00
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	995.74	670.54	4,086.30	1,438.14	7,190.72
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	144.81	90.27	432.38	166.86	834.32
603	BRICK EDGING	M	9.31	-	32.16	10.37	51.83
604a	METAL GUARD RAIL	M	18.27	70.84	1,579.36	417.12	2,085.59
604b	METAL GUARD RAIL END PIECES	EACH	24.73	-	1,197.58	305.58	1,527.89
604d	STEEL POST OF METAL GUARD RAIL	EACH	82.76	976.73	3,776.31	1,208.95	6,044.75
605a	CONCRETE BEAM GUARD RAIL	M	77.81	30.82	592.66	175.32	876.62
605c	CONCRETE POST FOR GUARD RAIL	M	95.54	27.36	593.18	179.02	895.10
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	246.00	255.15	6,847.85	1,837.25	9,186.24
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	74.84	382.72	9,254.54	2,428.03	12,140.13
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	246.00	541.89	11,882.41	3,167.57	15,837.87
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	802.44	598.64	20,956.54	5,589.41	27,947.04
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	160.49	119.73	9,217.70	2,374.48	11,872.40
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	270.90	-	1,305.76	394.16	1,970.82
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	270.90	-	1,958.63	557.38	2,786.92
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.74	5.86	16.17	6.19	30.96
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.91	4.03	39.75	11.17	55.87
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.74	5.86	21.58	7.54	37.72

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Muzafargarh

District Code: 47

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.91	4.03	53.02	14.49	72.45
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	77.05	5.22	156.26	59.63	298.15
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	77.05	9.98	500.94	146.99	734.96
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.42	8.59	22.49	8.62	43.12
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.42	9.63	67.50	20.14	100.70
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.42	6.95	29.98	10.09	50.44
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.42	9.63	90.01	25.76	128.82
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	77.05	3.73	217.12	74.47	372.36
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	77.05	7.90	851.20	234.04	1,170.18
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	64.04	3.73	104.17	42.98	214.92
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	64.04	7.90	334.46	101.60	508.00
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	64.04	3.73	144.74	53.13	265.63
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	64.04	7.90	568.32	160.06	800.32
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.86	81.62	193.92	71.35	356.75
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.86	81.62	233.92	81.35	406.74
610b	RIGHT OF WAY MARKER	EACH	107.19	121.33	302.00	132.63	663.15
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	663.35	976.31	2,032.39	918.01	4,590.06
610d	TEN KILOMETRE POST	EACH	1,266.01	1,952.61	4,457.98	1,919.15	9,595.74
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	136.56	91.00	951.85	294.85	1,474.27

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

MANDI BAHA UDIN
(47-A)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.82	10.10	-	2.73	13.66
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.17	173.32	1.17	45.66	228.32
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	23.59	456.54	2.63	120.69	603.45
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	94.38	1,826.16	10.51	482.76	2,413.81
103	STRIPPING	CM	2.75	93.22	-	23.99	119.95
104	COMPACTION OF NATURAL GROUND	SM	0.39	9.91	0.76	2.77	13.83
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.83	135.76	-	35.15	175.74
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	141.61	316.30	50.82	127.18	635.91
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.64	337.99	-	89.41	447.05
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.81	262.40	-	68.80	344.00
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.95	120.27	-	31.06	155.28
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	141.61	316.30	50.82	127.18	635.91
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	22.58	316.03	-	84.65	423.27
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.88	263.92	-	68.45	342.26
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.77	137.60	0.38	36.44	182.19
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	67.05	287.11	70.80	106.24	531.21
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	125.47	427.01	33.88	146.59	732.95
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	106.55	292.53	-	99.77	498.85
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	64.53	238.86	-	75.85	379.24
107d	GRANULAR BACK FILL	CM	38.77	137.14	444.86	155.19	775.97
107e	COMMON BACK FILL	CM	28.81	62.84	5.09	24.18	120.92
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.65	174.71	5.09	46.86	234.31
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	22.60	482.48	54.04	139.78	698.90
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	16.95	416.71	2.42	109.02	545.10
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.06	369.34	-	96.10	480.51
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.81	177.46	7.94	48.55	242.75
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.85	76.32	5.09	22.07	110.33
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.07	110.29	3.03	32.35	161.73
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.54	27.34	1.46	7.58	37.92

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.10	18.21	0.77	5.02	25.10
110	IMPROVED SUB-GRADE	CM	11.14	120.02	58.10	47.32	236.58
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.93	15.26	0.79	4.25	21.23
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.37	15.57	0.90	4.46	22.29
201	GRANULAR SUB-BASE	CM	8.96	255.06	614.07	219.52	1,097.61
202	AGGREGATE BASE	CM	10.65	326.54	862.13	299.83	1,499.16
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	83.10	1,510.17	6,049.75	1,910.76	9,553.78
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	85.96	1,510.17	6,438.73	2,008.71	10,043.57
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	91.69	1,577.28	6,040.66	1,927.41	9,637.04
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	91.69	1,571.31	6,581.12	2,061.03	10,305.14
204b	CEMENT STABILIZED BASE	CM	32.69	569.10	1,244.99	461.70	2,308.48
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	266.24	915.38	50,726.07	12,976.92	64,884.61
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	266.24	915.38	49,147.94	12,582.39	62,911.94
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	108.87	112.80	1,112.37	333.51	1,667.54
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	168.14	2,437.94	5,779.36	2,096.36	10,481.80
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	120.91	126.27	794.67	260.46	1,302.32
207a	DEEP PATCHING (0-15 cm)	SM	1.90	45.04	1.26	12.05	60.24
207b	DEEP PATCHING (16-30 cm)	SM	1.90	39.67	1.26	10.71	53.54
208	REINSTATEMENT OF ROAD SURFACE	SM	2.09	57.10	0.56	14.94	74.69
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.20	110.61	0.68	28.37	141.86
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.44	22.12	0.14	5.67	28.37
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	36.00	9.48	47.38
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.32	1.57	40.19	10.52	52.60
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.07	3.94	19.72
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.58	4.57	22.86
304a	SINGLE SURFACE TREATMENT	SM	0.87	7.57	72.46	20.23	101.14
304b	DOUBLE SURFACE TREATMENT	SM	1.26	14.15	141.33	39.19	195.93
304c	TRIPLE SURFACE TREATMENT	SM	2.12	19.94	161.34	45.85	229.25
304d	SEAL COAT	SM	0.81	4.12	51.11	14.01	70.05

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	77.86	1,489.33	7,041.26	2,152.11	10,760.57
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	77.86	1,438.23	7,586.33	2,275.61	11,378.03
307a	DENSE GRADED HOT BIT-MAC	CM	192.24	379.77	5,824.36	1,599.09	7,995.46
307b	OPEN GRADED HOT BIT-MAC	CM	192.24	379.77	5,670.75	1,560.69	7,803.45
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	32.40	590.65	2,054.63	669.42	3,347.09
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	28.63	650.70	42,736.72	10,854.01	54,270.06
309a	COLD MILLING, 0 - 30 mm	SM	1.08	24.99	8.68	8.69	43.43
309b	COLD MILLING, 0 - 50 mm	SM	1.80	41.65	14.46	14.48	72.39
309c	COLD MILLING, 0 - 70 mm	SM	2.69	62.48	21.69	21.72	108.58
401a1i	CONCRETE CLASS "A1" (Underground)	CM	549.66	1,059.94	4,105.90	1,428.87	7,144.36
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	549.66	1,059.94	4,383.37	1,498.24	7,491.20
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	549.66	1,059.94	4,938.31	1,636.98	8,184.88
401a2i	CONCRETE CLASS "A2" (Underground)	CM	549.66	1,059.94	4,483.90	1,523.37	7,616.86
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	549.66	1,059.94	4,761.37	1,592.74	7,963.70
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	549.66	1,059.94	5,316.31	1,731.48	8,657.38
401a3i	CONCRETE CLASS "A3" (Underground)	CM	549.66	1,059.94	4,861.90	1,617.87	8,089.36
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	549.66	1,059.94	5,139.37	1,687.24	8,436.20
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	549.66	1,059.94	5,694.31	1,825.98	9,129.88
401b	CONCRETE CLASS "B"	CM	742.36	805.93	3,342.97	1,222.81	6,114.07
401ci	CONCRETE CLASS "C" (Underground)	CM	551.05	500.55	3,697.95	1,187.39	5,936.93
401cii	CONCRETE CLASS "C" (On ground)	CM	551.05	500.55	3,816.29	1,216.97	6,084.86
401ciii	CONCRETE CLASS "C" (Elevated)	CM	551.05	500.55	4,052.97	1,276.14	6,380.71
401d	CONCRETE CLASS "D1"	CM	828.88	1,265.57	5,433.02	1,881.87	9,409.34
401e	CONCRETE CLASS "Y"	CM	1,156.96	500.55	4,880.55	1,634.51	8,172.57
401f	LEAN CONCRETE	CM	490.83	507.52	2,614.08	903.11	4,515.53
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,902.32	947.15	5,121.42	1,992.72	9,963.62
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,902.32	947.15	5,877.42	2,181.72	10,908.62
401gii	PRECAST CONCRETE CLASS "B"	CM	1,902.32	947.15	4,884.66	1,933.53	9,667.67
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,902.32	947.15	6,255.42	2,276.22	11,381.12

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,902.32	947.15	6,633.42	2,370.72	11,853.62
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,902.32	947.15	7,011.42	2,465.22	12,326.12
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,581.93	781.47	59,888.00	15,562.85	77,814.26
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,581.93	781.47	67,238.00	17,400.35	87,001.76
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,297.71	5,393.81	55,672.21	15,590.93	77,954.67
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,411.10	15,659.05	132,555.31	37,906.36	189,531.82
405b	LAUNCHING OF GIRDER	TON	80.72	532.52	-	153.31	766.56
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	120.68	-	292.53	103.30	516.51
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	120.68	-	292.43	103.28	516.39
406c	STEEL EXPANSION JOINTS	KG	9.68	26.40	90.50	31.64	158.22
406d	WATER STOPS 6" SIZE	M	97.93	-	471.09	142.26	711.28
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	48.33	-	2,980.54	757.22	3,786.08
406g	STEEL OR METAL BEARING DEVICES	KG	22.58	69.68	116.49	52.19	260.94
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	433.65	1,654.04	719.51	701.80	3,509.00
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	650.48	2,481.06	1,079.26	1,052.70	5,263.50
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	650.48	2,481.06	819.06	987.65	4,938.25
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,084.13	4,135.11	999.07	1,554.58	7,772.88
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	929.25	4,884.94	1,181.87	1,749.02	8,745.08
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,626.19	6,909.78	1,292.72	2,457.17	12,285.86
407h	PILE LOAD TEST UP TO 120 TON	EACH	27,083.42	45,769.30	93,106.38	41,489.78	207,448.89
407i	PILE LOAD TEST UP TO 240 TON	EACH	50,519.96	45,769.30	186,212.76	70,625.51	353,127.54
407j	PILE LOAD TEST UP TO 360 TON	EACH	73,956.50	50,188.38	279,319.14	100,866.01	504,330.04
407k	CONFIRMATORY BORING (NX SIZE)	M	247.38	1,582.02	6.37	458.94	2,294.72
410	BRICK WORK	CM	384.39	282.72	2,759.29	856.60	4,283.01
411a	STONE MASONRY RANDOM DRY	CM	323.27	107.96	690.22	280.36	1,401.81
411b	STONE MASONRY RANDOM WITH MORTAR	CM	348.16	166.68	1,741.91	564.19	2,820.94
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	425.13	107.96	762.53	323.91	1,619.53
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	500.95	166.68	1,818.92	621.64	3,108.20

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	82.31	11.74	44.17	34.56	172.78
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	679.79	264.08	1,724.12	667.00	3,334.99
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	262.84	437.48	644.19	336.13	1,680.63
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	256.46	577.19	835.12	417.19	2,085.96
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	249.01	935.96	1,006.10	547.77	2,738.84
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	261.89	1,146.39	1,556.96	741.31	3,706.55
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	301.83	1,078.41	2,200.03	895.07	4,475.35
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	374.39	1,331.30	3,616.42	1,330.53	6,652.64
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	484.51	1,481.41	4,682.36	1,662.07	8,310.35
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	570.55	1,798.85	5,966.94	2,084.09	10,420.44
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	676.62	2,098.66	9,216.60	2,997.97	14,989.85
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	262.84	507.33	663.34	358.38	1,791.89
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	256.46	577.19	782.13	403.95	2,019.73
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	243.15	935.96	956.95	534.02	2,670.08
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	261.89	1,146.39	1,591.95	750.06	3,750.28
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	301.83	1,078.41	3,025.59	1,101.46	5,507.30
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	374.39	1,331.30	4,442.42	1,537.03	7,685.14
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	484.51	1,481.41	6,204.54	2,042.61	10,213.07
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	570.55	1,798.85	8,413.15	2,695.64	13,478.20
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	676.62	2,098.66	11,832.34	3,651.91	18,259.53
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	102.12	118.93	326.66	136.93	684.63
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	815.67	612.95	3,692.97	1,280.40	6,401.99
507a	STEEL WIRE MESH FOR GABIONS	KG	5.69	-	113.80	29.87	149.36
507b	ROCK FILL IN GABIONS	CM	110.98	-	508.20	154.80	773.98
508a	BRICK PAVING (SINGLE COURSE)	SM	127.87	32.70	208.83	92.35	461.76
508b	BRICK PAVING (DOUBLE COURSE)	SM	229.74	32.70	414.73	169.29	846.46
509a	RIP RAP CLASS "A"	CM	554.54	-	595.41	287.49	1,437.44
509b	RIP RAP CLASS "B"	CM	535.54	-	590.65	281.55	1,407.74
509c	RIP RAP CLASS "C"	CM	539.47	-	595.41	283.72	1,418.60

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	678.37	102.14	1,987.92	692.11	3,460.55
509e	GRouted RIP RAP CLASS "B"	CM	654.52	81.72	1,838.47	643.68	3,218.38
509f	GRouted RIP RAP CLASS "C"	CM	647.30	68.10	1,887.01	650.60	3,253.00
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	898.09	353.02	4,250.03	1,375.29	6,876.43
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	55.27	191.97	444.58	172.96	864.79
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	129.65	390.69	-	130.09	650.43
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	173.01	67.48	96.75	84.31	421.55
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	221.45	86.37	123.85	107.92	539.58
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	282.11	180.32	386.45	212.22	1,061.11
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	352.64	225.40	483.06	265.28	1,326.39
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	291.52	572.25	2,293.50	789.32	3,946.59
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,042.22	670.54	4,148.37	1,465.28	7,326.41
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	152.36	90.27	444.85	171.87	859.34
603	BRICK EDGING	M	10.05	-	33.12	10.79	53.96
604a	METAL GUARD RAIL	M	22.57	70.84	1,579.36	418.19	2,090.97
604b	METAL GUARD RAIL END PIECES	EACH	30.79	-	1,197.58	307.09	1,535.45
604d	STEEL POST OF METAL GUARD RAIL	EACH	101.93	976.73	3,776.31	1,213.74	6,068.71
605a	CONCRETE BEAM GUARD RAIL	M	83.92	30.82	597.11	177.96	889.81
605c	CONCRETE POST FOR GUARD RAIL	M	103.04	27.36	598.52	182.23	911.15
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	267.53	255.15	6,872.32	1,848.75	9,243.74
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	77.70	382.72	9,277.13	2,434.39	12,171.94
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	267.53	541.89	11,917.67	3,181.77	15,908.85
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	882.27	598.64	21,002.86	5,620.94	28,104.72
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	176.45	119.73	9,219.09	2,378.82	11,894.09
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	288.29	-	1,303.39	397.92	1,989.60
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	288.29	-	1,955.09	560.84	2,804.22
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.02	5.86	16.15	6.26	31.29
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.01	4.03	39.61	11.16	55.81
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.02	5.86	21.56	7.61	38.04

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Mandi baha udin

District Code: 47-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.01	4.03	52.83	14.47	72.33
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	73.32	5.22	156.10	58.66	293.28
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	73.32	9.98	499.15	145.61	728.06
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.77	8.59	22.47	8.71	43.54
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.77	9.63	67.50	20.23	101.13
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.77	6.95	29.96	10.17	50.85
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.77	9.63	90.01	25.85	129.26
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	73.32	3.73	216.95	73.50	367.49
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	73.32	7.90	851.20	233.10	1,165.52
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	61.83	3.73	104.06	42.40	212.02
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	61.83	7.90	333.27	100.75	503.74
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	61.83	3.73	144.64	52.55	262.73
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	61.83	7.90	568.32	159.51	797.56
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.97	81.62	193.83	71.36	356.78
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.97	81.62	233.83	81.35	406.77
610b	RIGHT OF WAY MARKER	EACH	118.61	121.33	306.58	136.63	683.15
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	696.74	976.31	2,067.79	935.21	4,676.05
610d	TEN KILOMETRE POST	EACH	1,332.22	1,952.61	4,532.67	1,954.37	9,771.87
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	150.67	91.00	958.59	300.07	1,500.34

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

NAROWAL
(49-A)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.91	10.10	-	2.75	13.76
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.70	173.32	1.17	45.80	228.99
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	25.70	456.54	2.63	121.22	606.09
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	102.82	1,826.16	10.51	484.87	2,424.36
103	STRIPPING	CM	2.84	93.22	-	24.01	120.07
104	COMPACTION OF NATURAL GROUND	SM	0.40	9.91	0.76	2.77	13.83
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.15	135.76	-	34.98	174.89
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	133.49	316.30	50.82	125.15	625.76
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.43	337.99	-	89.36	446.78
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.57	262.40	-	68.74	343.71
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.40	120.27	-	30.92	154.58
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	133.49	316.30	50.82	125.15	625.76
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	21.16	316.03	-	84.30	421.49
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.74	263.92	-	68.41	342.07
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.11	137.60	0.38	36.27	181.36
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	69.31	287.11	70.80	106.81	534.04
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	117.55	427.01	33.88	144.61	723.05
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	100.54	292.53	-	98.27	491.34
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	60.45	238.86	-	74.83	374.15
107d	GRANULAR BACK FILL	CM	39.31	137.14	458.26	158.68	793.39
107e	COMMON BACK FILL	CM	31.90	62.84	5.09	24.96	124.79
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.34	174.71	5.09	46.78	233.92
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	22.47	482.48	54.04	139.75	698.75
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	16.86	416.71	2.42	109.00	544.98
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.98	369.34	-	96.08	480.41
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.70	177.46	7.94	48.52	242.62
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.68	76.32	5.09	22.02	110.11
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.36	110.29	3.03	32.42	162.10
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.49	27.34	1.46	7.57	37.86

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.06	18.21	0.77	5.01	25.06
110	IMPROVED SUB-GRADE	CM	11.23	120.02	58.10	47.34	236.69
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.94	15.26	0.79	4.25	21.25
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.38	15.57	0.90	4.46	22.31
201	GRANULAR SUB-BASE	CM	8.88	255.06	686.54	237.62	1,188.10
202	AGGREGATE BASE	CM	10.17	326.54	921.81	314.63	1,573.15
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	89.50	1,510.17	6,315.10	1,978.69	9,893.46
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	91.86	1,510.17	6,689.19	2,072.81	10,364.03
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	98.07	1,577.28	6,306.39	1,995.44	9,977.19
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	98.07	1,571.31	6,831.32	2,125.17	10,625.87
204b	CEMENT STABILIZED BASE	CM	32.08	569.10	1,507.93	527.28	2,636.40
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	259.62	915.38	50,983.62	13,039.65	65,198.26
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	259.62	915.38	49,405.49	12,645.12	63,225.60
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	123.53	112.80	1,304.48	385.20	1,926.01
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	174.73	2,437.94	6,033.45	2,161.53	10,807.66
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	137.75	126.27	813.60	269.40	1,347.02
207a	DEEP PATCHING (0-15 cm)	SM	1.88	45.04	1.26	12.04	60.21
207b	DEEP PATCHING (16-30 cm)	SM	1.88	39.67	1.26	10.70	53.51
208	REINSTATEMENT OF ROAD SURFACE	SM	2.05	57.10	0.56	14.93	74.64
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.07	110.61	0.68	28.34	141.71
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.34
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.32	1.57	36.18	9.52	47.59
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	40.39	10.57	52.84
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.14	3.96	19.81
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.67	4.59	22.97
304a	SINGLE SURFACE TREATMENT	SM	0.81	7.57	73.89	20.57	102.85
304b	DOUBLE SURFACE TREATMENT	SM	1.18	14.15	145.03	40.09	200.45
304c	TRIPLE SURFACE TREATMENT	SM	1.97	19.94	165.69	46.90	234.50
304d	SEAL COAT	SM	0.74	4.12	51.96	14.21	71.03

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	81.91	1,489.33	7,309.47	2,220.18	11,100.88
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	81.91	1,438.23	7,870.93	2,347.77	11,738.83
307a	DENSE GRADED HOT BIT-MAC	CM	205.12	379.77	6,075.39	1,665.07	8,325.35
307b	OPEN GRADED HOT BIT-MAC	CM	205.12	379.77	5,910.50	1,623.85	8,119.25
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	33.72	590.65	2,097.36	680.43	3,402.17
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	28.70	650.70	43,001.92	10,920.33	54,601.65
309a	COLD MILLING, 0 - 30 mm	SM	1.05	24.99	8.68	8.68	43.40
309b	COLD MILLING, 0 - 50 mm	SM	1.76	41.65	14.46	14.47	72.34
309c	COLD MILLING, 0 - 70 mm	SM	2.64	62.48	21.69	21.70	108.51
401a1i	CONCRETE CLASS "A1" (Underground)	CM	578.77	1,059.94	4,487.15	1,531.46	7,657.32
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	578.77	1,059.94	4,764.62	1,600.83	8,004.16
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	578.77	1,059.94	5,319.56	1,739.57	8,697.84
401a2i	CONCRETE CLASS "A2" (Underground)	CM	578.77	1,059.94	4,865.15	1,625.96	8,129.82
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	578.77	1,059.94	5,142.62	1,695.33	8,476.66
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	578.77	1,059.94	5,697.56	1,834.07	9,170.34
401a3i	CONCRETE CLASS "A3" (Underground)	CM	578.77	1,059.94	5,243.15	1,720.46	8,602.32
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	578.77	1,059.94	5,520.62	1,789.83	8,949.16
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	578.77	1,059.94	6,075.56	1,928.57	9,642.84
401b	CONCRETE CLASS "B"	CM	772.41	805.93	3,730.68	1,327.25	6,636.27
401ci	CONCRETE CLASS "C" (Underground)	CM	593.80	500.55	4,112.25	1,301.65	6,508.24
401cii	CONCRETE CLASS "C" (On ground)	CM	593.80	500.55	4,230.59	1,331.23	6,656.17
401ciii	CONCRETE CLASS "C" (Elevated)	CM	593.80	500.55	4,467.28	1,390.41	6,952.03
401d	CONCRETE CLASS "D1"	CM	892.29	1,265.57	5,778.18	1,984.01	9,920.04
401e	CONCRETE CLASS "Y"	CM	1,267.54	500.55	5,234.86	1,750.74	8,753.68
401f	LEAN CONCRETE	CM	540.92	507.52	3,001.93	1,012.59	5,062.96
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,076.55	947.15	5,538.64	2,140.59	10,702.93
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,076.55	947.15	6,294.64	2,329.59	11,647.93
401gii	PRECAST CONCRETE CLASS "B"	CM	2,076.55	947.15	5,288.09	2,077.95	10,389.74
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,076.55	947.15	6,672.64	2,424.09	12,120.43

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,076.55	947.15	7,050.64	2,518.59	12,592.93
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,076.55	947.15	7,428.64	2,613.09	13,065.43
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,665.17	781.47	59,888.00	15,583.66	77,918.30
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,665.17	781.47	67,238.00	17,421.16	87,105.80
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,343.98	5,393.81	55,622.35	15,590.04	77,950.19
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,432.01	15,659.05	132,559.83	37,912.72	189,563.61
405b	LAUNCHING OF GIRDER	TON	82.87	532.52	-	153.85	769.24
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	129.74	-	290.40	105.04	525.18
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	129.74	-	290.49	105.06	525.29
406c	STEEL EXPANSION JOINTS	KG	10.27	26.40	90.58	31.81	159.06
406d	WATER STOPS 6" SIZE	M	107.04	-	470.55	144.40	721.98
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	49.76	-	2,982.46	758.05	3,790.27
406g	STEEL OR METAL BEARING DEVICES	KG	22.90	69.68	116.55	52.28	261.41
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	455.29	1,654.04	707.67	704.25	3,521.26
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	682.93	2,481.06	1,061.51	1,056.38	5,281.88
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	682.93	2,481.06	801.31	991.33	4,956.63
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,138.22	4,135.11	969.49	1,560.70	7,803.52
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	975.62	4,884.94	1,131.15	1,747.93	8,739.64
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,707.33	6,909.78	1,248.35	2,466.36	12,331.82
407h	PILE LOAD TEST UP TO 120 TON	EACH	30,581.20	45,769.30	93,725.02	42,518.88	212,594.40
407i	PILE LOAD TEST UP TO 240 TON	EACH	58,153.60	45,769.30	187,450.04	72,843.24	364,216.18
407j	PILE LOAD TEST UP TO 360 TON	EACH	85,726.00	50,188.38	281,175.06	104,272.36	521,361.80
407k	CONFIRMATORY BORING (NX SIZE)	M	272.74	1,582.02	6.37	465.28	2,326.41
410	BRICK WORK	CM	417.31	282.72	2,907.41	901.86	4,509.30
411a	STONE MASONRY RANDOM DRY	CM	352.93	107.96	818.31	319.80	1,598.99
411b	STONE MASONRY RANDOM WITH MORTAR	CM	378.77	166.68	2,055.14	650.15	3,250.75
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	465.89	107.96	900.86	368.68	1,843.40
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	548.22	166.68	2,096.12	702.76	3,513.78

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	89.51	11.74	47.27	37.13	185.66
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	748.31	264.08	2,001.31	753.43	3,767.13
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	294.27	437.48	649.97	345.43	1,727.16
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	289.02	577.19	842.06	427.07	2,135.33
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	272.62	935.96	1,014.20	555.70	2,778.48
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	289.61	1,146.39	1,802.23	809.56	4,047.80
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	330.89	1,078.41	2,330.88	935.05	4,675.23
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	405.65	1,331.30	3,722.50	1,364.86	6,824.31
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	524.96	1,481.41	4,695.97	1,675.59	8,377.93
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	618.99	1,798.85	5,983.47	2,100.33	10,501.64
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	732.20	2,098.66	9,235.88	3,016.69	15,083.43
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	294.27	507.33	674.91	369.13	1,845.65
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	289.02	577.19	789.07	413.82	2,069.09
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	265.73	935.96	965.05	541.68	2,708.42
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	289.61	1,146.39	1,599.31	758.83	3,794.14
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	330.89	1,078.41	3,036.11	1,111.35	5,556.77
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	405.65	1,331.30	4,456.09	1,548.26	7,741.30
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	524.96	1,481.41	6,218.15	2,056.13	10,280.65
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	618.99	1,798.85	8,429.68	2,711.88	13,559.40
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	732.20	2,098.66	11,851.63	3,670.62	18,353.11
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	110.97	118.93	344.45	143.59	717.94
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	857.17	612.95	4,080.68	1,387.70	6,938.50
507a	STEEL WIRE MESH FOR GABIONS	KG	5.89	-	113.80	29.92	149.61
507b	ROCK FILL IN GABIONS	CM	124.39	-	522.32	161.68	808.38
508a	BRICK PAVING (SINGLE COURSE)	SM	140.39	32.70	209.18	95.57	477.84
508b	BRICK PAVING (DOUBLE COURSE)	SM	253.36	32.70	415.36	175.35	876.77
509a	RIP RAP CLASS "A"	CM	605.61	-	723.50	332.28	1,661.38
509b	RIP RAP CLASS "B"	CM	587.11	-	717.71	326.21	1,631.03
509c	RIP RAP CLASS "C"	CM	592.01	-	723.50	328.88	1,644.39

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	741.27	102.14	2,231.73	768.79	3,843.93
509e	GRouted RIP RAP CLASS "B"	CM	716.32	81.72	2,069.21	716.81	3,584.06
509f	GRouted RIP RAP CLASS "C"	CM	709.90	68.10	2,123.10	725.27	3,626.37
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	987.37	353.02	4,616.57	1,489.24	7,446.21
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	61.58	191.97	457.97	177.88	889.40
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	143.57	390.69	-	133.57	667.83
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	188.96	67.48	117.57	93.50	467.51
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	241.87	86.37	150.49	119.68	598.41
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	307.73	180.32	433.62	230.42	1,152.09
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	384.67	225.40	542.02	288.02	1,440.12
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	306.96	572.25	2,491.93	842.78	4,213.92
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,136.14	670.54	4,365.33	1,543.00	7,715.00
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	165.91	90.27	484.62	185.20	926.00
603	BRICK EDGING	M	11.00	-	33.12	11.03	55.15
604a	METAL GUARD RAIL	M	24.23	70.84	1,579.36	418.61	2,093.04
604b	METAL GUARD RAIL END PIECES	EACH	33.98	-	1,197.58	307.89	1,539.44
604d	STEEL POST OF METAL GUARD RAIL	EACH	105.45	976.73	3,776.31	1,214.62	6,073.11
605a	CONCRETE BEAM GUARD RAIL	M	94.51	30.82	611.81	184.28	921.42
605c	CONCRETE POST FOR GUARD RAIL	M	116.04	27.36	616.49	189.97	949.87
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	287.76	255.15	6,889.63	1,858.14	9,290.68
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	87.36	382.72	9,342.65	2,453.18	12,265.91
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	287.76	541.89	12,029.89	3,214.88	16,074.41
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	993.81	598.64	21,168.40	5,690.21	28,451.06
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	198.76	119.73	9,248.85	2,391.83	11,959.17
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	285.12	-	1,302.39	396.88	1,984.39
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	285.12	-	1,953.58	559.68	2,798.38
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.29	5.86	16.15	6.33	31.63
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.10	4.03	39.56	11.17	55.86
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.29	5.86	21.55	7.68	38.38

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Narowal

District Code: 49-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.10	4.03	52.76	14.47	72.36
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	79.60	5.22	156.07	60.22	301.10
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	79.60	9.98	498.49	147.02	735.08
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.12	8.59	22.47	8.79	43.97
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.12	9.63	67.50	20.31	101.57
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.12	6.95	29.96	10.26	51.28
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.12	9.63	90.01	25.94	129.69
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	79.60	3.73	216.93	75.06	375.31
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	79.60	7.90	851.20	234.67	1,173.37
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	67.19	3.73	104.05	43.74	218.70
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	67.19	7.90	332.83	101.98	509.89
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	67.19	3.73	144.62	53.88	269.42
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	67.19	7.90	568.32	160.85	804.26
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	11.14	81.62	194.06	71.71	358.53
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	11.14	81.62	234.06	81.70	408.52
610b	RIGHT OF WAY MARKER	EACH	134.74	121.33	322.32	144.60	722.98
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	774.48	976.31	2,200.62	987.85	4,939.26
610d	TEN KILOMETRE POST	EACH	1,486.93	1,952.61	4,789.87	2,057.35	10,286.77
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	165.38	91.00	977.95	308.58	1,542.91

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

OKARA

(50)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.70	10.10	-	2.70	13.50
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.81	173.32	1.17	45.32	226.62
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	19.92	456.54	2.63	119.77	598.86
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	79.68	1,826.16	10.51	479.09	2,395.44
103	STRIPPING	CM	2.31	93.22	-	23.88	119.42
104	COMPACTION OF NATURAL GROUND	SM	0.33	9.91	0.76	2.75	13.74
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.66	135.76	-	34.85	174.27
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	113.53	316.30	50.82	120.16	600.81
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.22	337.99	-	88.55	442.77
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.60	262.40	-	68.25	341.24
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	2.99	120.27	-	30.82	154.08
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	113.53	316.30	50.82	120.16	600.81
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.03	316.03	-	83.52	417.58
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.17	263.92	-	68.02	340.11
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.23	137.60	0.38	36.05	180.26
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	55.90	287.11	70.80	103.45	517.27
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	100.16	427.01	33.88	140.26	701.32
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	85.37	292.53	-	94.48	472.38
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	51.51	238.86	-	72.59	362.97
107d	GRANULAR BACK FILL	CM	31.84	137.14	474.36	160.84	804.18
107e	COMMON BACK FILL	CM	24.67	62.84	5.09	23.15	115.75
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.25	174.71	5.09	46.51	232.56
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	18.67	482.48	54.04	138.80	693.99
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.00	416.71	2.42	108.28	541.41
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.45	369.34	-	95.45	477.24
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.27	177.46	7.94	48.17	240.83
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.65	76.32	5.09	21.76	108.82
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.45	110.29	3.03	31.69	158.46
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.26	27.34	1.46	7.51	37.57

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.90	18.21	0.77	4.97	24.85
110	IMPROVED SUB-GRADE	CM	9.16	120.02	58.10	46.82	234.10
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.78	15.26	0.79	4.21	21.04
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.15	15.57	0.90	4.40	22.02
201	GRANULAR SUB-BASE	CM	7.34	255.06	642.94	226.34	1,131.68
202	AGGREGATE BASE	CM	8.36	326.54	1,036.59	342.87	1,714.37
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	70.24	1,510.17	6,121.89	1,925.57	9,627.86
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	72.38	1,510.17	6,549.51	2,033.01	10,165.07
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	77.51	1,577.28	6,112.98	1,941.94	9,709.72
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	77.51	1,571.31	6,692.74	2,085.39	10,426.94
204b	CEMENT STABILIZED BASE	CM	26.05	569.10	1,228.32	455.87	2,279.34
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	219.37	915.38	51,292.68	13,106.86	65,534.28
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	219.37	915.38	49,714.55	12,712.32	63,561.62
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	94.73	112.80	1,246.83	363.59	1,817.95
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	140.27	2,437.94	5,936.57	2,128.70	10,643.48
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	105.11	126.27	987.98	304.84	1,524.20
207a	DEEP PATCHING (0-15 cm)	SM	1.58	45.04	1.26	11.97	59.84
207b	DEEP PATCHING (16-30 cm)	SM	1.58	39.67	1.26	10.63	53.14
208	REINSTATEMENT OF ROAD SURFACE	SM	1.66	57.10	0.56	14.83	74.15
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.82	110.61	0.68	28.28	141.39
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.36	22.12	0.14	5.66	28.28
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	36.40	9.56	47.81
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	40.64	10.62	53.08
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.24	3.98	19.90
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.77	4.62	23.08
304a	SINGLE SURFACE TREATMENT	SM	0.69	7.57	73.75	20.50	102.51
304b	DOUBLE SURFACE TREATMENT	SM	1.01	14.15	144.73	39.97	199.87
304c	TRIPLE SURFACE TREATMENT	SM	1.69	19.94	165.20	46.71	233.54
304d	SEAL COAT	SM	0.64	4.12	51.36	14.03	70.15

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	65.08	1,489.33	7,140.30	2,173.68	10,868.38
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	65.08	1,438.23	7,682.82	2,296.53	11,482.66
307a	DENSE GRADED HOT BIT-MAC	CM	161.07	379.77	5,882.59	1,605.86	8,029.29
307b	OPEN GRADED HOT BIT-MAC	CM	161.07	379.77	5,785.90	1,581.68	7,908.42
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	26.93	590.65	2,093.72	677.82	3,389.12
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	23.39	650.70	43,320.16	10,998.56	54,992.81
309a	COLD MILLING, 0 - 30 mm	SM	0.86	24.99	8.68	8.63	43.16
309b	COLD MILLING, 0 - 50 mm	SM	1.43	41.65	14.46	14.39	71.93
309c	COLD MILLING, 0 - 70 mm	SM	2.14	62.48	21.69	21.58	107.89
401a1i	CONCRETE CLASS "A1" (Underground)	CM	448.89	1,059.94	4,287.68	1,449.13	7,245.64
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	448.89	1,059.94	4,565.16	1,518.50	7,592.48
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	448.89	1,059.94	5,120.10	1,657.23	8,286.16
401a2i	CONCRETE CLASS "A2" (Underground)	CM	448.89	1,059.94	4,665.68	1,543.63	7,718.14
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	448.89	1,059.94	4,943.16	1,613.00	8,064.98
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	448.89	1,059.94	5,498.10	1,751.73	8,758.66
401a3i	CONCRETE CLASS "A3" (Underground)	CM	448.89	1,059.94	5,043.68	1,638.13	8,190.64
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	448.89	1,059.94	5,321.16	1,707.50	8,537.48
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	448.89	1,059.94	5,876.10	1,846.23	9,231.16
401b	CONCRETE CLASS "B"	CM	608.32	805.93	3,658.14	1,268.10	6,340.49
401ci	CONCRETE CLASS "C" (Underground)	CM	455.61	500.55	3,963.88	1,230.01	6,150.05
401cii	CONCRETE CLASS "C" (On ground)	CM	455.61	500.55	4,082.22	1,259.59	6,297.97
401ciii	CONCRETE CLASS "C" (Elevated)	CM	455.61	500.55	4,318.91	1,318.77	6,593.83
401d	CONCRETE CLASS "D1"	CM	680.82	1,265.57	5,612.08	1,889.62	9,448.08
401e	CONCRETE CLASS "Y"	CM	958.74	500.55	5,010.40	1,617.42	8,087.11
401f	LEAN CONCRETE	CM	416.21	507.52	2,930.64	963.59	4,817.96
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,579.84	947.15	5,309.14	1,959.03	9,795.16
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,579.84	947.15	6,065.14	2,148.03	10,740.16
401gii	PRECAST CONCRETE CLASS "B"	CM	1,579.84	947.15	5,209.03	1,934.01	9,670.03
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,579.84	947.15	6,443.14	2,242.53	11,212.66

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,579.84	947.15	6,821.14	2,337.03	11,685.16
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,579.84	947.15	7,199.14	2,431.53	12,157.66
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,286.86	781.47	59,888.00	15,489.08	77,445.42
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,286.86	781.47	67,238.00	17,326.58	86,632.92
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,053.59	5,393.81	55,668.85	15,529.06	77,645.31
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,790.98	15,659.05	132,551.55	37,750.39	188,751.97
405b	LAUNCHING OF GIRDER	TON	66.67	532.52	-	149.80	748.99
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	99.92	-	291.78	97.92	489.62
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	99.92	-	291.78	97.92	489.62
406c	STEEL EXPANSION JOINTS	KG	7.97	26.40	90.58	31.24	156.18
406d	WATER STOPS 6" SIZE	M	81.58	-	469.47	137.76	688.80
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	38.45	-	2,957.64	749.02	3,745.11
406g	STEEL OR METAL BEARING DEVICES	KG	18.50	69.68	116.55	51.18	255.92
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	361.06	1,654.04	721.26	684.09	3,420.45
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	541.60	2,481.06	1,081.89	1,026.14	5,130.68
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	541.60	2,481.06	821.69	961.09	4,805.43
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	902.66	4,135.11	1,003.45	1,510.30	7,551.52
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	773.71	4,884.94	1,189.37	1,712.00	8,560.02
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,353.99	6,909.78	1,299.28	2,390.76	11,953.81
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,414.60	45,769.30	89,853.02	39,759.23	198,796.16
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,093.90	45,769.30	179,706.04	67,392.31	336,961.56
407j	PILE LOAD TEST UP TO 360 TON	EACH	64,773.20	50,188.38	269,559.06	96,130.16	480,650.81
407k	CONFIRMATORY BORING (NX SIZE)	M	211.39	1,582.02	6.37	449.94	2,249.72
410	BRICK WORK	CM	314.41	282.72	2,841.82	859.74	4,298.69
411a	STONE MASONRY RANDOM DRY	CM	270.10	107.96	694.57	268.16	1,340.79
411b	STONE MASONRY RANDOM WITH MORTAR	CM	289.25	166.68	1,911.92	591.96	2,959.81
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	354.35	107.96	767.23	307.38	1,536.92
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	415.62	166.68	1,947.86	632.54	3,162.71

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	66.82	11.74	46.95	31.38	156.89
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	564.97	264.08	1,853.06	670.53	3,352.64
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	225.46	437.48	649.36	328.08	1,640.39
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	220.68	577.19	841.33	409.80	2,049.00
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	211.93	935.96	1,013.35	540.31	2,701.55
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	224.00	1,146.39	1,565.43	733.96	3,669.78
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	257.09	1,078.41	2,208.50	886.00	4,430.01
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	316.43	1,331.30	3,628.65	1,319.10	6,595.48
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	409.50	1,481.41	4,694.54	1,646.36	8,231.81
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	483.57	1,798.85	5,981.73	2,066.04	10,330.20
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	571.50	2,098.66	9,233.85	2,976.00	14,880.02
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	225.46	507.33	673.70	351.62	1,758.12
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	220.68	577.19	788.34	396.55	1,982.77
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	206.76	935.96	964.20	526.73	2,633.65
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	224.00	1,146.39	1,598.53	742.23	3,711.15
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	257.09	1,078.41	3,035.01	1,092.63	5,463.14
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	316.43	1,331.30	4,454.65	1,525.60	7,627.98
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	409.50	1,481.41	6,216.72	2,026.91	10,134.53
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	483.57	1,798.85	8,427.94	2,677.59	13,387.96
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	571.50	2,098.66	11,849.60	3,629.94	18,149.70
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	87.12	118.93	302.26	127.08	635.38
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	671.63	612.95	4,008.14	1,323.18	6,615.90
507a	STEEL WIRE MESH FOR GABIONS	KG	4.64	-	117.08	30.43	152.16
507b	ROCK FILL IN GABIONS	CM	96.06	-	522.32	154.59	772.97
508a	BRICK PAVING (SINGLE COURSE)	SM	106.28	32.70	201.33	85.08	425.39
508b	BRICK PAVING (DOUBLE COURSE)	SM	190.53	32.70	400.10	155.83	779.17
509a	RIP RAP CLASS "A"	CM	457.17	-	599.76	264.23	1,321.16
509b	RIP RAP CLASS "B"	CM	442.32	-	594.96	259.32	1,296.61
509c	RIP RAP CLASS "C"	CM	445.19	-	599.76	261.24	1,306.19

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	559.62	102.14	2,095.81	689.39	3,446.96
509e	GRouted RIP RAP CLASS "B"	CM	539.60	81.72	1,935.55	639.22	3,196.08
509f	GRouted RIP RAP CLASS "C"	CM	533.92	68.10	1,987.99	647.50	3,237.50
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	750.06	353.02	4,548.03	1,412.78	7,063.90
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	47.89	191.97	473.63	178.38	891.88
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	111.03	390.69	-	125.43	627.15
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	144.23	67.48	97.46	77.29	386.46
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	184.62	86.37	124.75	98.93	494.67
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	233.64	180.32	411.50	206.36	1,031.82
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	292.05	225.40	514.37	257.96	1,289.78
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	238.13	572.25	2,388.13	799.62	3,998.12
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	864.54	670.54	4,245.99	1,445.27	7,226.33
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	126.46	90.27	466.82	170.89	854.44
603	BRICK EDGING	M	8.48	-	32.16	10.16	50.79
604a	METAL GUARD RAIL	M	18.63	70.84	1,579.36	417.21	2,086.03
604b	METAL GUARD RAIL END PIECES	EACH	26.32	-	1,197.58	305.97	1,529.87
604d	STEEL POST OF METAL GUARD RAIL	EACH	82.91	976.73	3,776.31	1,208.99	6,044.94
605a	CONCRETE BEAM GUARD RAIL	M	71.38	30.82	602.96	176.29	881.45
605c	CONCRETE POST FOR GUARD RAIL	M	87.64	27.36	605.65	180.16	900.82
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	223.61	255.15	6,884.76	1,840.88	9,204.40
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	66.90	382.72	9,331.11	2,445.19	12,225.93
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	223.61	541.89	12,010.47	3,193.99	15,969.96
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	756.67	598.64	21,140.48	5,623.95	28,119.74
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	151.33	119.73	9,244.71	2,378.94	11,894.72
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	229.63	-	1,302.82	383.11	1,915.57
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	229.63	-	1,954.23	545.97	2,729.83
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.64	5.86	16.15	6.16	30.81
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.88	4.03	39.58	11.12	55.61
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.64	5.86	21.56	7.51	37.56

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Okara

District Code: 50

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.88	4.03	52.79	14.42	72.12
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	60.03	5.22	156.09	55.33	276.67
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	60.03	9.98	498.75	142.19	710.96
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.29	8.59	22.47	8.59	42.94
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.29	9.63	67.50	20.11	100.54
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.29	6.95	29.96	10.05	50.26
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.29	9.63	90.01	25.73	128.67
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	60.03	3.73	216.95	70.18	350.88
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	60.03	7.90	851.20	229.78	1,148.91
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	50.84	3.73	104.06	39.66	198.28
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	50.84	7.90	333.00	97.94	489.68
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	50.84	3.73	144.63	49.80	249.00
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	50.84	7.90	568.32	156.77	783.83
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	8.73	81.62	194.04	71.10	355.49
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	8.73	81.62	234.04	81.10	405.48
610b	RIGHT OF WAY MARKER	EACH	102.17	121.33	312.91	134.10	670.51
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	586.89	976.31	2,124.40	921.90	4,609.50
610d	TEN KILOMETRE POST	EACH	1,127.83	1,952.61	4,636.99	1,929.36	9,646.79
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	127.96	91.00	971.30	297.56	1,487.82

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

PAKPATTAN
(53-A)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.65	10.10	-	2.69	13.45
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.43	173.32	1.17	45.23	226.15
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	18.69	456.54	2.63	119.46	597.32
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	74.75	1,826.16	10.51	477.85	2,389.27
103	STRIPPING	CM	2.20	93.22	-	23.85	119.27
104	COMPACTION OF NATURAL GROUND	SM	0.31	9.91	0.76	2.75	13.73
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.64	135.76	-	34.85	174.25
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	110.12	316.30	50.82	119.31	596.55
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	15.57	337.99	-	88.39	441.96
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.20	262.40	-	68.15	340.74
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	2.98	120.27	-	30.81	154.06
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	110.12	316.30	50.82	119.31	596.55
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	17.51	316.03	-	83.39	416.93
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	7.85	263.92	-	67.94	339.71
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.09	137.60	0.38	36.02	180.09
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	58.01	287.11	70.80	103.98	519.91
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	97.29	427.01	33.88	139.55	697.73
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	82.78	292.53	-	93.83	469.14
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	50.03	238.86	-	72.22	361.12
107d	GRANULAR BACK FILL	CM	30.31	137.14	504.00	167.86	839.31
107e	COMMON BACK FILL	CM	22.98	62.84	5.09	22.73	113.63
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.04	174.71	5.09	46.46	232.30
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	17.89	482.48	54.04	138.60	693.01
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	13.42	416.71	2.42	108.14	540.68
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	11.93	369.34	-	95.32	476.59
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	6.98	177.46	7.94	48.09	240.47
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.44	76.32	5.09	21.71	108.57
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	12.81	110.29	3.03	31.53	157.66
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.21	27.34	1.46	7.50	37.51

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.87	18.21	0.77	4.96	24.81
110	IMPROVED SUB-GRADE	CM	8.78	120.02	60.35	47.29	236.44
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.74	15.26	0.79	4.20	20.99
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.10	15.57	0.90	4.39	21.96
201	GRANULAR SUB-BASE	CM	7.07	255.06	698.69	240.21	1,201.03
202	AGGREGATE BASE	CM	8.16	326.54	1,137.59	368.07	1,840.36
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	66.02	1,510.17	6,134.46	1,927.66	9,638.31
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	68.16	1,510.17	6,566.21	2,036.13	10,180.67
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	73.00	1,577.28	6,125.43	1,943.93	9,719.65
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	73.00	1,571.31	6,710.19	2,088.62	10,443.12
204b	CEMENT STABILIZED BASE	CM	25.20	569.10	1,206.73	450.26	2,251.30
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	211.36	915.38	51,698.70	13,206.36	66,031.80
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	211.36	915.38	50,120.57	12,811.83	64,059.14
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	87.72	112.80	1,224.43	356.24	1,781.19
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	133.12	2,437.94	5,938.58	2,127.41	10,637.04
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	97.26	126.27	1,018.95	310.62	1,553.10
207a	DEEP PATCHING (0-15 cm)	SM	1.52	45.04	1.26	11.95	59.76
207b	DEEP PATCHING (16-30 cm)	SM	1.52	39.67	1.26	10.61	53.06
208	REINSTATEMENT OF ROAD SURFACE	SM	1.61	57.10	0.56	14.82	74.09
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.77	110.61	0.68	28.27	141.33
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.35	22.12	0.14	5.65	28.27
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	36.69	9.63	48.16
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.25	1.57	40.96	10.70	53.48
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	15.36	4.01	20.05
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	17.92	4.65	23.25
304a	SINGLE SURFACE TREATMENT	SM	0.67	7.57	74.24	20.62	103.11
304b	DOUBLE SURFACE TREATMENT	SM	0.98	14.15	145.57	40.18	200.88
304c	TRIPLE SURFACE TREATMENT	SM	1.64	19.94	166.15	46.93	234.67
304d	SEAL COAT	SM	0.62	4.12	51.72	14.12	70.59

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	61.56	1,489.33	7,162.38	2,178.32	10,891.58
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	61.56	1,438.23	7,709.09	2,302.22	11,511.11
307a	DENSE GRADED HOT BIT-MAC	CM	151.70	379.77	5,906.25	1,609.43	8,047.16
307b	OPEN GRADED HOT BIT-MAC	CM	151.70	379.77	5,805.69	1,584.29	7,921.46
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	25.47	590.65	2,099.10	678.80	3,394.02
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	22.33	650.70	43,738.24	11,102.82	55,514.08
309a	COLD MILLING, 0 - 30 mm	SM	0.83	24.99	8.68	8.62	43.12
309b	COLD MILLING, 0 - 50 mm	SM	1.38	41.65	14.46	14.37	71.87
309c	COLD MILLING, 0 - 70 mm	SM	2.08	62.48	21.69	21.56	107.81
401a1i	CONCRETE CLASS "A1" (Underground)	CM	503.57	1,059.94	4,276.24	1,459.94	7,299.68
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	503.57	1,059.94	4,553.71	1,529.30	7,646.52
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	503.57	1,059.94	5,108.66	1,668.04	8,340.20
401a2i	CONCRETE CLASS "A2" (Underground)	CM	503.57	1,059.94	4,654.24	1,554.44	7,772.18
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	503.57	1,059.94	4,931.71	1,623.80	8,119.02
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	503.57	1,059.94	5,486.66	1,762.54	8,812.70
401a3i	CONCRETE CLASS "A3" (Underground)	CM	503.57	1,059.94	5,032.24	1,648.94	8,244.68
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	503.57	1,059.94	5,309.71	1,718.30	8,591.52
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	503.57	1,059.94	5,864.66	1,857.04	9,285.20
401b	CONCRETE CLASS "B"	CM	636.32	805.93	3,641.16	1,270.85	6,354.26
401ci	CONCRETE CLASS "C" (Underground)	CM	503.21	500.55	3,945.56	1,237.33	6,186.65
401cii	CONCRETE CLASS "C" (On ground)	CM	503.21	500.55	4,063.90	1,266.92	6,334.58
401ciii	CONCRETE CLASS "C" (Elevated)	CM	503.21	500.55	4,300.59	1,326.09	6,630.43
401d	CONCRETE CLASS "D1"	CM	792.59	1,265.57	5,601.36	1,914.88	9,574.39
401e	CONCRETE CLASS "Y"	CM	1,119.48	500.55	4,999.81	1,654.96	8,274.79
401f	LEAN CONCRETE	CM	417.89	507.52	2,912.39	959.45	4,797.25
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,729.02	947.15	5,297.10	1,993.32	9,966.58
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,729.02	947.15	6,053.10	2,182.32	10,911.58
401gii	PRECAST CONCRETE CLASS "B"	CM	1,729.02	947.15	5,191.97	1,967.03	9,835.17
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,729.02	947.15	6,431.10	2,276.82	11,384.08

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,729.02	947.15	6,809.10	2,371.32	11,856.58
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,729.02	947.15	7,187.10	2,465.82	12,329.08
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,509.48	781.47	59,888.00	15,544.74	77,723.69
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,509.48	781.47	67,238.00	17,382.24	86,911.19
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,231.69	5,393.81	55,647.56	15,568.26	77,841.32
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,662.08	15,659.05	132,551.05	37,718.04	188,590.22
405b	LAUNCHING OF GIRDER	TON	63.27	532.52	-	148.95	744.75
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	110.16	-	294.67	101.21	506.05
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	110.16	-	294.47	101.16	505.80
406c	STEEL EXPANSION JOINTS	KG	9.16	26.40	90.41	31.49	157.45
406d	WATER STOPS 6" SIZE	M	90.98	-	469.74	140.18	700.90
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	44.35	-	2,958.05	750.60	3,753.00
406g	STEEL OR METAL BEARING DEVICES	KG	19.03	69.68	116.42	51.28	256.41
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	343.53	1,654.04	731.74	682.33	3,411.65
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	515.30	2,481.06	1,097.61	1,023.49	5,117.47
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	515.30	2,481.06	837.41	958.44	4,792.22
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	858.84	4,135.11	1,029.66	1,505.90	7,529.50
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	736.15	4,884.94	1,234.30	1,713.85	8,569.23
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,288.26	6,909.78	1,338.60	2,384.16	11,920.79
407h	PILE LOAD TEST UP TO 120 TON	EACH	21,695.93	45,769.30	88,885.02	39,087.56	195,437.81
407i	PILE LOAD TEST UP TO 240 TON	EACH	40,656.55	45,769.30	177,770.04	66,048.97	330,244.86
407j	PILE LOAD TEST UP TO 360 TON	EACH	59,617.17	50,188.38	266,655.06	94,115.15	470,575.76
407k	CONFIRMATORY BORING (NX SIZE)	M	197.07	1,582.02	6.37	446.36	2,231.82
410	BRICK WORK	CM	357.23	282.72	2,891.82	882.94	4,414.71
411a	STONE MASONRY RANDOM DRY	CM	292.10	107.96	857.77	314.46	1,572.29
411b	STONE MASONRY RANDOM WITH MORTAR	CM	318.10	166.68	2,075.12	639.97	3,199.87
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	386.24	107.96	943.48	359.42	1,797.10
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	459.30	166.68	2,124.12	687.53	3,437.63

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	78.24	11.74	46.95	34.23	171.16
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	621.57	264.08	2,029.31	728.74	3,643.71
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	217.32	437.48	649.36	326.04	1,630.21
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	212.54	577.19	841.33	407.76	2,038.82
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	205.97	935.96	1,013.35	538.82	2,694.10
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	215.98	1,146.39	1,565.43	731.95	3,659.75
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	247.33	1,078.41	2,208.50	883.56	4,417.81
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	307.18	1,331.30	3,628.65	1,316.78	6,583.92
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	397.53	1,481.41	4,694.54	1,643.37	8,216.85
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	464.14	1,798.85	5,981.73	2,061.18	10,305.91
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	555.27	2,098.66	9,233.85	2,971.94	14,859.72
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	217.32	507.33	673.70	349.59	1,747.94
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	212.54	577.19	788.34	394.52	1,972.58
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	201.23	935.96	964.20	525.35	2,626.73
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	215.98	1,146.39	1,598.53	740.22	3,701.12
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	247.33	1,078.41	3,035.01	1,090.19	5,450.94
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	307.18	1,331.30	4,454.65	1,523.28	7,616.42
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	397.53	1,481.41	6,216.72	2,023.91	10,119.57
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	464.14	1,798.85	8,427.94	2,672.73	13,363.67
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	555.27	2,098.66	11,849.60	3,625.88	18,129.41
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	81.57	118.93	295.00	123.88	619.38
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	718.02	612.95	3,991.16	1,330.53	6,652.66
507a	STEEL WIRE MESH FOR GABIONS	KG	5.03	-	114.07	29.77	148.87
507b	ROCK FILL IN GABIONS	CM	89.25	-	536.43	156.42	782.10
508a	BRICK PAVING (SINGLE COURSE)	SM	114.94	32.70	206.43	88.52	442.59
508b	BRICK PAVING (DOUBLE COURSE)	SM	209.08	32.70	410.41	163.05	815.24
509a	RIP RAP CLASS "A"	CM	505.91	-	762.96	317.22	1,586.10
509b	RIP RAP CLASS "B"	CM	488.47	-	756.86	311.33	1,556.66
509c	RIP RAP CLASS "C"	CM	494.17	-	762.96	314.28	1,571.41

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	617.29	102.14	2,275.32	748.69	3,743.45
509e	GRouted RIP RAP CLASS "B"	CM	598.37	81.72	2,112.11	698.05	3,490.25
509f	GRouted RIP RAP CLASS "C"	CM	592.78	68.10	2,164.24	706.28	3,531.39
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	795.25	353.02	4,531.87	1,420.04	7,100.18
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	44.59	191.97	503.02	184.90	924.48
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	103.39	390.69	-	123.52	617.60
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	154.55	67.48	123.98	86.50	432.51
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	197.82	86.37	158.70	110.72	553.61
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	256.28	180.32	435.44	218.01	1,090.04
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	320.35	225.40	544.30	272.51	1,362.56
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	266.91	572.25	2,382.27	805.36	4,026.79
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	949.66	670.54	4,239.73	1,464.98	7,324.90
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	137.82	90.27	465.44	173.38	866.90
603	BRICK EDGING	M	8.71	-	33.12	10.46	52.29
604a	METAL GUARD RAIL	M	17.69	70.84	1,579.36	416.97	2,084.86
604b	METAL GUARD RAIL END PIECES	EACH	24.53	-	1,197.58	305.53	1,527.63
604d	STEEL POST OF METAL GUARD RAIL	EACH	79.33	976.73	3,776.31	1,208.09	6,040.46
605a	CONCRETE BEAM GUARD RAIL	M	73.22	30.82	602.53	176.64	883.22
605c	CONCRETE POST FOR GUARD RAIL	M	89.90	27.36	605.13	180.60	903.00
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	230.23	255.15	6,884.96	1,842.59	9,212.93
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	70.11	382.72	9,331.21	2,446.01	12,230.05
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	230.23	541.89	12,010.50	3,195.66	15,978.28
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	746.99	598.64	21,143.36	5,622.25	28,111.24
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	149.40	119.73	9,248.69	2,379.45	11,897.27
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	257.00	-	1,303.84	390.21	1,951.06
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	257.00	-	1,955.76	553.19	2,765.96
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.47	5.86	16.16	6.12	30.62
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.82	4.03	39.65	11.13	55.63
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.47	5.86	21.56	7.47	37.37

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Pakpattan

District Code: 53-A

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.82	4.03	52.89	14.43	72.17
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	75.42	5.22	156.16	59.20	295.99
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	75.42	9.98	499.68	146.27	731.35
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.09	8.59	22.48	8.54	42.69
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.09	9.63	67.50	20.06	100.28
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.09	6.95	29.97	10.00	50.01
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.09	9.63	90.01	25.68	128.41
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	75.42	3.73	217.02	74.04	370.20
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	75.42	7.90	851.20	233.63	1,168.14
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	62.37	3.73	104.11	42.55	212.75
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	62.37	7.90	333.62	100.97	504.86
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	62.37	3.73	144.68	52.69	263.46
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	62.37	7.90	568.32	159.65	798.24
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.14	81.62	194.04	71.20	356.00
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.14	81.62	234.04	81.20	405.99
610b	RIGHT OF WAY MARKER	EACH	99.61	121.33	312.44	133.34	666.72
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	629.30	976.31	2,120.27	931.47	4,657.35
610d	TEN KILOMETRE POST	EACH	1,198.09	1,952.61	4,628.80	1,944.88	9,724.38
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	129.66	91.00	970.58	297.81	1,489.05

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

RAHIM YAR KHAN
(55)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	1.04	10.10	-	2.78	13.92
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	9.76	173.32	1.17	46.06	230.31
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	29.10	456.54	2.63	122.07	610.34
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	116.41	1,826.16	10.51	488.27	2,441.35
103	STRIPPING	CM	3.15	93.22	-	24.09	120.46
104	COMPACTION OF NATURAL GROUND	SM	0.44	9.91	0.76	2.78	13.89
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.44	135.76	-	35.05	175.25
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	146.88	316.30	50.82	128.50	642.50
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	21.32	337.99	-	89.83	449.14
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	13.64	262.40	-	69.01	345.05
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.64	120.27	-	30.98	154.88
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	146.88	316.30	50.82	128.50	642.50
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	23.31	316.03	-	84.83	424.17
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	10.63	263.92	-	68.64	343.19
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.58	137.60	0.38	36.39	181.95
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	74.22	287.11	70.80	108.03	540.17
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	129.49	427.01	33.88	147.60	737.98
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	110.85	292.53	-	100.84	504.22
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	66.59	238.86	-	76.36	381.82
107d	GRANULAR BACK FILL	CM	44.60	137.14	446.19	156.98	784.90
107e	COMMON BACK FILL	CM	36.80	62.84	5.09	26.18	130.91
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.96	174.71	5.09	46.94	234.69
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	24.78	482.48	54.04	140.33	701.63
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	18.59	416.71	2.42	109.43	547.15
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	16.52	369.34	-	96.47	482.33
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	9.54	177.46	7.94	48.73	243.67
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.24	76.32	5.09	22.16	110.82
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	18.08	110.29	3.03	32.85	164.25
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.64	27.34	1.46	7.61	38.04

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.15	18.21	0.77	5.03	25.17
110	IMPROVED SUB-GRADE	CM	12.24	120.02	54.21	46.62	233.09
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	1.04	15.26	0.79	4.27	21.36
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.50	15.57	0.90	4.49	22.46
201	GRANULAR SUB-BASE	CM	9.58	255.06	629.22	223.46	1,117.32
202	AGGREGATE BASE	CM	10.87	326.54	1,050.36	346.94	1,734.71
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	101.29	1,510.17	6,306.72	1,979.54	9,897.72
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	103.84	1,510.17	6,698.62	2,078.16	10,390.79
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	110.32	1,577.28	6,297.61	1,996.30	9,981.52
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	110.32	1,571.31	6,842.85	2,131.12	10,655.60
204b	CEMENT STABILIZED BASE	CM	34.76	569.10	1,400.50	501.09	2,505.46
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	281.98	915.38	52,065.33	13,315.67	66,578.36
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	281.98	915.38	50,487.20	12,921.14	64,605.70
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	142.22	112.80	1,224.46	369.87	1,849.35
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	194.89	2,437.94	6,008.60	2,160.36	10,801.79
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	158.80	126.27	919.53	301.15	1,505.75
207a	DEEP PATCHING (0-15 cm)	SM	2.04	45.04	1.26	12.08	60.41
207b	DEEP PATCHING (16-30 cm)	SM	2.04	39.67	1.26	10.74	53.71
208	REINSTATEMENT OF ROAD SURFACE	SM	2.19	57.10	0.56	14.96	74.81
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.15	110.61	0.68	28.36	141.81
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.43	22.12	0.14	5.67	28.36
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.35	1.57	36.95	9.72	48.59
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	41.25	10.79	53.95
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.14	0.58	15.46	4.05	20.23
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.14	0.58	18.04	4.69	23.45
304a	SINGLE SURFACE TREATMENT	SM	0.89	7.57	75.07	20.89	104.43
304b	DOUBLE SURFACE TREATMENT	SM	1.30	14.15	146.92	40.59	202.96
304c	TRIPLE SURFACE TREATMENT	SM	2.16	19.94	167.80	47.48	237.38
304d	SEAL COAT	SM	0.83	4.12	52.79	14.43	72.17

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	91.96	1,489.33	7,328.48	2,227.44	11,137.22
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	91.96	1,438.23	7,897.65	2,356.96	11,784.81
307a	DENSE GRADED HOT BIT-MAC	CM	232.71	379.77	6,097.24	1,677.43	8,387.15
307b	OPEN GRADED HOT BIT-MAC	CM	232.71	379.77	5,930.47	1,635.74	8,178.68
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	38.45	590.65	2,107.81	684.23	3,421.14
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	32.49	650.70	44,115.76	11,199.74	55,998.69
309a	COLD MILLING, 0 - 30 mm	SM	1.14	24.99	8.68	8.70	43.51
309b	COLD MILLING, 0 - 50 mm	SM	1.90	41.65	14.46	14.50	72.52
309c	COLD MILLING, 0 - 70 mm	SM	2.86	62.48	21.69	21.76	108.78
401a1i	CONCRETE CLASS "A1" (Underground)	CM	596.64	1,059.94	4,385.36	1,510.48	7,552.42
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	596.64	1,059.94	4,662.83	1,579.85	7,899.26
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	596.64	1,059.94	5,217.77	1,718.59	8,592.94
401a2i	CONCRETE CLASS "A2" (Underground)	CM	596.64	1,059.94	4,763.36	1,604.98	8,024.92
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	596.64	1,059.94	5,040.83	1,674.35	8,371.76
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	596.64	1,059.94	5,595.77	1,813.09	9,065.44
401a3i	CONCRETE CLASS "A3" (Underground)	CM	596.64	1,059.94	5,141.36	1,699.48	8,497.42
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	596.64	1,059.94	5,418.83	1,768.85	8,844.26
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	596.64	1,059.94	5,973.77	1,907.59	9,537.94
401b	CONCRETE CLASS "B"	CM	813.63	805.93	3,629.79	1,312.34	6,561.68
401ci	CONCRETE CLASS "C" (Underground)	CM	616.58	500.55	3,997.83	1,278.74	6,393.70
401cii	CONCRETE CLASS "C" (On ground)	CM	616.58	500.55	4,116.18	1,308.33	6,541.63
401ciii	CONCRETE CLASS "C" (Elevated)	CM	616.58	500.55	4,352.86	1,367.50	6,837.48
401d	CONCRETE CLASS "D1"	CM	919.21	1,265.57	5,685.69	1,967.62	9,838.09
401e	CONCRETE CLASS "Y"	CM	1,308.46	500.55	5,139.54	1,737.14	8,685.68
401f	LEAN CONCRETE	CM	593.27	507.52	2,900.21	1,000.25	5,001.26
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,179.60	947.15	5,428.07	2,138.71	10,693.53
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,179.60	947.15	6,184.07	2,327.71	11,638.53
401gii	PRECAST CONCRETE CLASS "B"	CM	2,179.60	947.15	5,181.71	2,077.12	10,385.58
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,179.60	947.15	6,562.07	2,422.21	12,111.03

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,179.60	947.15	6,940.07	2,516.71	12,583.53
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,179.60	947.15	7,318.07	2,611.21	13,056.03
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,743.19	781.47	59,888.00	15,603.16	78,015.82
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,743.19	781.47	67,238.00	17,440.66	87,203.32
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,396.94	5,393.81	55,715.68	15,626.61	78,133.05
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,545.69	15,659.05	132,536.41	37,935.29	189,676.43
405b	LAUNCHING OF GIRDER	TON	85.23	532.52	-	154.44	772.20
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	139.96	-	302.18	110.54	552.68
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	139.96	-	301.41	110.34	551.71
406c	STEEL EXPANSION JOINTS	KG	10.79	26.40	90.16	31.84	159.19
406d	WATER STOPS 6" SIZE	M	115.18	-	466.98	145.54	727.69
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	46.92	-	2,915.85	740.69	3,703.46
406g	STEEL OR METAL BEARING DEVICES	KG	25.02	69.68	116.24	52.74	263.68
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	464.72	1,654.04	719.62	709.60	3,547.98
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	697.07	2,481.06	1,079.44	1,064.39	5,321.97
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	697.07	2,481.06	819.24	999.34	4,996.72
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,161.79	4,135.11	999.37	1,574.07	7,870.33
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	995.82	4,884.94	1,182.37	1,765.78	8,828.91
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,742.68	6,909.78	1,293.16	2,486.40	12,432.02
407h	PILE LOAD TEST UP TO 120 TON	EACH	35,390.67	45,769.30	86,949.04	42,027.25	210,136.27
407i	PILE LOAD TEST UP TO 240 TON	EACH	67,521.71	45,769.30	173,898.08	71,797.27	358,986.36
407j	PILE LOAD TEST UP TO 360 TON	EACH	99,652.74	50,188.38	260,847.12	102,672.06	513,360.31
407k	CONFIRMATORY BORING (NX SIZE)	M	295.31	1,582.02	6.37	470.93	2,354.63
410	BRICK WORK	CM	400.73	282.72	2,834.02	879.37	4,396.84
411a	STONE MASONRY RANDOM DRY	CM	351.34	107.96	706.72	291.50	1,457.52
411b	STONE MASONRY RANDOM WITH MORTAR	CM	371.09	166.68	1,914.32	613.02	3,065.12
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	462.25	107.96	780.34	337.64	1,688.18
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	537.46	166.68	1,953.66	664.45	3,322.26

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	83.49	11.74	46.78	35.50	177.52
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	739.53	264.08	1,858.86	715.62	3,578.09
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	328.81	437.48	649.06	353.84	1,769.19
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	323.12	577.19	840.97	435.32	2,176.59
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	301.00	935.96	1,012.92	562.47	2,812.35
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	322.32	1,146.39	1,564.94	758.41	3,792.06
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	369.32	1,078.41	2,208.01	913.94	4,569.68
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	449.99	1,331.30	3,627.93	1,352.31	6,761.53
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	582.34	1,481.41	4,693.82	1,689.39	8,446.96
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	693.01	1,798.85	5,980.86	2,118.18	10,590.91
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	811.59	2,098.66	9,232.84	3,035.77	15,178.86
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	328.81	507.33	673.09	377.31	1,886.54
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	323.12	577.19	787.98	422.07	2,110.35
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	292.97	935.96	963.77	548.17	2,740.87
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	322.32	1,146.39	1,598.15	766.71	3,833.57
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	369.32	1,078.41	3,034.45	1,120.55	5,602.73
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	449.99	1,331.30	4,453.93	1,558.81	7,794.03
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	582.34	1,481.41	6,216.00	2,069.94	10,349.69
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	693.01	1,798.85	8,427.07	2,729.73	13,648.67
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	811.59	2,098.66	11,848.58	3,689.71	18,448.54
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	126.53	118.93	275.22	130.17	650.84
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	910.23	612.95	3,979.79	1,375.74	6,878.70
507a	STEEL WIRE MESH FOR GABIONS	KG	6.37	-	113.80	30.04	150.21
507b	ROCK FILL IN GABIONS	CM	142.74	-	553.02	173.94	869.70
508a	BRICK PAVING (SINGLE COURSE)	SM	141.65	32.70	199.68	93.51	467.54
508b	BRICK PAVING (DOUBLE COURSE)	SM	252.56	32.70	397.13	170.60	852.99
509a	RIP RAP CLASS "A"	CM	598.16	-	611.91	302.52	1,512.59
509b	RIP RAP CLASS "B"	CM	581.54	-	607.02	297.14	1,485.70
509c	RIP RAP CLASS "C"	CM	583.63	-	611.91	298.89	1,494.43

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	734.92	102.14	2,118.18	738.81	3,694.06
509e	GRouted RIP RAP CLASS "B"	CM	706.75	81.72	1,956.81	686.32	3,431.60
509f	GRouted RIP RAP CLASS "C"	CM	699.87	68.10	2,007.51	693.87	3,469.35
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,025.43	353.02	4,521.08	1,474.88	7,374.41
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	70.16	191.97	445.36	176.87	884.36
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	155.46	390.69	-	136.54	682.69
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	191.22	67.48	99.44	89.53	447.66
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	244.76	86.37	127.28	114.60	573.00
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	304.93	180.32	412.04	224.32	1,121.61
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	381.16	225.40	515.05	280.40	1,402.01
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	316.73	572.25	2,439.34	832.08	4,160.39
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,189.67	670.54	4,307.83	1,542.01	7,710.05
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	173.77	90.27	473.85	184.47	922.35
603	BRICK EDGING	M	11.54	-	32.16	10.92	54.62
604a	METAL GUARD RAIL	M	24.63	70.84	1,579.36	418.71	2,093.54
604b	METAL GUARD RAIL END PIECES	EACH	36.00	-	1,197.58	308.39	1,541.97
604d	STEEL POST OF METAL GUARD RAIL	EACH	108.07	976.73	3,776.31	1,215.28	6,076.39
605a	CONCRETE BEAM GUARD RAIL	M	103.26	30.82	607.83	185.48	927.40
605c	CONCRETE POST FOR GUARD RAIL	M	126.79	27.36	611.65	191.45	957.25
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	309.83	255.15	6,892.20	1,864.29	9,321.47
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	88.24	382.72	9,339.50	2,452.61	12,263.07
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	309.83	541.89	12,023.44	3,218.79	16,093.95
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,111.18	598.64	21,171.07	5,720.22	28,601.11
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	222.24	119.73	9,264.18	2,401.54	12,007.69
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	301.94	-	1,306.83	402.19	2,010.97
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	301.94	-	1,960.24	565.55	2,827.73
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.64	5.86	16.18	6.42	32.10
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.21	4.03	39.84	11.27	56.35
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.64	5.86	21.59	7.77	38.86

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rahim yar khan

District Code: 55

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.21	4.03	53.14	14.59	72.97
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	80.80	5.22	156.35	60.59	302.95
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	80.80	9.98	502.06	148.21	741.05
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.55	8.59	22.50	8.91	44.54
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.55	9.63	67.50	20.42	102.10
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.55	6.95	29.99	10.37	51.86
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.55	9.63	90.01	26.05	130.23
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	80.80	3.73	217.21	75.43	377.16
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	80.80	7.90	851.20	234.97	1,174.87
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	68.95	3.73	104.23	44.23	221.13
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	68.95	7.90	335.21	103.01	515.07
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	68.95	3.73	144.80	54.37	271.84
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	68.95	7.90	568.32	161.29	806.46
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	10.89	81.62	194.03	71.64	358.18
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	10.89	81.62	234.03	81.63	408.16
610b	RIGHT OF WAY MARKER	EACH	151.28	121.33	318.08	147.67	738.35
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	824.03	976.31	2,165.25	991.40	4,956.98
610d	TEN KILOMETRE POST	EACH	1,608.54	1,952.61	4,720.64	2,070.45	10,352.24
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	173.76	91.00	972.87	309.41	1,547.04

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

RAJAN PUR

(56)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.61	10.10	-	2.68	13.39
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.10	173.32	1.17	45.15	225.74
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	17.59	456.54	2.63	119.19	595.95
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	70.36	1,826.16	10.51	476.76	2,383.79
103	STRIPPING	CM	2.09	93.22	-	23.83	119.13
104	COMPACTION OF NATURAL GROUND	SM	0.30	9.91	0.76	2.74	13.71
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.65	135.76	-	34.85	174.26
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	107.39	316.30	50.82	118.63	593.14
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	14.99	337.99	-	88.24	441.22
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	9.83	262.40	-	68.06	340.28
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	2.99	120.27	-	30.81	154.07
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	107.39	316.30	50.82	118.63	593.14
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	17.11	316.03	-	83.28	416.42
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	7.56	263.92	-	67.87	339.36
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.98	137.60	0.38	35.99	179.95
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	51.99	287.11	70.80	102.48	512.39
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	95.03	427.01	33.88	138.98	694.91
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	80.71	292.53	-	93.31	466.56
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	48.87	238.86	-	71.93	359.67
107d	GRANULAR BACK FILL	CM	29.01	137.14	380.33	136.62	683.10
107e	COMMON BACK FILL	CM	21.44	62.84	5.09	22.34	111.71
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	5.86	174.71	5.09	46.41	232.07
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	17.19	482.48	54.04	138.43	692.14
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	12.89	416.71	2.42	108.01	540.03
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	11.46	369.34	-	95.20	476.01
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	6.72	177.46	7.94	48.03	240.14
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.26	76.32	5.09	21.67	108.33
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	12.24	110.29	3.03	31.39	156.94
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.18	27.34	1.46	7.49	37.46

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.84	18.21	0.77	4.96	24.78
110	IMPROVED SUB-GRADE	CM	8.45	120.02	58.10	46.64	233.21
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.71	15.26	0.79	4.19	20.95
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.05	15.57	0.90	4.38	21.90
201	GRANULAR SUB-BASE	CM	6.83	255.06	637.89	224.95	1,124.73
202	AGGREGATE BASE	CM	8.01	326.54	843.78	294.58	1,472.91
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	62.65	1,510.17	6,094.05	1,916.72	9,583.58
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	64.81	1,510.17	6,497.15	2,018.03	10,090.16
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	69.38	1,577.28	6,084.42	1,932.77	9,663.85
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	69.38	1,571.31	6,642.42	2,070.78	10,353.88
204b	CEMENT STABILIZED BASE	CM	24.55	569.10	1,160.18	438.46	2,192.29
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	206.77	915.38	52,286.52	13,352.17	66,760.84
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	206.77	915.38	50,708.39	12,957.64	64,788.18
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	81.26	112.80	1,016.37	302.61	1,513.03
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	128.03	2,437.94	5,777.58	2,085.89	10,429.45
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	90.04	126.27	769.91	246.55	1,232.77
207a	DEEP PATCHING (0-15 cm)	SM	1.46	45.04	1.26	11.94	59.69
207b	DEEP PATCHING (16-30 cm)	SM	1.46	39.67	1.26	10.60	52.99
208	REINSTATEMENT OF ROAD SURFACE	SM	1.57	57.10	0.56	14.81	74.04
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.72	110.61	0.68	28.25	141.27
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.34	22.12	0.14	5.65	28.25
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	37.11	9.73	48.67
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.25	1.57	41.42	10.81	54.06
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	15.53	4.05	20.27
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	18.12	4.70	23.50
304a	SINGLE SURFACE TREATMENT	SM	0.68	7.57	74.33	20.65	103.24
304b	DOUBLE SURFACE TREATMENT	SM	0.99	14.15	144.42	39.89	199.46
304c	TRIPLE SURFACE TREATMENT	SM	1.67	19.94	164.84	46.61	233.05
304d	SEAL COAT	SM	0.64	4.12	52.53	14.32	71.61

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	58.87	1,489.33	7,121.36	2,167.39	10,836.94
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	58.87	1,438.23	7,682.95	2,295.01	11,475.06
307a	DENSE GRADED HOT BIT-MAC	CM	146.67	379.77	5,912.85	1,609.82	8,049.12
307b	OPEN GRADED HOT BIT-MAC	CM	146.67	379.77	5,741.01	1,566.86	7,834.32
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	24.49	590.65	2,073.40	672.13	3,360.67
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	21.43	650.70	44,343.52	11,253.91	56,269.56
309a	COLD MILLING, 0 - 30 mm	SM	0.82	24.99	8.68	8.62	43.11
309b	COLD MILLING, 0 - 50 mm	SM	1.36	41.65	14.46	14.37	71.84
309c	COLD MILLING, 0 - 70 mm	SM	2.04	62.48	21.69	21.55	107.77
401a1i	CONCRETE CLASS "A1" (Underground)	CM	425.46	1,059.94	4,093.81	1,394.80	6,974.02
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	425.46	1,059.94	4,371.29	1,464.17	7,320.86
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	425.46	1,059.94	4,926.23	1,602.91	8,014.54
401a2i	CONCRETE CLASS "A2" (Underground)	CM	425.46	1,059.94	4,471.81	1,489.30	7,446.52
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	425.46	1,059.94	4,749.29	1,558.67	7,793.36
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	425.46	1,059.94	5,304.23	1,697.41	8,487.04
401a3i	CONCRETE CLASS "A3" (Underground)	CM	425.46	1,059.94	4,849.81	1,583.80	7,919.02
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	425.46	1,059.94	5,127.29	1,653.17	8,265.86
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	425.46	1,059.94	5,682.23	1,791.91	8,959.54
401b	CONCRETE CLASS "B"	CM	565.53	805.93	3,312.80	1,171.06	5,855.32
401ci	CONCRETE CLASS "C" (Underground)	CM	423.31	500.55	3,660.28	1,146.04	5,730.18
401cii	CONCRETE CLASS "C" (On ground)	CM	423.31	500.55	3,778.63	1,175.62	5,878.10
401ciii	CONCRETE CLASS "C" (Elevated)	CM	423.31	500.55	4,015.31	1,234.79	6,173.96
401d	CONCRETE CLASS "D1"	CM	647.93	1,265.57	5,418.70	1,833.05	9,165.25
401e	CONCRETE CLASS "Y"	CM	905.38	500.55	4,875.58	1,570.38	7,851.88
401f	LEAN CONCRETE	CM	370.36	507.52	2,584.60	865.62	4,328.09
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,450.87	947.15	5,109.46	1,876.87	9,384.35
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,450.87	947.15	5,865.46	2,065.87	10,329.35
401gii	PRECAST CONCRETE CLASS "B"	CM	1,450.87	947.15	4,845.57	1,810.90	9,054.49
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,450.87	947.15	6,243.46	2,160.37	10,801.85

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,450.87	947.15	6,621.46	2,254.87	11,274.35
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,450.87	947.15	6,999.46	2,349.37	11,746.85
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,240.41	781.47	60,418.00	15,609.97	78,049.85
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,240.41	781.47	67,768.00	17,447.47	87,237.35
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,016.66	5,393.81	56,378.65	15,697.28	78,486.40
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,801.41	15,659.05	132,786.66	37,811.78	189,058.90
405b	LAUNCHING OF GIRDER	TON	66.89	532.52	-	149.85	749.26
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	93.28	-	303.70	99.25	496.23
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	93.28	-	302.81	99.02	495.12
406c	STEEL EXPANSION JOINTS	KG	7.55	26.40	91.16	31.28	156.39
406d	WATER STOPS 6" SIZE	M	75.91	-	467.62	135.88	679.42
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.01	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	36.44	-	2,917.32	738.44	3,692.21
406g	STEEL OR METAL BEARING DEVICES	KG	17.17	69.68	117.13	51.00	254.99
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	361.11	1,654.04	904.38	729.88	3,649.41
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	541.66	2,481.06	1,356.58	1,094.82	5,474.12
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	541.66	2,481.06	1,004.87	1,006.90	5,034.49
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	902.76	4,135.11	1,186.75	1,556.16	7,780.78
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	773.80	4,884.94	1,372.88	1,757.90	8,789.52
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,354.15	6,909.78	1,505.61	2,442.38	12,211.91
407h	PILE LOAD TEST UP TO 120 TON	EACH	20,128.86	45,769.30	86,949.02	38,211.80	191,058.98
407i	PILE LOAD TEST UP TO 240 TON	EACH	37,499.47	45,769.30	173,898.04	64,291.70	321,458.52
407j	PILE LOAD TEST UP TO 360 TON	EACH	54,870.08	50,188.38	260,847.06	91,476.38	457,381.91
407k	CONFIRMATORY BORING (NX SIZE)	M	197.93	1,582.02	6.37	446.58	2,232.90
410	BRICK WORK	CM	289.46	282.72	2,790.48	840.67	4,203.33
411a	STONE MASONRY RANDOM DRY	CM	245.03	107.96	629.77	245.69	1,228.45
411b	STONE MASONRY RANDOM WITH MORTAR	CM	263.95	166.68	1,720.44	537.77	2,688.84
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	321.46	107.96	697.24	281.67	1,408.33
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	378.59	166.68	1,782.88	582.04	2,910.18

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	61.95	11.74	44.82	29.63	148.15
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	512.53	264.08	1,688.07	616.17	3,080.85
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	196.44	437.48	645.41	319.83	1,599.16
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	191.62	577.19	836.58	401.35	2,006.73
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	187.09	935.96	1,007.81	532.71	2,663.57
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	196.41	1,146.39	1,558.96	725.44	3,627.19
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	226.26	1,078.41	2,202.03	876.67	4,383.37
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	280.64	1,331.30	3,619.30	1,307.81	6,539.04
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	363.18	1,481.41	4,685.23	1,632.45	8,162.27
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	427.50	1,798.85	5,970.42	2,049.19	10,245.97
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	507.26	2,098.66	9,220.66	2,956.65	14,783.23
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	196.44	507.33	665.78	342.39	1,711.94
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	191.62	577.19	783.59	388.10	1,940.49
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	182.75	935.96	958.66	519.34	2,596.71
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	196.41	1,146.39	1,593.50	734.07	3,670.36
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	226.26	1,078.41	3,027.81	1,083.12	5,415.60
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	280.64	1,331.30	4,445.30	1,514.31	7,571.54
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	363.18	1,481.41	6,207.41	2,013.00	10,064.99
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	427.50	1,798.85	8,416.63	2,660.75	13,303.73
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	507.26	2,098.66	11,836.40	3,610.58	18,052.91
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	76.53	118.93	267.33	115.70	578.48
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	626.03	612.95	3,662.80	1,225.45	6,127.23
507a	STEEL WIRE MESH FOR GABIONS	KG	4.38	-	114.70	29.77	148.85
507b	ROCK FILL IN GABIONS	CM	82.97	-	494.08	144.26	721.32
508a	BRICK PAVING (SINGLE COURSE)	SM	96.11	32.70	205.33	83.54	417.68
508b	BRICK PAVING (DOUBLE COURSE)	SM	172.54	32.70	408.43	153.42	767.09
509a	RIP RAP CLASS "A"	CM	416.85	-	534.96	237.95	1,189.77
509b	RIP RAP CLASS "B"	CM	402.34	-	530.68	233.26	1,166.28
509c	RIP RAP CLASS "C"	CM	405.28	-	534.96	235.06	1,175.30

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	509.70	102.14	1,968.15	645.00	3,224.99
509e	GRouted RIP RAP CLASS "B"	CM	491.75	81.72	1,815.00	597.12	2,985.58
509f	GRouted RIP RAP CLASS "C"	CM	486.22	68.10	1,862.35	604.17	3,020.83
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	676.66	353.02	4,221.41	1,312.78	6,563.88
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	41.52	191.97	379.86	153.34	766.70
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	103.83	390.69	-	123.63	618.16
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	130.48	67.48	86.93	71.22	356.11
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	167.02	86.37	111.27	91.17	455.83
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	212.72	180.32	383.94	194.25	971.24
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	265.90	225.40	479.93	242.81	1,214.04
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	225.63	572.25	2,287.60	771.37	3,856.85
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	795.41	670.54	4,153.18	1,404.78	7,023.90
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	116.06	90.27	442.90	162.31	811.53
603	BRICK EDGING	M	7.58	-	33.12	10.18	50.88
604a	METAL GUARD RAIL	M	18.08	70.84	1,579.36	417.07	2,085.36
604b	METAL GUARD RAIL END PIECES	EACH	25.21	-	1,197.58	305.70	1,528.48
604d	STEEL POST OF METAL GUARD RAIL	EACH	80.95	976.73	3,776.31	1,208.50	6,042.48
605a	CONCRETE BEAM GUARD RAIL	M	63.27	30.82	598.99	173.27	866.36
605c	CONCRETE POST FOR GUARD RAIL	M	77.69	27.36	600.56	176.40	882.01
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	202.74	255.15	6,873.70	1,832.90	9,164.49
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	59.42	382.72	9,285.95	2,432.03	12,160.13
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	202.74	541.89	11,933.27	3,169.47	15,847.37
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	663.74	598.64	21,036.62	5,574.75	27,873.76
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	132.75	119.73	9,239.62	2,373.03	11,865.13
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	223.43	-	1,307.31	382.68	1,913.42
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	223.43	-	1,960.97	546.10	2,730.49
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.31	5.86	16.18	6.09	30.44
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.77	4.03	39.85	11.16	55.81
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.31	5.86	21.59	7.44	37.21

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rajan pur

District Code: 56

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.77	4.03	53.15	14.49	72.43
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	58.62	5.22	156.35	55.05	275.24
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	58.62	9.98	502.13	142.68	713.42
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.89	8.59	22.50	8.49	42.47
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	2.89	9.63	67.50	20.01	100.04
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.89	6.95	30.00	9.96	49.80
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	2.89	9.63	90.01	25.63	128.16
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	58.62	3.73	217.21	69.89	349.45
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	58.62	7.90	851.20	229.43	1,147.15
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	49.17	3.73	104.24	39.28	196.41
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	49.17	7.90	335.26	98.08	490.41
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	49.17	3.73	144.81	49.43	247.13
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	49.17	7.90	568.32	156.35	781.74
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	7.79	81.62	193.88	70.82	354.11
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	7.79	81.62	233.88	80.82	404.10
610b	RIGHT OF WAY MARKER	EACH	88.83	121.33	306.72	129.22	646.10
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	531.36	976.31	2,072.43	895.02	4,475.12
610d	TEN KILOMETRE POST	EACH	1,018.58	1,952.61	4,540.17	1,877.84	9,389.21
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	117.42	91.00	957.86	291.57	1,457.85

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

RAWALPINDI

(57)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.92	10.10	-	2.76	13.78
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.89	173.32	1.17	45.84	229.22
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	26.13	456.54	2.63	121.32	606.62
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	104.53	1,826.16	10.51	485.30	2,426.50
103	STRIPPING	CM	2.93	93.22	-	24.04	120.19
104	COMPACTION OF NATURAL GROUND	SM	0.41	9.91	0.76	2.77	13.85
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.59	135.76	-	35.09	175.44
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	143.20	316.30	50.82	127.58	637.90
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	20.37	337.99	-	89.59	447.95
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	13.17	262.40	-	68.89	344.45
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.76	120.27	-	31.01	155.03
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	143.20	316.30	50.82	127.58	637.90
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	22.77	316.03	-	84.70	423.50
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	10.21	263.92	-	68.53	342.66
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.64	137.60	0.38	36.40	182.02
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	77.82	287.11	70.80	108.94	544.68
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	126.51	427.01	33.88	146.85	734.26
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	107.89	292.53	-	100.11	500.53
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	65.06	238.86	-	75.98	379.91
107d	GRANULAR BACK FILL	CM	41.33	137.14	399.67	144.54	722.68
107e	COMMON BACK FILL	CM	32.54	62.84	5.09	25.12	125.59
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.76	174.71	5.09	46.89	234.45
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	23.55	482.48	54.04	140.02	700.09
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	17.66	416.71	2.42	109.20	545.99
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.70	369.34	-	96.26	481.31
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	9.12	177.46	7.94	48.63	243.15
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.02	76.32	5.09	22.11	110.53
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.98	110.29	3.03	32.58	162.88
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.58	27.34	1.46	7.59	37.97

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.12	18.21	0.77	5.03	25.13
110	IMPROVED SUB-GRADE	CM	11.62	120.02	58.10	47.43	237.17
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.98	15.26	0.79	4.26	21.29
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.43	15.57	0.90	4.47	22.37
201	GRANULAR SUB-BASE	CM	9.22	255.06	472.30	184.14	920.72
202	AGGREGATE BASE	CM	10.66	326.54	761.60	274.70	1,373.51
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	91.50	1,510.17	5,855.77	1,864.36	9,321.79
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	94.18	1,510.17	6,248.38	1,963.18	9,815.91
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	100.30	1,577.28	5,846.34	1,880.98	9,404.91
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	100.30	1,571.31	6,390.37	2,015.49	10,077.47
204b	CEMENT STABILIZED BASE	CM	33.42	569.10	1,081.87	421.10	2,105.50
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	272.80	915.38	50,289.75	12,869.48	64,347.41
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	272.80	915.38	48,711.62	12,474.95	62,374.74
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	124.65	112.80	980.34	304.45	1,522.24
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	180.25	2,437.94	5,591.24	2,052.36	10,261.79
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	138.81	126.27	627.66	223.19	1,115.94
207a	DEEP PATCHING (0-15 cm)	SM	1.96	45.04	1.26	12.06	60.32
207b	DEEP PATCHING (16-30 cm)	SM	1.96	39.67	1.26	10.72	53.61
208	REINSTATEMENT OF ROAD SURFACE	SM	2.12	57.10	0.56	14.95	74.73
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.17	110.61	0.68	28.37	141.83
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.43	22.12	0.14	5.67	28.37
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.34	1.57	35.69	9.40	47.00
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	39.84	10.44	52.18
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	14.94	3.91	19.57
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.43	4.54	22.68
304a	SINGLE SURFACE TREATMENT	SM	0.88	7.57	71.12	19.89	99.46
304b	DOUBLE SURFACE TREATMENT	SM	1.27	14.15	138.07	38.37	191.86
304c	TRIPLE SURFACE TREATMENT	SM	2.13	19.94	157.53	44.90	224.50
304d	SEAL COAT	SM	0.81	4.12	50.33	13.82	69.08

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	84.27	1,489.33	6,835.21	2,102.20	10,511.01
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	84.27	1,438.23	7,366.90	2,222.35	11,111.76
307a	DENSE GRADED HOT BIT-MAC	CM	210.71	379.77	5,632.85	1,555.83	7,779.17
307b	OPEN GRADED HOT BIT-MAC	CM	210.71	379.77	5,483.81	1,518.58	7,592.88
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	35.13	590.65	2,019.09	661.22	3,306.08
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	30.30	650.70	42,287.44	10,742.11	53,710.54
309a	COLD MILLING, 0 - 30 mm	SM	1.10	24.99	8.68	8.69	43.46
309b	COLD MILLING, 0 - 50 mm	SM	1.83	41.65	14.46	14.49	72.43
309c	COLD MILLING, 0 - 70 mm	SM	2.75	62.48	21.69	21.73	108.65
401a1i	CONCRETE CLASS "A1" (Underground)	CM	681.92	1,059.94	3,932.43	1,418.57	7,092.85
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	681.92	1,059.94	4,209.90	1,487.94	7,439.69
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	681.92	1,059.94	4,764.85	1,626.67	8,133.37
401a2i	CONCRETE CLASS "A2" (Underground)	CM	681.92	1,059.94	4,310.43	1,513.07	7,565.35
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	681.92	1,059.94	4,587.90	1,582.44	7,912.19
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	681.92	1,059.94	5,142.85	1,721.17	8,605.87
401a3i	CONCRETE CLASS "A3" (Underground)	CM	681.92	1,059.94	4,688.43	1,607.57	8,037.85
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	681.92	1,059.94	4,965.90	1,676.94	8,384.69
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	681.92	1,059.94	5,520.85	1,815.67	9,078.37
401b	CONCRETE CLASS "B"	CM	850.92	805.93	3,162.38	1,204.81	6,024.04
401ci	CONCRETE CLASS "C" (Underground)	CM	683.38	500.55	3,499.98	1,170.98	5,854.88
401cii	CONCRETE CLASS "C" (On ground)	CM	683.38	500.55	3,618.32	1,200.56	6,002.81
401ciii	CONCRETE CLASS "C" (Elevated)	CM	683.38	500.55	3,855.01	1,259.73	6,298.67
401d	CONCRETE CLASS "D1"	CM	1,093.88	1,265.57	5,274.22	1,908.42	9,542.08
401e	CONCRETE CLASS "Y"	CM	1,554.35	500.55	4,722.14	1,694.26	8,471.30
401f	LEAN CONCRETE	CM	576.67	507.52	2,433.48	879.42	4,397.08
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,364.74	947.15	4,933.27	2,061.29	10,306.45
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,364.74	947.15	5,689.27	2,250.29	11,251.45
401gii	PRECAST CONCRETE CLASS "B"	CM	2,364.74	947.15	4,693.14	2,001.26	10,006.29
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,364.74	947.15	6,067.27	2,344.79	11,723.95

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,364.74	947.15	6,445.27	2,439.29	12,196.45
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,364.74	947.15	6,823.27	2,533.79	12,668.95
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	2,102.50	781.47	59,358.00	15,560.49	77,802.46
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	2,102.50	781.47	66,708.00	17,397.99	86,989.96
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,712.16	5,393.81	56,237.84	15,835.95	79,179.77
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,618.05	15,659.05	132,545.58	37,955.67	189,778.35
405b	LAUNCHING OF GIRDER	TON	86.74	532.52	-	154.82	774.08
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	154.47	-	295.05	112.38	561.90
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	154.47	-	294.70	112.29	561.47
406c	STEEL EXPANSION JOINTS	KG	12.85	26.40	91.26	32.63	163.14
406d	WATER STOPS 6" SIZE	M	128.39	-	471.58	149.99	749.95
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	55.72	-	2,961.61	754.33	3,771.67
406g	STEEL OR METAL BEARING DEVICES	KG	26.19	69.68	117.14	53.25	266.27
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	474.88	1,654.04	717.59	711.63	3,558.14
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	712.32	2,481.06	1,076.38	1,067.44	5,337.21
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	712.32	2,481.06	816.18	1,002.39	5,011.96
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,187.21	4,135.11	994.27	1,579.14	7,895.72
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	1,017.61	4,884.94	1,173.65	1,769.05	8,845.25
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,780.81	6,909.78	1,285.51	2,494.02	12,470.12
407h	PILE LOAD TEST UP TO 120 TON	EACH	30,991.67	45,769.30	93,106.38	42,466.84	212,334.19
407i	PILE LOAD TEST UP TO 240 TON	EACH	58,564.07	45,769.30	186,212.75	72,636.53	363,182.66
407j	PILE LOAD TEST UP TO 360 TON	EACH	86,136.47	50,188.38	279,319.13	103,911.00	519,554.98
407k	CONFIRMATORY BORING (NX SIZE)	M	278.60	1,582.02	6.36	466.75	2,333.74
410	BRICK WORK	CM	457.52	282.72	3,187.52	981.94	4,909.70
411a	STONE MASONRY RANDOM DRY	CM	377.75	107.96	551.75	259.37	1,296.83
411b	STONE MASONRY RANDOM WITH MORTAR	CM	408.39	166.68	1,544.98	530.01	2,650.06
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	500.30	107.96	619.63	306.97	1,534.86
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	592.20	166.68	1,632.18	597.77	2,988.83

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	99.23	11.74	43.19	38.54	192.71
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	806.66	264.08	1,537.37	652.03	3,260.14
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	302.15	437.48	642.36	345.50	1,727.49
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	296.18	577.19	832.93	426.57	2,132.86
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	281.63	935.96	1,003.54	555.28	2,776.41
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	297.80	1,146.39	1,553.97	749.54	3,747.71
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	340.91	1,078.41	2,197.04	904.09	4,520.46
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	420.74	1,331.30	3,612.10	1,341.03	6,705.17
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	544.49	1,481.41	4,678.06	1,675.99	8,379.95
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	639.28	1,798.85	5,961.72	2,099.96	10,499.82
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	759.87	2,098.66	9,210.50	3,017.26	15,086.29
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	302.15	507.33	659.69	367.29	1,836.47
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	296.18	577.19	779.94	413.33	2,066.63
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	274.73	935.96	954.39	541.27	2,706.35
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	297.80	1,146.39	1,589.62	758.45	3,792.26
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	340.91	1,078.41	3,022.27	1,110.40	5,551.99
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	420.74	1,331.30	4,438.10	1,547.54	7,737.68
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	544.49	1,481.41	6,200.24	2,056.53	10,282.67
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	639.28	1,798.85	8,407.93	2,711.52	13,557.58
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	759.87	2,098.66	11,826.25	3,671.19	18,355.97
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	113.51	118.93	326.66	139.77	698.87
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	976.22	612.95	3,512.38	1,275.39	6,376.93
507a	STEEL WIRE MESH FOR GABIONS	KG	6.95	-	113.17	30.03	150.14
507b	ROCK FILL IN GABIONS	CM	125.97	-	427.72	138.42	692.11
508a	BRICK PAVING (SINGLE COURSE)	SM	150.75	32.70	262.51	111.49	557.44
508b	BRICK PAVING (DOUBLE COURSE)	SM	273.29	32.70	522.08	207.02	1,035.09
509a	RIP RAP CLASS "A"	CM	656.88	-	456.95	278.46	1,392.28
509b	RIP RAP CLASS "B"	CM	635.79	-	453.29	272.27	1,361.36
509c	RIP RAP CLASS "C"	CM	642.16	-	456.95	274.78	1,373.89

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	803.13	102.14	1,829.18	683.61	3,418.07
509e	GRouted RIP RAP CLASS "B"	CM	777.30	81.72	1,682.99	635.50	3,177.51
509f	GRouted RIP RAP CLASS "C"	CM	770.30	68.10	1,727.45	641.46	3,207.30
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,064.63	353.02	4,079.21	1,374.22	6,871.09
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	62.32	191.97	399.65	163.49	817.43
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	146.44	390.69	-	134.28	671.42
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	202.11	67.48	74.25	85.96	429.79
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	258.70	86.37	95.04	110.03	550.14
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	332.22	180.32	356.71	217.31	1,086.56
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	415.28	225.40	445.88	271.64	1,358.20
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	361.58	572.25	2,203.27	784.28	3,921.38
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,297.55	670.54	4,039.51	1,501.90	7,509.49
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	187.69	90.27	426.75	176.18	880.89
603	BRICK EDGING	M	11.57	-	42.24	13.45	67.27
604a	METAL GUARD RAIL	M	24.22	70.84	1,579.41	418.62	2,093.10
604b	METAL GUARD RAIL END PIECES	EACH	34.70	-	1,197.61	308.08	1,540.39
604d	STEEL POST OF METAL GUARD RAIL	EACH	107.23	976.73	3,776.44	1,215.10	6,075.50
605a	CONCRETE BEAM GUARD RAIL	M	102.21	30.82	588.05	180.27	901.35
605c	CONCRETE POST FOR GUARD RAIL	M	125.49	27.36	587.77	185.16	925.78
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	313.01	255.15	6,860.09	1,857.06	9,285.31
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	91.15	382.72	9,247.02	2,430.22	12,151.11
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	313.01	541.89	11,866.02	3,180.23	15,901.14
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,051.59	598.64	20,929.38	5,644.90	28,224.52
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	210.32	119.73	9,207.83	2,384.47	11,922.34
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	349.26	-	1,304.64	413.47	2,067.37
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	349.26	-	1,956.96	576.55	2,882.77
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.32	5.86	16.17	6.34	31.68
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.11	4.03	39.69	11.21	56.03
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.32	5.86	21.57	7.69	38.43

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Rawalpindi

District Code: 57

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.11	4.03	52.94	14.52	72.59
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	105.96	5.22	156.20	66.84	334.22
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	105.96	9.98	500.16	154.03	770.13
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.15	8.59	22.48	8.80	44.02
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.15	9.63	67.51	20.32	101.60
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.15	6.95	29.97	10.27	51.34
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.15	9.63	90.01	25.95	129.73
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	105.96	3.73	217.06	81.69	408.43
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	105.96	7.90	851.21	241.27	1,206.33
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	87.58	3.73	104.13	48.86	244.29
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	87.58	7.90	333.94	107.35	536.77
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	87.58	3.73	144.71	59.00	295.01
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	87.58	7.90	568.33	165.95	829.76
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	11.49	81.62	193.76	71.72	358.59
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	11.49	81.62	233.76	81.72	408.58
610b	RIGHT OF WAY MARKER	EACH	140.53	121.33	298.88	140.18	700.92
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	868.08	976.31	2,001.39	961.44	4,807.22
610d	TEN KILOMETRE POST	EACH	1,674.88	1,952.61	4,402.43	2,007.48	10,037.40
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	175.95	91.00	949.40	304.09	1,520.44

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

SAHIWAL

(58)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.70	10.10	-	2.70	13.50
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	6.81	173.32	1.17	45.32	226.62
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	19.92	456.54	2.63	119.77	598.86
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	79.68	1,826.16	10.51	479.09	2,395.44
103	STRIPPING	CM	2.31	93.22	-	23.88	119.42
104	COMPACTION OF NATURAL GROUND	SM	0.33	9.91	0.76	2.75	13.74
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.66	135.76	-	34.85	174.27
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	113.53	316.30	50.82	120.16	600.81
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.22	337.99	-	88.55	442.77
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.60	262.40	-	68.25	341.24
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	2.99	120.27	-	30.82	154.08
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	113.53	316.30	50.82	120.16	600.81
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	18.03	316.03	-	83.52	417.58
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.17	263.92	-	68.02	340.11
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.23	137.60	0.38	36.05	180.26
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	57.03	287.11	70.80	103.74	518.69
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	100.16	427.01	33.88	140.26	701.32
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	85.37	292.53	-	94.48	472.38
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	51.51	238.86	-	72.59	362.97
107d	GRANULAR BACK FILL	CM	31.84	137.14	480.22	162.30	811.49
107e	COMMON BACK FILL	CM	24.67	62.84	5.09	23.15	115.75
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.25	174.71	5.09	46.51	232.56
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	18.67	482.48	54.04	138.80	693.99
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.00	416.71	2.42	108.28	541.41
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.45	369.34	-	95.45	477.24
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.27	177.46	7.94	48.17	240.83
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.65	76.32	5.09	21.76	108.82
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.45	110.29	3.03	31.69	158.46
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.26	27.34	1.46	7.51	37.57

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.90	18.21	0.77	4.97	24.85
110	IMPROVED SUB-GRADE	CM	9.16	120.02	58.11	46.82	234.11
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.78	15.26	0.79	4.21	21.04
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.15	15.57	0.90	4.40	22.02
201	GRANULAR SUB-BASE	CM	7.34	255.06	651.82	228.56	1,142.78
202	AGGREGATE BASE	CM	8.36	326.54	970.49	326.35	1,631.74
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	70.24	1,510.17	6,123.13	1,925.88	9,629.42
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	72.38	1,510.17	6,546.67	2,032.30	10,161.52
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	77.51	1,577.28	6,113.94	1,942.18	9,710.92
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	77.51	1,571.31	6,690.19	2,084.75	10,423.76
204b	CEMENT STABILIZED BASE	CM	26.05	569.10	1,256.56	462.93	2,314.65
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	219.37	915.38	51,556.29	13,172.76	65,863.80
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	219.37	915.38	49,978.16	12,778.23	63,891.14
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	94.73	112.80	1,247.21	363.68	1,818.42
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	140.27	2,437.94	5,863.03	2,110.31	10,551.56
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	105.11	126.27	948.76	295.04	1,475.19
207a	DEEP PATCHING (0-15 cm)	SM	1.58	45.04	1.26	11.97	59.84
207b	DEEP PATCHING (16-30 cm)	SM	1.58	39.67	1.26	10.63	53.14
208	REINSTATEMENT OF ROAD SURFACE	SM	1.66	57.10	0.56	14.83	74.15
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.82	110.61	0.68	28.28	141.39
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.36	22.12	0.14	5.66	28.28
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	36.59	9.61	48.04
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.26	1.57	40.85	10.67	53.35
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.31	4.00	20.00
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.87	4.64	23.19
304a	SINGLE SURFACE TREATMENT	SM	0.69	7.57	73.80	20.52	102.58
304b	DOUBLE SURFACE TREATMENT	SM	1.01	14.15	144.14	39.82	199.12
304c	TRIPLE SURFACE TREATMENT	SM	1.69	19.94	164.54	46.54	232.71
304d	SEAL COAT	SM	0.64	4.12	51.88	14.16	70.80

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	65.08	1,489.33	7,162.41	2,179.20	10,896.02
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	65.08	1,438.23	7,733.12	2,309.11	11,545.54
307a	DENSE GRADED HOT BIT-MAC	CM	161.07	379.77	5,930.23	1,617.77	8,088.84
307b	OPEN GRADED HOT BIT-MAC	CM	161.07	379.77	5,785.75	1,581.65	7,908.24
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	26.93	590.65	2,080.46	674.51	3,372.55
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	23.39	650.70	43,591.60	11,066.42	55,332.11
309a	COLD MILLING, 0 - 30 mm	SM	0.86	24.99	8.68	8.63	43.16
309b	COLD MILLING, 0 - 50 mm	SM	1.43	41.65	14.46	14.39	71.93
309c	COLD MILLING, 0 - 70 mm	SM	2.14	62.48	21.69	21.58	107.89
401a1i	CONCRETE CLASS "A1" (Underground)	CM	467.79	1,059.94	4,306.38	1,458.53	7,292.64
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	467.79	1,059.94	4,583.85	1,527.90	7,639.48
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	467.79	1,059.94	5,138.80	1,666.63	8,333.16
401a2i	CONCRETE CLASS "A2" (Underground)	CM	467.79	1,059.94	4,684.38	1,553.03	7,765.14
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	467.79	1,059.94	4,961.85	1,622.40	8,111.98
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	467.79	1,059.94	5,516.80	1,761.13	8,805.66
401a3i	CONCRETE CLASS "A3" (Underground)	CM	467.79	1,059.94	5,062.38	1,647.53	8,237.64
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	467.79	1,059.94	5,339.85	1,716.90	8,584.48
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	467.79	1,059.94	5,894.80	1,855.63	9,278.16
401b	CONCRETE CLASS "B"	CM	622.97	805.93	3,575.89	1,251.20	6,255.99
401ci	CONCRETE CLASS "C" (Underground)	CM	474.04	500.55	3,930.70	1,226.32	6,131.61
401cii	CONCRETE CLASS "C" (On ground)	CM	474.04	500.55	4,049.04	1,255.91	6,279.54
401ciii	CONCRETE CLASS "C" (Elevated)	CM	474.04	500.55	4,285.72	1,315.08	6,575.39
401d	CONCRETE CLASS "D1"	CM	716.72	1,265.57	5,630.94	1,903.31	9,516.53
401e	CONCRETE CLASS "Y"	CM	1,011.18	500.55	5,050.40	1,640.53	8,202.66
401f	LEAN CONCRETE	CM	423.66	507.52	2,847.21	944.60	4,722.98
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,642.24	947.15	5,335.21	1,981.15	9,905.74
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,642.24	947.15	6,091.21	2,170.15	10,850.74
401gii	PRECAST CONCRETE CLASS "B"	CM	1,642.24	947.15	5,122.98	1,928.09	9,640.46
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,642.24	947.15	6,469.21	2,264.65	11,323.24

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,642.24	947.15	6,847.21	2,359.15	11,795.74
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,642.24	947.15	7,225.21	2,453.65	12,268.24
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,354.87	781.47	59,888.00	15,506.09	77,530.43
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,354.87	781.47	67,238.00	17,343.59	86,717.93
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,108.00	5,393.81	55,650.82	15,538.16	77,690.79
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,790.98	15,659.05	132,553.53	37,750.89	188,754.44
405b	LAUNCHING OF GIRDER	TON	66.67	532.52	-	149.80	748.99
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	103.70	-	292.99	99.17	495.86
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	103.70	-	292.92	99.16	495.78
406c	STEEL EXPANSION JOINTS	KG	8.36	26.40	90.86	31.40	157.02
406d	WATER STOPS 6" SIZE	M	84.98	-	469.38	138.59	692.95
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	40.58	-	2,979.90	755.12	3,775.60
406g	STEEL OR METAL BEARING DEVICES	KG	18.84	69.68	116.83	51.34	256.70
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	361.63	1,654.04	714.77	682.61	3,413.06
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	542.45	2,481.06	1,072.16	1,023.92	5,119.59
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	542.45	2,481.06	811.96	958.87	4,794.34
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	904.08	4,135.11	987.24	1,506.61	7,533.03
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	774.92	4,884.94	1,161.58	1,705.36	8,526.81
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,356.11	6,909.78	1,274.97	2,385.22	11,926.08
407h	PILE LOAD TEST UP TO 120 TON	EACH	23,414.60	45,769.30	93,725.02	40,727.23	203,636.16
407i	PILE LOAD TEST UP TO 240 TON	EACH	44,093.90	45,769.30	187,450.04	69,328.31	346,641.56
407j	PILE LOAD TEST UP TO 360 TON	EACH	64,773.20	50,188.38	281,175.06	99,034.16	495,170.81
407k	CONFIRMATORY BORING (NX SIZE)	M	211.39	1,582.02	6.37	449.94	2,249.72
410	BRICK WORK	CM	331.44	282.72	2,834.02	862.05	4,310.23
411a	STONE MASONRY RANDOM DRY	CM	280.75	107.96	662.34	262.76	1,313.81
411b	STONE MASONRY RANDOM WITH MORTAR	CM	302.02	166.68	1,869.95	584.66	2,923.31
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	369.25	107.96	732.41	302.41	1,512.03
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	434.78	166.68	1,905.74	626.80	3,134.01

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	71.08	11.74	46.78	32.40	162.01
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	590.52	264.08	1,810.93	666.38	3,331.92
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	227.59	437.48	649.06	328.53	1,642.67
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	222.81	577.19	840.97	410.24	2,051.21
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	214.06	935.96	1,012.92	540.74	2,703.68
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	225.93	1,146.39	1,564.94	734.32	3,671.58
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	259.03	1,078.41	2,208.01	886.36	4,431.81
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	319.33	1,331.30	3,627.93	1,319.64	6,598.21
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	413.26	1,481.41	4,693.82	1,647.12	8,235.61
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	486.61	1,798.85	5,980.86	2,066.58	10,332.91
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	576.83	2,098.66	9,232.84	2,977.08	14,885.40
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	227.59	507.33	673.09	352.00	1,760.02
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	222.81	577.19	787.98	396.99	1,984.97
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	208.89	935.96	963.77	527.16	2,635.78
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	225.93	1,146.39	1,598.15	742.62	3,713.09
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	259.03	1,078.41	3,034.45	1,092.97	5,464.87
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	319.33	1,331.30	4,453.93	1,526.14	7,630.71
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	413.26	1,481.41	6,216.00	2,027.67	10,138.34
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	486.61	1,798.85	8,427.07	2,678.13	13,390.67
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	576.83	2,098.66	11,848.58	3,631.02	18,155.09
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	87.12	118.93	357.61	140.91	704.57
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	691.48	612.95	3,925.89	1,307.58	6,537.89
507a	STEEL WIRE MESH FOR GABIONS	KG	4.79	-	114.07	29.71	148.57
507b	ROCK FILL IN GABIONS	CM	96.06	-	529.38	156.36	781.80
508a	BRICK PAVING (SINGLE COURSE)	SM	110.54	32.70	203.53	86.69	433.47
508b	BRICK PAVING (DOUBLE COURSE)	SM	199.05	32.70	404.06	158.95	794.76
509a	RIP RAP CLASS "A"	CM	478.46	-	567.54	261.50	1,307.49
509b	RIP RAP CLASS "B"	CM	462.76	-	563.00	256.44	1,282.20
509c	RIP RAP CLASS "C"	CM	466.48	-	567.54	258.51	1,292.53

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	585.17	102.14	2,057.49	686.20	3,431.00
509e	GRouted RIP RAP CLASS "B"	CM	565.15	81.72	1,898.12	636.25	3,181.24
509f	GRouted RIP RAP CLASS "C"	CM	559.47	68.10	1,950.08	644.41	3,222.06
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	775.13	353.02	4,491.54	1,404.92	7,024.62
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	47.89	191.97	479.80	179.92	899.59
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	111.03	390.69	-	125.43	627.15
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	149.56	67.48	92.22	77.31	386.57
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	191.43	86.37	118.05	98.96	494.81
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	243.86	180.32	408.14	208.08	1,040.39
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	304.82	225.40	510.17	260.10	1,300.49
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	248.10	572.25	2,397.90	804.56	4,022.81
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	899.46	670.54	4,259.54	1,457.39	7,286.93
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	131.32	90.27	466.27	171.96	859.82
603	BRICK EDGING	M	8.69	-	32.16	10.21	51.06
604a	METAL GUARD RAIL	M	18.63	70.84	1,579.36	417.21	2,086.03
604b	METAL GUARD RAIL END PIECES	EACH	26.32	-	1,197.58	305.97	1,529.87
604d	STEEL POST OF METAL GUARD RAIL	EACH	82.91	976.73	3,776.31	1,208.99	6,044.94
605a	CONCRETE BEAM GUARD RAIL	M	73.13	30.82	604.87	177.21	886.03
605c	CONCRETE POST FOR GUARD RAIL	M	89.79	27.36	608.00	181.29	906.44
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	228.72	255.15	6,881.23	1,841.27	9,206.37
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	69.03	382.72	9,323.70	2,443.86	12,219.32
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	228.72	541.89	11,999.57	3,192.54	15,962.72
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	767.73	598.64	21,125.19	5,622.89	28,114.46
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	153.55	119.73	9,242.93	2,379.05	11,895.25
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	238.14	-	1,303.20	385.33	1,926.67
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	238.14	-	1,954.81	548.24	2,741.18
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.64	5.86	16.16	6.16	30.81
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.88	4.03	39.60	11.13	55.64
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.64	5.86	21.56	7.51	37.57

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sahiwal

District Code: 58

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.88	4.03	52.82	14.43	72.16
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	64.45	5.22	156.11	56.45	282.23
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	64.45	9.98	499.08	143.38	716.90
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.29	8.59	22.47	8.59	42.94
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.29	9.63	67.50	20.11	100.54
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.29	6.95	29.96	10.05	50.26
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.29	9.63	90.01	25.73	128.67
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	64.45	3.73	216.97	71.29	356.44
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	64.45	7.90	851.20	230.89	1,154.44
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	54.24	3.73	104.08	40.51	202.55
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	54.24	7.90	333.22	98.84	494.20
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	54.24	3.73	144.65	50.65	253.27
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	54.24	7.90	568.32	157.62	788.08
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.00	81.62	194.03	71.16	355.81
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.00	81.62	234.03	81.16	405.80
610b	RIGHT OF WAY MARKER	EACH	103.44	121.33	314.92	134.92	674.61
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	607.31	976.31	2,140.04	930.91	4,654.57
610d	TEN KILOMETRE POST	EACH	1,163.55	1,952.61	4,669.21	1,946.34	9,731.72
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	130.51	91.00	969.49	297.75	1,488.75

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

SARGODHA

(60)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.80	10.10	-	2.73	13.63
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.79	173.32	1.17	45.57	227.85
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	22.74	456.54	2.63	120.48	602.39
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	90.98	1,826.16	10.51	481.91	2,409.56
103	STRIPPING	CM	2.61	93.22	-	23.96	119.79
104	COMPACTION OF NATURAL GROUND	SM	0.37	9.91	0.76	2.76	13.80
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.26	135.76	-	35.00	175.02
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	130.00	316.30	50.82	124.28	621.40
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.38	337.99	-	89.09	445.46
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.96	262.40	-	68.59	342.94
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.49	120.27	-	30.94	154.70
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	130.00	316.30	50.82	124.28	621.40
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.68	316.03	-	84.18	420.89
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.24	263.92	-	68.29	341.45
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.07	137.60	0.38	36.26	181.31
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	64.23	287.11	70.80	105.54	527.69
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	114.90	427.01	33.88	143.95	719.75
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	97.84	292.53	-	97.59	487.96
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	59.09	238.86	-	74.49	372.45
107d	GRANULAR BACK FILL	CM	36.53	137.14	369.49	135.79	678.95
107e	COMMON BACK FILL	CM	28.10	62.84	5.09	24.01	120.04
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.08	174.71	5.09	46.72	233.60
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	21.18	482.48	54.04	139.43	697.13
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.88	416.71	2.42	108.75	543.77
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	14.12	369.34	-	95.87	479.33
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.23	177.46	7.94	48.41	242.04
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.38	76.32	5.09	21.95	109.74
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	15.20	110.29	3.03	32.13	160.65
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.43	27.34	1.46	7.56	37.78

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.02	18.21	0.77	5.00	25.00
110	IMPROVED SUB-GRADE	CM	10.42	120.02	58.10	47.14	235.68
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.88	15.26	0.79	4.23	21.16
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.29	15.57	0.90	4.44	22.20
201	GRANULAR SUB-BASE	CM	8.34	255.06	515.99	194.85	974.23
202	AGGREGATE BASE	CM	9.67	326.54	769.86	276.52	1,382.59
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	79.98	1,510.17	5,772.96	1,840.78	9,203.89
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	82.48	1,510.17	6,176.79	1,942.36	9,711.80
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	88.06	1,577.28	5,763.15	1,857.12	9,285.62
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	88.06	1,571.31	6,320.70	1,995.02	9,975.09
204b	CEMENT STABILIZED BASE	CM	30.05	569.10	925.61	381.19	1,905.97
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	247.91	915.38	51,101.79	13,066.27	65,331.35
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	247.91	915.38	49,523.66	12,671.74	63,358.69
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	107.31	112.80	831.85	262.99	1,314.95
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	159.63	2,437.94	5,474.26	2,017.96	10,089.79
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	119.25	126.27	738.61	246.03	1,230.17
207a	DEEP PATCHING (0-15 cm)	SM	1.78	45.04	1.26	12.02	60.09
207b	DEEP PATCHING (16-30 cm)	SM	1.78	39.67	1.26	10.68	53.39
208	REINSTATEMENT OF ROAD SURFACE	SM	1.91	57.10	0.56	14.89	74.47
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.03	110.61	0.68	28.33	141.65
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.41	22.12	0.14	5.67	28.33
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.31	1.57	36.27	9.54	47.68
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	40.49	10.59	52.94
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.18	3.97	19.85
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.71	4.60	23.01
304a	SINGLE SURFACE TREATMENT	SM	0.80	7.57	71.59	19.99	99.95
304b	DOUBLE SURFACE TREATMENT	SM	1.15	14.15	138.19	38.38	191.88
304c	TRIPLE SURFACE TREATMENT	SM	1.94	19.94	157.61	44.87	224.36
304d	SEAL COAT	SM	0.74	4.12	50.85	13.93	69.64

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	74.21	1,489.33	6,773.48	2,084.25	10,421.27
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	74.21	1,438.23	7,309.69	2,205.53	11,027.66
307a	DENSE GRADED HOT BIT-MAC	CM	184.16	379.77	5,587.51	1,537.86	7,689.31
307b	OPEN GRADED HOT BIT-MAC	CM	184.16	379.77	5,425.18	1,497.28	7,486.39
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	30.84	590.65	2,010.08	657.89	3,289.46
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	26.86	650.70	43,123.60	10,950.29	54,751.45
309a	COLD MILLING, 0 - 30 mm	SM	0.99	24.99	8.68	8.66	43.32
309b	COLD MILLING, 0 - 50 mm	SM	1.65	41.65	14.46	14.44	72.20
309c	COLD MILLING, 0 - 70 mm	SM	2.47	62.48	21.69	21.66	108.31
401a1i	CONCRETE CLASS "A1" (Underground)	CM	532.36	1,059.94	3,898.78	1,372.77	6,863.85
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	532.36	1,059.94	4,176.26	1,442.14	7,210.69
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	532.36	1,059.94	4,731.20	1,580.87	7,904.37
401a2i	CONCRETE CLASS "A2" (Underground)	CM	532.36	1,059.94	4,276.78	1,467.27	7,336.35
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	532.36	1,059.94	4,554.26	1,536.64	7,683.19
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	532.36	1,059.94	5,109.20	1,675.37	8,376.87
401a3i	CONCRETE CLASS "A3" (Underground)	CM	532.36	1,059.94	4,654.78	1,561.77	7,808.85
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	532.36	1,059.94	4,932.26	1,631.14	8,155.69
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	532.36	1,059.94	5,487.20	1,769.87	8,849.37
401b	CONCRETE CLASS "B"	CM	711.29	805.93	3,114.32	1,157.89	5,789.43
401ci	CONCRETE CLASS "C" (Underground)	CM	539.71	500.55	3,432.52	1,118.19	5,590.97
401cii	CONCRETE CLASS "C" (On ground)	CM	539.71	500.55	3,550.86	1,147.78	5,738.90
401ciii	CONCRETE CLASS "C" (Elevated)	CM	539.71	500.55	3,787.55	1,206.95	6,034.76
401d	CONCRETE CLASS "D1"	CM	812.83	1,265.57	5,240.95	1,829.84	9,149.18
401e	CONCRETE CLASS "Y"	CM	1,144.44	500.55	4,694.07	1,584.76	7,923.82
401f	LEAN CONCRETE	CM	481.74	507.52	2,385.64	843.72	4,218.62
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,874.36	947.15	4,896.20	1,929.43	9,647.14
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,874.36	947.15	5,652.20	2,118.43	10,592.14
401gii	PRECAST CONCRETE CLASS "B"	CM	1,874.36	947.15	4,632.47	1,863.50	9,317.48
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,874.36	947.15	6,030.20	2,212.93	11,064.64

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,874.36	947.15	6,408.20	2,307.43	11,537.14
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,874.36	947.15	6,786.20	2,401.93	12,009.64
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,538.55	781.47	59,888.00	15,552.01	77,760.03
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,538.55	781.47	67,238.00	17,389.51	86,947.53
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,258.99	5,393.81	55,653.07	15,576.47	77,882.33
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,204.48	15,659.05	132,557.41	37,855.23	189,276.17
405b	LAUNCHING OF GIRDER	TON	76.42	532.52	-	152.24	761.18
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.79	-	292.65	102.61	513.05
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.79	-	292.58	102.59	512.96
406c	STEEL EXPANSION JOINTS	KG	9.48	26.40	90.48	31.59	157.95
406d	WATER STOPS 6" SIZE	M	96.34	-	470.18	141.63	708.15
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	47.03	-	2,990.48	759.38	3,796.88
406g	STEEL OR METAL BEARING DEVICES	KG	21.54	69.68	116.48	51.93	259.63
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	413.78	1,654.04	712.92	695.19	3,475.93
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	620.67	2,481.06	1,069.39	1,042.78	5,213.89
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	620.67	2,481.06	809.19	977.73	4,888.64
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,034.44	4,135.11	982.62	1,538.04	7,690.21
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	886.67	4,884.94	1,153.65	1,731.32	8,656.58
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,551.66	6,909.78	1,268.03	2,432.37	12,161.84
407h	PILE LOAD TEST UP TO 120 TON	EACH	26,627.82	45,769.30	93,106.38	41,375.88	206,879.38
407i	PILE LOAD TEST UP TO 240 TON	EACH	50,064.36	45,769.30	186,212.76	70,511.61	352,558.03
407j	PILE LOAD TEST UP TO 360 TON	EACH	73,500.90	50,188.38	279,319.14	100,752.11	503,760.53
407k	CONFIRMATORY BORING (NX SIZE)	M	240.88	1,582.02	6.37	457.32	2,286.58
410	BRICK WORK	CM	381.84	282.72	2,759.29	855.96	4,279.82
411a	STONE MASONRY RANDOM DRY	CM	320.08	107.96	406.36	208.60	1,043.00
411b	STONE MASONRY RANDOM WITH MORTAR	CM	344.97	166.68	1,458.05	492.43	2,462.13
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	421.95	107.96	455.96	246.47	1,232.33
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	497.77	166.68	1,512.35	544.20	2,721.01

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	82.15	11.74	44.17	34.52	172.58
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	676.61	264.08	1,417.55	589.56	2,947.80
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	258.86	437.48	644.19	335.13	1,675.66
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	253.28	577.19	835.12	416.40	2,081.98
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	243.23	935.96	1,006.10	546.32	2,731.61
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	256.63	1,146.39	1,556.96	739.99	3,699.97
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	294.54	1,078.41	2,200.03	893.25	4,466.23
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	363.88	1,331.30	3,616.42	1,327.90	6,639.50
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	470.91	1,481.41	4,682.36	1,658.67	8,293.34
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	554.03	1,798.85	5,966.94	2,079.96	10,399.79
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	657.35	2,098.66	9,216.60	2,993.15	14,965.76
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	258.86	507.33	663.34	357.38	1,786.92
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	253.28	577.19	782.13	403.15	2,015.75
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	237.37	935.96	956.95	532.57	2,662.84
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	256.63	1,146.39	1,591.95	748.74	3,743.70
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	294.54	1,078.41	3,025.59	1,099.64	5,498.18
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	363.88	1,331.30	4,442.42	1,534.40	7,672.00
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	470.91	1,481.41	6,204.54	2,039.21	10,196.07
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	554.03	1,798.85	8,413.15	2,691.51	13,457.55
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	657.35	2,098.66	11,832.34	3,647.09	18,235.44
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	98.93	118.93	326.66	136.13	680.64
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	786.97	612.95	3,464.32	1,216.06	6,080.30
507a	STEEL WIRE MESH FOR GABIONS	KG	5.46	-	114.07	29.88	149.41
507b	ROCK FILL IN GABIONS	CM	108.86	-	458.79	141.91	709.56
508a	BRICK PAVING (SINGLE COURSE)	SM	126.79	32.70	208.83	92.08	460.40
508b	BRICK PAVING (DOUBLE COURSE)	SM	228.65	32.70	414.73	169.02	845.11
509a	RIP RAP CLASS "A"	CM	550.24	-	311.55	215.45	1,077.23
509b	RIP RAP CLASS "B"	CM	532.10	-	309.06	210.29	1,051.44
509c	RIP RAP CLASS "C"	CM	536.60	-	311.55	212.04	1,060.19

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	672.95	102.14	1,704.06	619.79	3,098.95
509e	GRouted RIP RAP CLASS "B"	CM	650.18	81.72	1,556.87	572.19	2,860.96
509f	GRouted RIP RAP CLASS "C"	CM	643.68	68.10	1,603.15	578.73	2,893.66
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	886.75	353.02	4,033.58	1,318.34	6,591.69
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	54.11	191.97	369.63	153.93	769.65
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	126.47	390.69	-	129.29	646.45
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	171.02	67.48	50.63	72.28	361.40
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	218.91	86.37	64.80	92.52	462.60
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	279.57	180.32	346.47	201.59	1,007.95
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	349.46	225.40	433.09	251.99	1,259.93
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	282.33	572.25	2,185.67	760.06	3,800.31
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,026.69	670.54	4,025.66	1,430.72	7,153.61
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	149.93	90.27	422.82	165.75	828.77
603	BRICK EDGING	M	9.89	-	33.12	10.75	53.76
604a	METAL GUARD RAIL	M	21.35	70.84	1,492.92	396.28	1,981.39
604b	METAL GUARD RAIL END PIECES	EACH	29.99	-	1,138.10	292.02	1,460.12
604d	STEEL POST OF METAL GUARD RAIL	EACH	95.29	976.73	3,566.86	1,159.72	5,798.60
605a	CONCRETE BEAM GUARD RAIL	M	83.26	30.82	588.92	175.75	878.76
605c	CONCRETE POST FOR GUARD RAIL	M	102.23	27.36	588.59	179.54	897.72
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	260.59	255.15	6,843.15	1,839.72	9,198.60
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	77.70	382.72	9,233.41	2,423.46	12,117.29
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	260.59	541.89	11,846.36	3,162.21	15,811.04
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	871.86	598.64	20,895.57	5,591.52	27,957.59
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	174.37	119.73	9,197.23	2,372.83	11,864.16
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	272.36	-	1,303.27	393.91	1,969.54
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	272.36	-	1,954.91	556.82	2,784.09
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.94	5.86	16.16	6.24	31.19
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.98	4.03	39.61	11.15	55.77
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.94	5.86	21.56	7.59	37.94

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sargodha

District Code: 60

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.98	4.03	52.83	14.46	72.30
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	72.68	5.22	156.12	58.50	292.52
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	72.68	9.98	499.15	145.45	727.26
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.67	8.59	22.47	8.68	43.42
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.67	9.63	67.50	20.20	101.01
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.67	6.95	29.96	10.15	50.73
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.67	9.63	90.01	25.83	129.14
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	72.68	3.73	216.98	73.35	366.73
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	72.68	7.90	851.20	232.94	1,164.72
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	61.19	3.73	104.08	42.25	211.24
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	61.19	7.90	333.27	100.59	502.94
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	61.19	3.73	144.65	52.39	261.96
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	61.19	7.90	568.32	159.35	796.76
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.97	81.62	193.83	71.36	356.78
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.97	81.62	233.83	81.35	406.77
610b	RIGHT OF WAY MARKER	EACH	117.55	121.33	297.97	134.21	671.06
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	690.38	976.31	1,998.01	916.17	4,580.86
610d	TEN KILOMETRE POST	EACH	1,319.48	1,952.61	4,392.23	1,916.08	9,580.40
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	147.85	91.00	934.53	293.35	1,466.73

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

SHEIKHUPURA
(61)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.83	10.10	-	2.73	13.67
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.98	173.32	1.17	45.62	228.09
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	23.54	456.54	2.63	120.68	603.39
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	94.18	1,826.16	10.51	482.71	2,413.56
103	STRIPPING	CM	2.62	93.22	-	23.96	119.80
104	COMPACTION OF NATURAL GROUND	SM	0.37	9.91	0.76	2.76	13.80
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.99	135.76	-	34.94	174.69
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	126.48	316.30	50.82	123.40	617.00
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	18.10	337.99	-	89.02	445.12
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	11.68	262.40	-	68.52	342.59
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.27	120.27	-	30.88	154.42
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	126.48	316.30	50.82	123.40	617.00
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	20.10	316.03	-	84.03	420.16
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	9.06	263.92	-	68.25	341.23
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.70	137.60	0.38	36.17	180.86
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	64.52	287.11	70.80	105.61	528.04
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	111.66	427.01	33.88	143.14	715.70
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	95.32	292.53	-	96.96	484.82
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	57.43	238.86	-	74.07	370.36
107d	GRANULAR BACK FILL	CM	36.93	137.14	439.94	153.50	767.52
107e	COMMON BACK FILL	CM	29.44	62.84	5.09	24.34	121.71
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.86	174.71	5.09	46.67	233.33
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	20.95	482.48	54.04	139.37	696.84
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	15.71	416.71	2.42	108.71	543.55
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	13.97	369.34	-	95.83	479.14
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.11	177.46	7.94	48.38	241.88
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.22	76.32	5.09	21.91	109.53
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	15.16	110.29	3.03	32.12	160.59
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.40	27.34	1.46	7.55	37.74

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.99	18.21	0.77	4.99	24.97
110	IMPROVED SUB-GRADE	CM	10.33	120.02	55.16	46.38	231.89
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.87	15.26	0.79	4.23	21.16
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.27	15.57	0.90	4.43	22.17
201	GRANULAR SUB-BASE	CM	8.18	255.06	610.95	218.55	1,092.74
202	AGGREGATE BASE	CM	9.39	326.54	885.09	305.26	1,526.28
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	82.35	1,510.17	5,998.55	1,897.77	9,488.83
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	84.67	1,510.17	6,398.63	1,998.37	9,991.83
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	90.15	1,577.28	5,989.23	1,914.17	9,570.83
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	90.15	1,571.31	6,541.93	2,050.85	10,254.23
204b	CEMENT STABILIZED BASE	CM	29.59	569.10	1,152.04	437.68	2,188.42
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	241.81	915.38	51,126.03	13,070.80	65,354.02
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	241.81	915.38	49,547.90	12,676.27	63,381.36
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	113.09	112.80	1,048.34	318.56	1,592.79
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	161.31	2,437.94	5,726.33	2,081.40	10,406.98
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	126.00	126.27	839.04	272.83	1,364.14
207a	DEEP PATCHING (0-15 cm)	SM	1.74	45.04	1.26	12.01	60.04
207b	DEEP PATCHING (16-30 cm)	SM	1.74	39.67	1.26	10.67	53.34
208	REINSTATEMENT OF ROAD SURFACE	SM	1.87	57.10	0.56	14.88	74.42
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.91	110.61	0.68	28.30	141.50
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.38	22.12	0.14	5.66	28.30
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.30	1.57	36.29	9.54	47.70
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.29	1.57	40.50	10.59	52.96
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	15.19	3.97	19.86
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.12	0.58	17.72	4.60	23.02
304a	SINGLE SURFACE TREATMENT	SM	0.77	7.57	72.70	20.26	101.31
304b	DOUBLE SURFACE TREATMENT	SM	1.12	14.15	141.49	39.19	195.95
304c	TRIPLE SURFACE TREATMENT	SM	1.87	19.94	161.48	45.82	229.11
304d	SEAL COAT	SM	0.72	4.12	51.29	14.03	70.16

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	75.57	1,489.33	7,001.27	2,141.54	10,707.71
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	75.57	1,438.23	7,546.24	2,265.01	11,325.05
307a	DENSE GRADED HOT BIT-MAC	CM	189.42	379.77	5,787.49	1,589.17	7,945.86
307b	OPEN GRADED HOT BIT-MAC	CM	189.42	379.77	5,637.00	1,551.55	7,757.75
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	31.51	590.65	2,051.93	668.52	3,342.60
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	27.03	650.70	43,148.56	10,956.57	54,782.86
309a	COLD MILLING, 0 - 30 mm	SM	0.97	24.99	8.68	8.66	43.30
309b	COLD MILLING, 0 - 50 mm	SM	1.62	41.65	14.46	14.43	72.17
309c	COLD MILLING, 0 - 70 mm	SM	2.43	62.48	21.69	21.65	108.25
401a1i	CONCRETE CLASS "A1" (Underground)	CM	541.24	1,059.94	4,079.36	1,420.13	7,100.67
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	541.24	1,059.94	4,356.84	1,489.50	7,447.51
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	541.24	1,059.94	4,911.78	1,628.24	8,141.20
401a2i	CONCRETE CLASS "A2" (Underground)	CM	541.24	1,059.94	4,457.36	1,514.63	7,573.17
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	541.24	1,059.94	4,734.84	1,584.00	7,920.01
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	541.24	1,059.94	5,289.78	1,722.74	8,613.70
401a3i	CONCRETE CLASS "A3" (Underground)	CM	541.24	1,059.94	4,835.36	1,609.13	8,045.67
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	541.24	1,059.94	5,112.84	1,678.50	8,392.51
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	541.24	1,059.94	5,667.78	1,817.24	9,086.20
401b	CONCRETE CLASS "B"	CM	716.98	805.93	3,327.32	1,212.56	6,062.78
401ci	CONCRETE CLASS "C" (Underground)	CM	553.30	500.55	3,665.37	1,179.81	5,899.03
401cii	CONCRETE CLASS "C" (On ground)	CM	553.30	500.55	3,783.71	1,209.39	6,046.95
401ciii	CONCRETE CLASS "C" (Elevated)	CM	553.30	500.55	4,020.40	1,268.56	6,342.81
401d	CONCRETE CLASS "D1"	CM	837.14	1,265.57	5,409.25	1,877.99	9,389.95
401e	CONCRETE CLASS "Y"	CM	1,186.53	500.55	4,853.00	1,635.02	8,175.09
401f	LEAN CONCRETE	CM	499.78	507.52	2,599.02	901.58	4,507.89
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,937.32	947.15	5,091.92	1,994.10	9,970.49
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,937.32	947.15	5,847.92	2,183.10	10,915.49
401gii	PRECAST CONCRETE CLASS "B"	CM	1,937.32	947.15	4,863.63	1,937.02	9,685.12
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,937.32	947.15	6,225.92	2,277.60	11,387.99

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,937.32	947.15	6,603.92	2,372.10	11,860.49
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,937.32	947.15	6,981.92	2,466.60	12,332.99
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,581.82	781.47	59,358.00	15,430.32	77,151.62
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,581.82	781.47	66,708.00	17,267.82	86,339.12
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,261.34	5,393.81	55,174.97	15,457.53	77,287.66
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,229.51	15,659.05	132,537.95	37,856.63	189,283.14
405b	LAUNCHING OF GIRDER	TON	77.65	532.52	-	152.54	762.71
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	122.07	-	289.32	102.85	514.23
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	122.07	-	289.52	102.90	514.48
406c	STEEL EXPANSION JOINTS	KG	9.55	26.40	89.93	31.47	157.34
406d	WATER STOPS 6" SIZE	M	100.50	-	470.21	142.68	713.39
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	46.67	-	2,952.95	749.90	3,749.52
406g	STEEL OR METAL BEARING DEVICES	KG	21.18	69.68	115.97	51.71	258.54
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	422.41	1,654.04	726.24	700.67	3,503.36
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	633.61	2,481.06	1,089.36	1,051.01	5,255.04
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	633.61	2,481.06	829.16	985.96	4,929.79
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,056.02	4,135.11	1,015.91	1,551.76	7,758.79
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	905.16	4,884.94	1,210.73	1,750.21	8,751.03
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,584.03	6,909.78	1,317.97	2,452.94	12,264.72
407h	PILE LOAD TEST UP TO 120 TON	EACH	28,109.70	45,769.30	95,249.18	42,282.05	211,410.23
407i	PILE LOAD TEST UP TO 240 TON	EACH	53,255.73	45,769.30	190,498.36	72,380.85	361,904.24
407j	PILE LOAD TEST UP TO 360 TON	EACH	78,401.76	50,188.38	285,747.54	103,584.42	517,922.10
407k	CONFIRMATORY BORING (NX SIZE)	M	251.88	1,582.02	6.37	460.07	2,300.33
410	BRICK WORK	CM	386.69	282.72	2,957.68	906.77	4,533.86
411a	STONE MASONRY RANDOM DRY	CM	324.46	107.96	620.39	263.20	1,316.02
411b	STONE MASONRY RANDOM WITH MORTAR	CM	348.70	166.68	1,701.32	554.17	2,770.87
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	428.82	107.96	687.11	305.97	1,529.85
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	505.23	166.68	1,765.42	609.33	3,046.67

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	83.04	11.74	44.66	34.86	174.31
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	689.71	264.08	1,670.62	656.10	3,280.51
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	270.39	437.48	645.10	338.24	1,691.22
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	265.22	577.19	836.22	419.65	2,098.27
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	250.95	935.96	1,007.38	548.57	2,742.86
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	266.24	1,146.39	1,558.46	742.77	3,713.86
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	304.86	1,078.41	2,201.53	896.20	4,481.00
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	374.89	1,331.30	3,618.58	1,331.19	6,655.95
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	485.15	1,481.41	4,684.51	1,662.77	8,313.84
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	571.80	1,798.85	5,969.55	2,085.05	10,425.26
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	676.82	2,098.66	9,219.64	2,998.78	14,993.90
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	270.39	507.33	665.17	360.72	1,803.62
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	265.22	577.19	783.23	406.41	2,032.03
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	244.66	935.96	958.23	534.71	2,673.56
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	266.24	1,146.39	1,593.11	751.43	3,757.17
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	304.86	1,078.41	3,027.25	1,102.63	5,513.16
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	374.89	1,331.30	4,444.58	1,537.69	7,688.45
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	485.15	1,481.41	6,206.69	2,043.31	10,216.56
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	571.80	1,798.85	8,415.76	2,696.60	13,483.02
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	676.82	2,098.66	11,835.39	3,652.72	18,263.58
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	102.36	118.93	355.88	144.29	721.46
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	800.50	612.95	3,677.32	1,272.69	6,363.46
507a	STEEL WIRE MESH FOR GABIONS	KG	5.57	-	112.89	29.62	148.08
507b	ROCK FILL IN GABIONS	CM	114.08	-	494.08	152.04	760.21
508a	BRICK PAVING (SINGLE COURSE)	SM	129.66	32.70	229.83	98.05	490.23
508b	BRICK PAVING (DOUBLE COURSE)	SM	234.02	32.70	456.47	180.80	903.99
509a	RIP RAP CLASS "A"	CM	560.48	-	525.59	271.52	1,357.58
509b	RIP RAP CLASS "B"	CM	543.05	-	521.38	266.11	1,330.53
509c	RIP RAP CLASS "C"	CM	547.58	-	525.59	268.29	1,341.46

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	686.08	102.14	1,936.37	681.15	3,405.74
509e	GRouted RIP RAP CLASS "B"	CM	662.91	81.72	1,785.57	632.55	3,162.75
509f	GRouted RIP RAP CLASS "C"	CM	656.78	68.10	1,834.23	639.78	3,198.89
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	911.98	353.02	4,235.13	1,375.03	6,875.16
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	56.37	191.97	439.89	172.06	860.29
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	132.47	390.69	-	130.79	653.96
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	174.25	67.48	85.41	81.78	408.91
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	223.03	86.37	109.32	104.68	523.41
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	284.17	180.32	382.90	211.85	1,059.24
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	355.21	225.40	478.63	264.81	1,324.05
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	287.08	572.25	2,279.58	784.73	3,923.63
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,060.45	670.54	4,122.01	1,463.25	7,316.25
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	154.63	90.27	442.49	171.85	859.23
603	BRICK EDGING	M	10.12	-	36.48	11.65	58.25
604a	METAL GUARD RAIL	M	21.68	70.84	1,579.36	417.97	2,089.85
604b	METAL GUARD RAIL END PIECES	EACH	31.37	-	1,197.58	307.24	1,536.18
604d	STEEL POST OF METAL GUARD RAIL	EACH	95.54	976.73	3,776.31	1,212.14	6,060.72
605a	CONCRETE BEAM GUARD RAIL	M	87.33	30.82	593.52	177.92	889.59
605c	CONCRETE POST FOR GUARD RAIL	M	107.22	27.36	594.46	182.26	911.31
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	267.32	255.15	6,860.33	1,845.70	9,228.50
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	79.20	382.72	9,266.49	2,432.10	12,160.52
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	267.32	541.89	11,900.70	3,177.48	15,887.39
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	915.80	598.64	20,973.74	5,622.05	28,110.23
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	183.16	119.73	9,207.50	2,377.60	11,887.98
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	273.01	-	1,301.88	393.72	1,968.61
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	273.01	-	1,952.82	556.46	2,782.28
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.99	5.86	16.15	6.25	31.24
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.00	4.03	39.52	11.14	55.68
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.99	5.86	21.55	7.60	37.99

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sheikhpura

District Code: 61

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.00	4.03	52.71	14.43	72.17
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	75.54	5.22	156.03	59.20	295.98
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	75.54	9.98	498.02	145.89	729.43
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.73	8.59	22.46	8.70	43.48
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.73	9.63	67.50	20.22	101.09
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.73	6.95	29.95	10.16	50.79
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.73	9.63	90.01	25.84	129.21
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	75.54	3.73	216.89	74.04	370.19
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	75.54	7.90	851.20	233.66	1,168.29
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	63.59	3.73	104.02	42.83	214.17
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	63.59	7.90	332.52	101.00	505.00
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	63.59	3.73	144.59	52.98	264.88
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	63.59	7.90	568.32	159.95	799.76
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.96	81.62	193.87	71.36	356.81
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.96	81.62	233.87	81.36	406.80
610b	RIGHT OF WAY MARKER	EACH	123.88	121.33	304.75	137.49	687.44
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	718.34	976.31	2,051.53	936.54	4,682.71
610d	TEN KILOMETRE POST	EACH	1,379.56	1,952.61	4,498.24	1,957.60	9,788.00
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	152.09	91.00	957.26	300.09	1,500.44

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

SIALKOT

(63)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.91	10.10	-	2.75	13.76
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	8.70	173.32	1.17	45.80	228.99
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	25.71	456.54	2.63	121.22	606.10
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	102.83	1,826.16	10.51	484.88	2,424.38
103	STRIPPING	CM	2.90	93.22	-	24.03	120.14
104	COMPACTION OF NATURAL GROUND	SM	0.41	9.91	0.76	2.77	13.84
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	4.31	135.76	-	35.02	175.08
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	138.22	316.30	50.82	126.34	631.68
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	19.96	337.99	-	89.49	447.44
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	12.93	262.40	-	68.83	344.16
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.52	120.27	-	30.95	154.74
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	138.22	316.30	50.82	126.34	631.68
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	21.93	316.03	-	84.49	422.45
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	10.01	263.92	-	68.48	342.41
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	7.40	137.60	0.38	36.34	181.72
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	72.05	287.11	70.80	107.49	537.46
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	121.84	427.01	33.88	145.68	728.42
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	104.08	292.53	-	99.15	495.77
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	62.66	238.86	-	75.38	376.91
107d	GRANULAR BACK FILL	CM	40.21	137.14	439.19	154.14	770.68
107e	COMMON BACK FILL	CM	32.19	62.84	5.09	25.03	125.15
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	7.57	174.71	5.09	46.84	234.22
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	23.06	482.48	54.04	139.90	699.48
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	17.30	416.71	2.42	109.11	545.53
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	15.38	369.34	-	96.18	480.90
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	8.94	177.46	7.94	48.58	242.92
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.88	76.32	5.09	22.07	110.36
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	16.73	110.29	3.03	32.51	162.56
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.54	27.34	1.46	7.58	37.92

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	1.10	18.21	0.77	5.02	25.10
110	IMPROVED SUB-GRADE	CM	11.34	120.02	58.10	47.37	236.83
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.97	15.26	0.79	4.25	21.27
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.42	15.57	0.90	4.47	22.35
201	GRANULAR SUB-BASE	CM	9.00	255.06	682.93	236.75	1,183.73
202	AGGREGATE BASE	CM	10.17	326.54	921.81	314.63	1,573.16
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	90.15	1,510.17	6,224.72	1,956.26	9,781.30
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	92.65	1,510.17	6,619.89	2,055.68	10,278.38
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	98.92	1,577.28	6,216.05	1,973.06	9,865.32
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	98.92	1,571.31	6,761.89	2,108.03	10,540.14
204b	CEMENT STABILIZED BASE	CM	32.10	569.10	1,405.75	501.74	2,508.70
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	267.33	915.38	50,795.76	12,994.62	64,973.08
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	267.33	915.38	49,217.63	12,600.08	63,000.42
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	124.18	112.80	1,304.50	385.37	1,926.85
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	176.88	2,437.94	5,996.89	2,152.93	10,764.64
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	138.16	126.27	928.99	298.35	1,491.77
207a	DEEP PATCHING (0-15 cm)	SM	1.93	45.04	1.26	12.06	60.28
207b	DEEP PATCHING (16-30 cm)	SM	1.93	39.67	1.26	10.71	53.57
208	REINSTATEMENT OF ROAD SURFACE	SM	2.03	57.10	0.56	14.92	74.62
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	2.15	110.61	0.68	28.36	141.80
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.43	22.12	0.14	5.67	28.36
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.33	1.57	36.05	9.49	47.44
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.31	1.57	40.24	10.53	52.66
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	15.09	3.95	19.75
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.13	0.58	17.60	4.58	22.89
304a	SINGLE SURFACE TREATMENT	SM	0.84	7.57	73.46	20.47	102.35
304b	DOUBLE SURFACE TREATMENT	SM	1.22	14.15	144.33	39.93	199.63
304c	TRIPLE SURFACE TREATMENT	SM	2.05	19.94	164.84	46.71	233.53
304d	SEAL COAT	SM	0.77	4.12	51.40	14.07	70.37

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	82.68	1,489.33	7,222.48	2,198.62	10,993.11
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	82.68	1,438.23	7,772.17	2,323.27	11,616.35
307a	DENSE GRADED HOT BIT-MAC	CM	206.68	379.77	5,975.22	1,640.42	8,202.09
307b	OPEN GRADED HOT BIT-MAC	CM	206.68	379.77	5,845.23	1,607.92	8,039.61
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	34.35	590.65	2,092.90	679.47	3,397.37
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	29.41	650.70	42,808.48	10,872.15	54,360.74
309a	COLD MILLING, 0 - 30 mm	SM	1.06	24.99	8.68	8.68	43.41
309b	COLD MILLING, 0 - 50 mm	SM	1.76	41.65	14.46	14.47	72.34
309c	COLD MILLING, 0 - 70 mm	SM	2.64	62.48	21.69	21.70	108.51
401a1i	CONCRETE CLASS "A1" (Underground)	CM	606.72	1,059.94	4,410.37	1,519.26	7,596.29
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	606.72	1,059.94	4,687.85	1,588.63	7,943.13
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	606.72	1,059.94	5,242.79	1,727.36	8,636.81
401a2i	CONCRETE CLASS "A2" (Underground)	CM	606.72	1,059.94	4,788.37	1,613.76	8,068.79
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	606.72	1,059.94	5,065.85	1,683.13	8,415.63
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	606.72	1,059.94	5,620.79	1,821.86	9,109.31
401a3i	CONCRETE CLASS "A3" (Underground)	CM	606.72	1,059.94	5,166.37	1,708.26	8,541.29
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	606.72	1,059.94	5,443.85	1,777.63	8,888.13
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	606.72	1,059.94	5,998.79	1,916.36	9,581.81
401b	CONCRETE CLASS "B"	CM	797.42	805.93	3,717.25	1,330.15	6,650.75
401ci	CONCRETE CLASS "C" (Underground)	CM	621.50	500.55	4,066.08	1,297.03	6,485.16
401cii	CONCRETE CLASS "C" (On ground)	CM	621.50	500.55	4,184.43	1,326.62	6,633.09
401ciii	CONCRETE CLASS "C" (Elevated)	CM	621.50	500.55	4,421.11	1,385.79	6,928.94
401d	CONCRETE CLASS "D1"	CM	942.72	1,265.57	5,715.92	1,981.05	9,905.25
401e	CONCRETE CLASS "Y"	CM	1,339.93	500.55	5,144.84	1,746.33	8,731.64
401f	LEAN CONCRETE	CM	554.74	507.52	2,990.28	1,013.14	5,065.68
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	2,172.04	947.15	5,448.97	2,142.04	10,710.21
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	2,172.04	947.15	6,204.97	2,331.04	11,655.21
401gii	PRECAST CONCRETE CLASS "B"	CM	2,172.04	947.15	5,272.89	2,098.02	10,490.10
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	2,172.04	947.15	6,582.97	2,425.54	12,127.71

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	2,172.04	947.15	6,960.97	2,520.04	12,600.21
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	2,172.04	947.15	7,338.97	2,614.54	13,072.71
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,774.45	781.47	59,888.00	15,610.98	78,054.90
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,774.45	781.47	67,238.00	17,448.48	87,242.40
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,447.70	5,393.81	56,113.43	15,738.74	78,693.69
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	3,514.66	15,659.05	132,561.61	37,933.83	189,669.15
405b	LAUNCHING OF GIRDER	TON	84.59	532.52	-	154.28	771.39
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.00	-	290.88	106.72	533.61
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	136.00	-	290.92	106.73	533.65
406c	STEEL EXPANSION JOINTS	KG	11.01	26.40	91.04	32.11	160.56
406d	WATER STOPS 6" SIZE	M	112.27	-	470.76	145.76	728.79
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.54	2.68
406f	ASPHALT FELT (3 PLY)	SM	53.15	-	2,940.21	748.34	3,741.70
406g	STEEL OR METAL BEARING DEVICES	KG	24.14	69.68	116.97	52.70	263.49
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	462.39	1,654.04	714.67	707.78	3,538.88
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	693.58	2,481.06	1,072.01	1,061.66	5,308.32
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	693.58	2,481.06	811.81	996.61	4,983.07
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	1,155.97	4,135.11	986.99	1,569.52	7,847.58
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	990.83	4,884.94	1,161.15	1,759.23	8,796.15
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,733.95	6,909.78	1,274.60	2,479.58	12,397.90
407h	PILE LOAD TEST UP TO 120 TON	EACH	30,763.68	45,769.30	93,107.26	42,410.06	212,050.31
407i	PILE LOAD TEST UP TO 240 TON	EACH	58,336.08	45,769.30	186,214.52	72,579.98	362,899.88
407j	PILE LOAD TEST UP TO 360 TON	EACH	85,908.48	50,188.38	279,321.78	103,854.66	519,273.31
407k	CONFIRMATORY BORING (NX SIZE)	M	275.34	1,582.02	6.37	465.93	2,329.66
410	BRICK WORK	CM	441.37	282.72	3,074.61	949.68	4,748.39
411a	STONE MASONRY RANDOM DRY	CM	368.80	107.96	660.97	284.43	1,422.16
411b	STONE MASONRY RANDOM WITH MORTAR	CM	397.52	166.68	1,888.06	613.07	3,065.33
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	487.52	107.96	730.94	331.60	1,658.02
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	575.59	166.68	1,918.89	665.29	3,326.45

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	95.32	11.74	47.11	38.54	192.72
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	784.30	264.08	1,824.08	718.12	3,590.58
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	298.80	437.48	649.67	346.49	1,732.44
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	293.22	577.19	841.70	428.03	2,140.13
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	277.93	935.96	1,013.77	556.92	2,784.58
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	294.44	1,146.39	1,565.93	751.69	3,758.45
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	336.52	1,078.41	2,209.00	905.99	4,529.93
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	413.88	1,331.30	3,629.37	1,343.64	6,718.19
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	535.61	1,481.41	4,695.26	1,678.07	8,390.34
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	629.86	1,798.85	5,982.60	2,102.83	10,514.15
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	747.28	2,098.66	9,234.87	3,020.20	15,101.01
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	298.80	507.33	674.31	370.11	1,850.55
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	293.22	577.19	788.71	414.78	2,073.90
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	271.03	935.96	964.62	542.90	2,714.52
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	294.44	1,146.39	1,598.92	759.94	3,799.69
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	336.52	1,078.41	3,035.56	1,112.62	5,563.12
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	413.88	1,331.30	4,455.37	1,550.14	7,750.69
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	535.61	1,481.41	6,217.44	2,058.61	10,293.07
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	629.86	1,798.85	8,428.81	2,714.38	13,571.91
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	747.28	2,098.66	11,850.61	3,674.14	18,370.70
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	112.29	118.93	326.67	139.47	697.35
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	891.99	612.95	4,067.25	1,393.05	6,965.23
507a	STEEL WIRE MESH FOR GABIONS	KG	6.18	-	117.08	30.81	154.07
507b	ROCK FILL IN GABIONS	CM	125.27	-	528.43	163.43	817.13
508a	BRICK PAVING (SINGLE COURSE)	SM	146.60	32.70	228.61	101.98	509.88
508b	BRICK PAVING (DOUBLE COURSE)	SM	265.31	32.70	454.28	188.07	940.37
509a	RIP RAP CLASS "A"	CM	636.13	-	566.16	300.57	1,502.87
509b	RIP RAP CLASS "B"	CM	616.13	-	561.63	294.44	1,472.21
509c	RIP RAP CLASS "C"	CM	621.95	-	566.16	297.03	1,485.14

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	778.00	102.14	2,068.30	737.11	3,685.55
509e	GRouted RIP RAP CLASS "B"	CM	752.60	81.72	1,907.68	685.50	3,427.49
509f	GRouted RIP RAP CLASS "C"	CM	745.88	68.10	1,960.08	693.51	3,467.57
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	1,024.02	353.02	4,603.97	1,495.26	7,476.28
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	62.07	191.97	438.95	173.25	866.25
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	144.85	390.69	-	133.89	669.43
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	197.02	67.48	92.00	89.12	445.61
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	252.18	86.37	117.76	114.08	570.39
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	322.64	180.32	408.72	227.92	1,139.60
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	403.30	225.40	510.90	284.90	1,424.50
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	321.76	572.25	2,451.98	836.50	4,182.48
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	1,189.53	670.54	4,313.10	1,543.29	7,716.46
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	173.38	90.27	478.18	185.45	927.27
603	BRICK EDGING	M	11.36	-	36.48	11.96	59.80
604a	METAL GUARD RAIL	M	23.61	70.84	1,492.92	396.84	1,984.22
604b	METAL GUARD RAIL END PIECES	EACH	34.30	-	1,138.10	293.10	1,465.50
604d	STEEL POST OF METAL GUARD RAIL	EACH	103.91	976.73	3,566.86	1,161.87	5,809.37
605a	CONCRETE BEAM GUARD RAIL	M	97.14	30.82	608.31	184.07	920.34
605c	CONCRETE POST FOR GUARD RAIL	M	119.27	27.36	612.20	189.71	948.55
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	297.51	255.15	6,890.36	1,860.75	9,303.76
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	90.34	382.72	9,341.60	2,453.67	12,268.33
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	297.51	541.89	12,027.84	3,216.81	16,084.03
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	1,013.02	598.64	21,166.12	5,694.45	28,472.24
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	202.60	119.73	9,249.35	2,392.92	11,964.61
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	303.00	-	1,302.68	401.42	2,007.09
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	303.00	-	1,954.01	564.25	2,821.27
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.33	5.86	16.15	6.34	31.68
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	1.11	4.03	39.58	11.18	55.90
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.33	5.86	21.56	7.69	38.43

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Sialkot

District Code: 63

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	1.11	4.03	52.79	14.48	72.41
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	85.84	5.22	156.09	61.79	308.93
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	85.84	9.98	498.75	148.64	743.21
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	4.17	8.59	22.47	8.81	44.03
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	4.17	9.63	67.50	20.33	101.63
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	4.17	6.95	29.96	10.27	51.34
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	4.17	9.63	90.01	25.95	129.75
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	85.84	3.73	216.95	76.63	383.14
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	85.84	7.90	851.20	236.23	1,181.17
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	72.05	3.73	104.06	44.96	224.79
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	72.05	7.90	333.00	103.24	516.19
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	72.05	3.73	144.63	55.10	275.51
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	72.05	7.90	568.32	162.07	810.34
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	11.53	81.62	194.05	71.80	359.00
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	11.53	81.62	234.05	81.80	408.99
610b	RIGHT OF WAY MARKER	EACH	136.90	121.33	318.60	144.21	721.04
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	804.73	976.31	2,170.66	987.92	4,939.61
610d	TEN KILOMETRE POST	EACH	1,540.53	1,952.61	4,729.85	2,055.75	10,278.74
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	169.84	91.00	962.71	305.89	1,529.43

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

TOBA TEK SINGH
(69)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.73	10.10	-	2.71	13.54
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	7.13	173.32	1.17	45.41	227.03
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	20.79	456.54	2.63	119.99	599.94
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	83.14	1,826.16	10.51	479.95	2,399.76
103	STRIPPING	CM	2.39	93.22	-	23.90	119.51
104	COMPACTION OF NATURAL GROUND	SM	0.34	9.91	0.76	2.75	13.76
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.95	135.76	-	34.93	174.64
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	119.69	316.30	50.82	121.70	608.51
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	16.86	337.99	-	88.71	443.57
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	10.97	262.40	-	68.34	341.71
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	3.23	120.27	-	30.88	154.38
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	119.69	316.30	50.82	121.70	608.51
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	19.05	316.03	-	83.77	418.85
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	8.47	263.92	-	68.10	340.50
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	6.51	137.60	0.38	36.12	180.62
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	61.58	287.11	70.80	104.87	524.37
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	105.84	427.01	33.88	141.68	708.42
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	90.08	292.53	-	95.65	478.27
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	54.43	238.86	-	73.32	366.62
107d	GRANULAR BACK FILL	CM	33.51	137.14	469.98	160.16	800.79
107e	COMMON BACK FILL	CM	25.63	62.84	5.09	23.39	116.95
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	6.50	174.71	5.09	46.58	232.88
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	19.43	482.48	54.04	138.99	694.94
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	14.57	416.71	2.42	108.42	542.12
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	12.95	369.34	-	95.57	477.87
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	7.55	177.46	7.94	48.24	241.19
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.86	76.32	5.09	21.82	109.08
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	13.92	110.29	3.03	31.81	159.05
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.32	27.34	1.46	7.53	37.64

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.93	18.21	0.77	4.98	24.90
110	IMPROVED SUB-GRADE	CM	9.57	120.02	54.29	45.97	229.84
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.80	15.26	0.79	4.21	21.07
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.18	15.57	0.90	4.41	22.06
201	GRANULAR SUB-BASE	CM	7.66	255.06	682.70	236.35	1,181.77
202	AGGREGATE BASE	CM	8.93	326.54	862.13	299.40	1,497.00
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	73.10	1,510.17	6,059.12	1,910.60	9,552.98
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	75.42	1,510.17	6,455.60	2,010.30	10,051.48
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	80.49	1,577.28	6,049.84	1,926.90	9,634.52
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	80.49	1,571.31	6,599.03	2,062.71	10,313.53
204b	CEMENT STABILIZED BASE	CM	27.68	569.10	1,205.69	450.62	2,253.08
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	227.54	915.38	51,277.53	13,105.11	65,525.56
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	227.54	915.38	49,699.40	12,710.58	63,552.90
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	97.70	112.80	1,080.36	322.71	1,613.57
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	146.17	2,437.94	5,778.31	2,090.60	10,453.02
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	108.57	126.27	851.93	271.70	1,358.48
207a	DEEP PATCHING (0-15 cm)	SM	1.63	45.04	1.26	11.98	59.91
207b	DEEP PATCHING (16-30 cm)	SM	1.63	39.67	1.26	10.64	53.20
208	REINSTATEMENT OF ROAD SURFACE	SM	1.76	57.10	0.56	14.86	74.28
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.86	110.61	0.68	28.29	141.44
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.37	22.12	0.14	5.66	28.29
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.28	1.57	36.39	9.56	47.81
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.27	1.57	40.62	10.62	53.09
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	15.23	3.98	19.90
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.11	0.58	17.77	4.62	23.08
304a	SINGLE SURFACE TREATMENT	SM	0.73	7.57	73.12	20.36	101.78
304b	DOUBLE SURFACE TREATMENT	SM	1.06	14.15	142.43	39.41	197.06
304c	TRIPLE SURFACE TREATMENT	SM	1.79	19.94	162.58	46.08	230.38
304d	SEAL COAT	SM	0.68	4.12	51.57	14.09	70.47

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	67.92	1,489.33	7,064.18	2,155.36	10,776.79
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	67.92	1,438.23	7,614.11	2,280.06	11,400.32
307a	DENSE GRADED HOT BIT-MAC	CM	168.46	379.77	5,848.46	1,599.17	7,995.86
307b	OPEN GRADED HOT BIT-MAC	CM	168.46	379.77	5,692.29	1,560.13	7,800.65
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	28.24	590.65	2,061.63	670.13	3,350.64
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	24.65	650.70	43,304.56	10,994.98	54,974.89
309a	COLD MILLING, 0 - 30 mm	SM	0.91	24.99	8.68	8.64	43.22
309b	COLD MILLING, 0 - 50 mm	SM	1.52	41.65	14.46	14.41	72.04
309c	COLD MILLING, 0 - 70 mm	SM	2.28	62.48	21.69	21.61	108.06
401a1i	CONCRETE CLASS "A1" (Underground)	CM	524.05	1,059.94	4,224.09	1,452.02	7,260.10
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	524.05	1,059.94	4,501.56	1,521.39	7,606.94
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	524.05	1,059.94	5,056.51	1,660.12	8,300.62
401a2i	CONCRETE CLASS "A2" (Underground)	CM	524.05	1,059.94	4,602.09	1,546.52	7,732.60
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	524.05	1,059.94	4,879.56	1,615.89	8,079.44
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	524.05	1,059.94	5,434.51	1,754.62	8,773.12
401a3i	CONCRETE CLASS "A3" (Underground)	CM	524.05	1,059.94	4,980.09	1,641.02	8,205.10
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	524.05	1,059.94	5,257.56	1,710.39	8,551.94
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	524.05	1,059.94	5,812.51	1,849.12	9,245.62
401b	CONCRETE CLASS "B"	CM	671.82	805.93	3,474.16	1,237.98	6,189.88
401ci	CONCRETE CLASS "C" (Underground)	CM	522.84	500.55	3,814.95	1,209.58	6,047.92
401cii	CONCRETE CLASS "C" (On ground)	CM	522.84	500.55	3,933.29	1,239.17	6,195.84
401ciii	CONCRETE CLASS "C" (Elevated)	CM	522.84	500.55	4,169.98	1,298.34	6,491.70
401d	CONCRETE CLASS "D1"	CM	821.89	1,265.57	5,539.72	1,906.79	9,533.97
401e	CONCRETE CLASS "Y"	CM	1,158.73	500.55	4,987.97	1,661.81	8,309.05
401f	LEAN CONCRETE	CM	448.56	507.52	2,746.88	925.74	4,628.70
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,802.03	947.15	5,249.44	1,999.65	9,998.26
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,802.03	947.15	6,005.44	2,188.65	10,943.26
401gii	PRECAST CONCRETE CLASS "B"	CM	1,802.03	947.15	5,011.67	1,940.21	9,701.06
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,802.03	947.15	6,383.44	2,283.15	11,415.76

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,802.03	947.15	6,761.44	2,377.65	11,888.26
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,802.03	947.15	7,139.44	2,472.15	12,360.76
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,576.72	781.47	59,888.00	15,561.55	77,807.74
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,576.72	781.47	67,238.00	17,399.05	86,995.24
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,270.16	5,393.81	55,854.51	15,629.62	78,148.11
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,674.61	15,659.05	132,555.40	37,722.27	188,611.33
405b	LAUNCHING OF GIRDER	TON	63.03	532.52	-	148.89	744.45
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.03	-	296.27	103.32	516.62
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	117.03	-	295.90	103.23	516.16
406c	STEEL EXPANSION JOINTS	KG	9.46	26.40	90.64	31.62	158.12
406d	WATER STOPS 6" SIZE	M	96.39	-	469.41	141.45	707.26
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.02	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	43.56	-	2,958.56	750.53	3,752.66
406g	STEEL OR METAL BEARING DEVICES	KG	20.15	69.68	116.63	51.61	258.07
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	340.05	1,654.04	719.39	678.37	3,391.86
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	510.08	2,481.06	1,079.09	1,017.56	5,087.79
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	510.08	2,481.06	818.89	952.51	4,762.54
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	850.14	4,135.11	998.78	1,496.01	7,480.03
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	728.69	4,884.94	1,181.37	1,698.75	8,493.75
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,275.21	6,909.78	1,292.28	2,369.32	11,846.58
407h	PILE LOAD TEST UP TO 120 TON	EACH	24,258.76	45,769.30	97,394.62	41,855.67	209,278.35
407i	PILE LOAD TEST UP TO 240 TON	EACH	45,553.84	45,769.30	194,789.24	71,528.10	357,640.48
407j	PILE LOAD TEST UP TO 360 TON	EACH	66,848.92	50,188.38	292,183.86	102,305.29	511,526.46
407k	CONFIRMATORY BORING (NX SIZE)	M	205.00	1,582.02	6.37	448.35	2,241.74
410	BRICK WORK	CM	352.48	282.72	2,810.64	861.46	4,307.30
411a	STONE MASONRY RANDOM DRY	CM	294.36	107.96	537.13	234.86	1,174.32
411b	STONE MASONRY RANDOM WITH MORTAR	CM	317.63	166.68	1,715.50	549.95	2,749.77
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	388.22	107.96	597.18	273.34	1,366.71
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	458.42	166.68	1,748.59	593.42	2,967.11

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	75.97	11.74	46.29	33.50	167.50
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	622.87	264.08	1,653.78	635.18	3,175.92
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	236.37	437.48	648.15	330.50	1,652.50
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	231.19	577.19	839.87	412.06	2,060.31
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	222.38	935.96	1,011.64	542.50	2,712.48
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	234.43	1,146.39	1,563.44	736.07	3,680.33
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	269.16	1,078.41	2,206.51	888.52	4,442.61
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	332.92	1,331.30	3,625.77	1,322.50	6,612.49
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	430.84	1,481.41	4,691.68	1,650.98	8,254.90
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	506.54	1,798.85	5,978.25	2,070.91	10,354.55
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	601.47	2,098.66	9,229.79	2,982.48	14,912.41
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	236.37	507.33	671.26	353.74	1,768.71
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	231.19	577.19	786.88	398.81	1,994.07
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	217.06	935.96	962.49	528.88	2,644.38
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	234.43	1,146.39	1,596.98	744.45	3,722.26
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	269.16	1,078.41	3,032.79	1,095.09	5,475.46
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	332.92	1,331.30	4,451.77	1,529.00	7,644.99
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	430.84	1,481.41	6,213.86	2,031.52	10,157.62
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	506.54	1,798.85	8,424.46	2,682.46	13,412.32
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	601.47	2,098.66	11,845.54	3,636.42	18,182.09
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	90.31	118.93	385.13	148.59	742.96
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	758.71	612.95	3,824.16	1,298.95	6,494.76
507a	STEEL WIRE MESH FOR GABIONS	KG	5.36	-	114.07	29.86	149.29
507b	ROCK FILL IN GABIONS	CM	99.18	-	547.26	161.61	808.05
508a	BRICK PAVING (SINGLE COURSE)	SM	116.64	32.70	205.62	88.74	443.70
508b	BRICK PAVING (DOUBLE COURSE)	SM	210.50	32.70	407.82	162.75	813.77
509a	RIP RAP CLASS "A"	CM	507.03	-	442.33	237.34	1,186.69
509b	RIP RAP CLASS "B"	CM	490.17	-	438.79	232.24	1,161.20
509c	RIP RAP CLASS "C"	CM	494.45	-	442.33	234.19	1,170.97

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	619.99	102.14	1,914.01	659.04	3,295.18
509e	GRouted RIP RAP CLASS "B"	CM	599.16	81.72	1,757.54	609.60	3,048.02
509f	GRouted RIP RAP CLASS "C"	CM	593.16	68.10	1,807.82	617.27	3,086.34
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	823.32	353.02	4,373.94	1,387.57	6,937.85
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	49.31	191.97	469.95	177.81	889.04
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	107.47	390.69	-	124.54	622.71
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	157.25	67.48	71.88	74.15	370.75
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	201.28	86.37	92.00	94.91	474.56
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	257.43	180.32	387.06	206.20	1,031.02
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	321.79	225.40	483.82	257.75	1,288.77
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	277.90	572.25	2,355.17	801.33	4,006.64
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	988.38	670.54	4,214.94	1,468.46	7,342.32
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	143.50	90.27	457.62	172.85	864.23
603	BRICK EDGING	M	9.07	-	32.16	10.31	51.54
604a	METAL GUARD RAIL	M	18.28	70.84	1,579.36	417.12	2,085.60
604b	METAL GUARD RAIL END PIECES	EACH	24.90	-	1,197.58	305.62	1,528.09
604d	STEEL POST OF METAL GUARD RAIL	EACH	82.59	976.73	3,776.31	1,208.91	6,044.53
605a	CONCRETE BEAM GUARD RAIL	M	78.24	30.82	601.36	177.60	888.02
605c	CONCRETE POST FOR GUARD RAIL	M	96.06	27.36	603.75	181.79	908.97
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	244.32	255.15	6,872.20	1,842.92	9,214.59
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	71.17	382.72	9,303.66	2,439.39	12,196.94
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	244.32	541.89	11,964.33	3,187.63	15,938.17
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	812.15	598.64	21,076.46	5,621.82	28,109.08
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	162.43	119.73	9,238.14	2,380.08	11,900.38
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	271.29	-	1,304.69	394.00	1,969.98
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	271.29	-	1,957.04	557.08	2,785.42
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.68	5.86	16.17	6.18	30.88
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.89	4.03	39.69	11.15	55.76
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.68	5.86	21.57	7.53	37.63

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Toba Tek singh

District Code: 69

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.89	4.03	52.94	14.46	72.32
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	77.34	5.22	156.20	59.69	298.45
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	77.34	9.98	500.14	146.87	734.34
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	3.35	8.59	22.48	8.60	43.02
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	3.35	9.63	67.50	20.12	100.60
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	3.35	6.95	29.97	10.07	50.34
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	3.35	9.63	90.01	25.75	128.73
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	77.34	3.73	217.06	74.53	372.66
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	77.34	7.90	851.20	234.11	1,170.55
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	64.31	3.73	104.13	43.04	215.22
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	64.31	7.90	333.93	101.54	507.68
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	64.31	3.73	144.71	53.19	265.93
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	64.31	7.90	568.32	160.13	800.67
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	9.12	81.62	193.99	71.18	355.91
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	9.12	81.62	233.99	81.18	405.90
610b	RIGHT OF WAY MARKER	EACH	108.61	121.33	311.24	135.29	676.47
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	660.93	976.31	2,109.40	936.66	4,683.29
610d	TEN KILOMETRE POST	EACH	1,272.22	1,952.61	4,609.56	1,958.60	9,792.99
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	134.30	91.00	964.88	297.55	1,487.73

NATIONAL HIGHWAY AUTHORITY

COMPOSITE SCHEDULE OF RATES

January - 2009

VEHARI

(71)



SHABIR ASSOCIATES

Quantity Surveying & Construction Cost Consultants

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
101	CLEARING AND GRUBBING	SM	0.57	10.10	-	2.67	13.34
102a	REMOVAL OF TREES 150 - 300 mm GIRTH	EACH	5.75	173.32	1.17	45.06	225.30
102b	REMOVAL OF TREES 301 - 600 mm GIRTH	EACH	16.46	456.54	2.63	118.91	594.54
102c	REMOVAL OF TREES 601 mm OR OVER GIRTH	EACH	65.84	1,826.16	10.51	475.63	2,378.14
103	STRIPPING	CM	2.02	93.22	-	23.81	119.05
104	COMPACTION OF NATURAL GROUND	SM	0.29	9.91	0.76	2.74	13.70
106a	EXCAVATE UNSUITABLE COMMON MATERIAL	CM	3.61	135.76	-	34.84	174.20
106bi	EXCAVATE UNSUITABLE HARD ROCK MATERIAL	CM	105.01	316.30	50.82	118.03	590.17
106bii	EXCAVATE UNSUITABLE MEDIUM ROCK MATERIAL	CM	14.67	337.99	-	88.17	440.83
106biii	EXCAVATE UNSUITABLE SOFT ROCK MATERIAL	CM	9.71	262.40	-	68.03	340.13
106c	EXCAVATE SURPLUS COMMON MATERIAL	CM	2.95	120.27	-	30.80	154.02
106di	EXCAVATE SURPLUS HARD ROCK MATERIAL	CM	105.01	316.30	50.82	118.03	590.17
106dii	EXCAVATE SURPLUS MEDIUM ROCK MATERIAL	CM	16.72	316.03	-	83.19	415.93
106diii	EXCAVATE SURPLUS SOFT ROCK MATERIAL	CM	7.43	263.92	-	67.84	339.19
107a	STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.99	137.60	0.38	35.99	179.96
107b	STRUCTURAL EXCAVATION IN COMMON MATERIAL BELOW WATER LEVEL	CM	51.99	287.11	70.80	102.48	512.39
107ci	STRUCTURAL EXCAVATION IN HARD ROCK MATERIAL	CM	92.86	427.01	33.88	138.44	692.20
107cii	STRUCTURAL EXCAVATION IN MEDIUM ROCK MATERIAL	CM	78.80	292.53	-	92.83	464.16
107ciii	STRUCTURAL EXCAVATION IN SOFT ROCK MATERIAL	CM	47.76	238.86	-	71.66	358.28
107d	GRANULAR BACK FILL	CM	27.55	137.14	476.48	160.29	801.46
107e	COMMON BACK FILL	CM	19.91	62.84	5.09	21.96	109.79
108a	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN COMMON MATERIAL	CM	5.79	174.71	5.09	46.40	231.99
108bi	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN HARD ROCK MATERIAL	CM	16.76	482.48	54.04	138.32	691.60
108bii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN MEDIUM ROCK MATERIAL	CM	12.57	416.71	2.42	107.92	539.62
108biii	FORMATION OF EMBANKMENT FROM ROADWAY EXCAVATION IN SOFT ROCK MATERIAL	CM	11.17	369.34	-	95.13	475.64
108c	FORMATION OF EMBANKMENT FROM BORROW EXCAVATION IN COMMON MATERIAL	CM	6.58	177.46	7.94	47.99	239.97
108d	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN COMMON MATERIAL	CM	5.20	76.32	5.09	21.65	108.26
108e	FORMATION OF EMBANKMENT FROM STRUCTURAL EXCAVATION IN ANY TYPE OF ROCK MATERIAL	CM	11.90	110.29	3.03	31.30	156.52
109a	SUB GRADE PREPARATION IN EARTH CUT	SM	1.15	27.34	1.46	7.49	37.43

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
109bi	SUB GRADE PREPARATION IN EXISTING ROAD WITHOUT ANY FILL	SM	0.83	18.21	0.77	4.95	24.77
110	IMPROVED SUB-GRADE	CM	8.20	120.02	54.69	45.73	228.63
114a	DRESSING OF BERM WITHOUT EXTRA MATERIAL	SM	0.69	15.26	0.79	4.19	20.93
114b	DRESSING OF BERM WITH EXTRA BORROW MATERIAL	SM	1.04	15.57	0.90	4.38	21.88
201	GRANULAR SUB-BASE	CM	6.70	255.06	690.46	238.05	1,190.27
202	AGGREGATE BASE	CM	7.78	326.54	1,032.00	341.58	1,707.91
203a	ASPHALTIC BASE COURSE PLANT MIX (CLASS "A")	CM	58.65	1,510.17	6,257.69	1,956.63	9,783.13
203b	ASPHALTIC BASE COURSE PLANT MIX (CLASS "B")	CM	60.79	1,510.17	6,648.46	2,054.85	10,274.27
203c	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "A")	CM	65.40	1,577.28	6,248.57	1,972.81	9,864.07
203d	ASPHALTIC LEVELLING COURSE PLANT MIX (CLASS "B")	CM	65.40	1,571.31	6,792.37	2,107.27	10,536.35
204b	CEMENT STABILIZED BASE	CM	23.66	569.10	1,370.17	490.73	2,453.67
204d	LIQUID ASPHALT FOR CURING SEAL, TYPE MC-250	TON	201.50	915.38	51,828.99	13,236.47	66,182.33
204e	EMULSIFIED ASPHALT FOR CURING SEAL, TYPE SS-1	TON	201.50	915.38	50,250.86	12,841.93	64,209.67
205a	GRADED CRUSHED AGGREGATE CRACK-RELIEF LAYER	CM	75.45	112.80	1,198.83	346.77	1,733.84
205b	ASPHALTIC OPEN-GRADED PLANT MIX CRACK-RELIEF LAYER	CM	121.29	2,437.94	5,962.14	2,130.34	10,651.72
206b	WATER BOUND MACADAM BASE WITH COARSE AGGREGATE CLASS B	CM	83.28	126.27	1,019.97	307.38	1,536.91
207a	DEEP PATCHING (0-15 cm)	SM	1.44	45.04	1.26	11.93	59.67
207b	DEEP PATCHING (16-30 cm)	SM	1.44	39.67	1.26	10.59	52.97
208	REINSTATEMENT OF ROAD SURFACE	SM	1.52	57.10	0.56	14.80	73.98
209a	BREAKING OF EXISTING ROAD PAVEMENT STRUCTURE	CM	1.76	110.61	0.68	28.26	141.31
209b	SCARIFICATION OF EXISTING ROAD PAVEMENT	SM	0.35	22.12	0.14	5.65	28.26
302a	CUT-BACK ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.24	1.57	36.78	9.65	48.25
302b	EMULSIFIED ASPHALT FOR BITUMINOUS PRIME COAT	SM	0.24	1.57	41.06	10.72	53.59
303a	CUT-BACK ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	15.39	4.02	20.09
303b	EMULSIFIED ASPHALT FOR BITUMINOUS TACK COAT	SM	0.10	0.58	17.96	4.66	23.30
304a	SINGLE SURFACE TREATMENT	SM	0.64	7.57	74.59	20.70	103.50
304b	DOUBLE SURFACE TREATMENT	SM	0.94	14.15	145.85	40.23	201.17
304c	TRIPLE SURFACE TREATMENT	SM	1.58	19.94	166.56	47.02	235.10
304d	SEAL COAT	SM	0.59	4.12	52.49	14.30	71.51

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
305a	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "A")	CM	55.50	1,489.33	7,273.82	2,204.66	11,023.30
305b	ASPHALTIC CONCRETE FOR WEARING COURSE (CLASS "B")	CM	55.50	1,438.23	7,838.81	2,333.13	11,665.67
307a	DENSE GRADED HOT BIT-MAC	CM	134.79	379.77	6,046.31	1,640.22	8,201.09
307b	OPEN GRADED HOT BIT-MAC	CM	134.79	379.77	5,880.46	1,598.76	7,993.79
308a	RECYCLING OF ASPHALT CONCRETE (0 - 60 mm THICK)	CM	22.83	590.65	2,097.31	677.70	3,388.49
308b	BITUMEN BINDER GRADE (40 - 50, 60 - 70, 80 - 100)	TON	20.41	650.70	43,872.40	11,135.88	55,679.38
309a	COLD MILLING, 0 - 30 mm	SM	0.78	24.99	8.68	8.61	43.06
309b	COLD MILLING, 0 - 50 mm	SM	1.30	41.65	14.46	14.35	71.77
309c	COLD MILLING, 0 - 70 mm	SM	1.95	62.48	21.69	21.53	107.65
401a1i	CONCRETE CLASS "A1" (Underground)	CM	422.96	1,059.94	4,273.83	1,439.18	7,195.91
401a1ii	CONCRETE CLASS "A1" (On ground)	CM	422.96	1,059.94	4,551.30	1,508.55	7,542.75
401a1iii	CONCRETE CLASS "A1" (Elevated)	CM	422.96	1,059.94	5,106.25	1,647.29	8,236.43
401a2i	CONCRETE CLASS "A2" (Underground)	CM	422.96	1,059.94	4,651.83	1,533.68	7,668.41
401a2ii	CONCRETE CLASS "A2" (On ground)	CM	422.96	1,059.94	4,929.30	1,603.05	8,015.25
401a2iii	CONCRETE CLASS "A2" (Elevated)	CM	422.96	1,059.94	5,484.25	1,741.79	8,708.93
401a3i	CONCRETE CLASS "A3" (Underground)	CM	422.96	1,059.94	5,029.83	1,628.18	8,140.91
401a3ii	CONCRETE CLASS "A3" (On ground)	CM	422.96	1,059.94	5,307.30	1,697.55	8,487.75
401a3iii	CONCRETE CLASS "A3" (Elevated)	CM	422.96	1,059.94	5,862.25	1,836.29	9,181.43
401b	CONCRETE CLASS "B"	CM	547.87	805.93	3,509.77	1,215.89	6,079.46
401ci	CONCRETE CLASS "C" (Underground)	CM	412.82	500.55	3,879.07	1,198.11	5,990.55
401cii	CONCRETE CLASS "C" (On ground)	CM	412.82	500.55	3,997.42	1,227.69	6,138.47
401ciii	CONCRETE CLASS "C" (Elevated)	CM	412.82	500.55	4,234.10	1,286.87	6,434.33
401d	CONCRETE CLASS "D1"	CM	653.91	1,265.57	5,584.47	1,875.99	9,379.93
401e	CONCRETE CLASS "Y"	CM	912.52	500.55	5,038.72	1,612.95	8,064.73
401f	LEAN CONCRETE	CM	350.00	507.52	2,782.44	909.99	4,549.95
401gi(1)	PRECAST CONCRETE CLASS "A-1"	CM	1,394.17	947.15	5,305.15	1,911.62	9,558.09
401gi(3)	PRECAST CONCRETE CLASS "A-3"	CM	1,394.17	947.15	6,061.15	2,100.62	10,503.09
401gii	PRECAST CONCRETE CLASS "B"	CM	1,394.17	947.15	5,057.18	1,849.62	9,248.12
401giii(1)	PRECAST CONCRETE CLASS "D1"	CM	1,394.17	947.15	6,439.15	2,195.12	10,975.59

CSR - January 2009
Construction

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
401giii(2)	PRECAST CONCRETE CLASS "D2"	CM	1,394.17	947.15	6,817.15	2,289.62	11,448.09
401giii(3)	PRECAST CONCRETE CLASS "D3"	CM	1,394.17	947.15	7,195.15	2,384.12	11,920.59
404a	REINFORCEMENT AS PER AASHTO M. 31 GRADE 40	TON	1,266.85	781.47	59,358.00	15,351.58	76,757.90
404b	REINFORCEMENT AS PER AASHTO M. 31 GRADE 60	TON	1,266.85	781.47	66,708.00	17,189.08	85,945.40
404h	REINFORCEMENT (STRUCTURAL SHAPES) AS PER ASTM-A-36	TON	1,037.58	5,393.81	55,330.21	15,440.40	77,202.01
405a	PRE-STRESSING WIRE STRAND 3/8" - 1/2" DIA COMPLETE IN ALL RESPECT	TON	2,230.91	15,659.05	132,529.46	37,604.86	188,024.28
405b	LAUNCHING OF GIRDER	TON	51.92	532.52	-	146.11	730.55
406a	PREMOULDED JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	92.85	-	298.09	97.74	488.68
406b	NEOPRENE RUBBER JOINT FILLER 12 mm THICK WITH BITUMASTIC JOINT SEAL	SM	92.85	-	297.65	97.62	488.12
406c	STEEL EXPANSION JOINTS	KG	7.64	26.40	89.76	30.95	154.74
406d	WATER STOPS 6" SIZE	M	75.74	-	469.30	136.26	681.30
406e	ELASTOMERIC BEARING PADS (ACCORDING TO SIZE AND THICKNESS)	ccm	0.01	-	2.12	0.53	2.67
406f	ASPHALT FELT (3 PLY)	SM	33.85	-	2,967.06	750.23	3,751.13
406g	STEEL OR METAL BEARING DEVICES	KG	16.74	69.68	115.87	50.57	252.87
407d1	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN NORMAL SOIL	M	277.12	1,654.04	711.99	660.79	3,303.94
407d2	CAST IN PLACE CONCRETE PILES UP TO 0.76 M DIA (BORING ONLY) IN GRAVEL STRATA	M	415.68	2,481.06	1,067.99	991.18	4,955.91
407d3	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN NORMAL SOIL	M	415.68	2,481.06	807.79	926.13	4,630.66
407d4	CAST IN PLACE CONCRETE PILES 0.80 - 1.4 M DIA (BORING ONLY) IN GRAVEL STRATA	M	692.80	4,135.11	980.28	1,452.05	7,260.23
407d5	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN NORMAL SOIL	M	593.83	4,884.94	1,149.65	1,657.11	8,285.53
407d6	CAST IN PLACE CONCRETE PILES 1.5 -2.0 M DIA (BORING ONLY) IN GRAVEL SOIL	M	1,039.20	6,909.78	1,264.53	2,303.38	11,516.89
407h	PILE LOAD TEST UP TO 120 TON	EACH	18,589.43	45,769.30	90,962.70	38,830.36	194,151.80
407i	PILE LOAD TEST UP TO 240 TON	EACH	34,443.56	45,769.30	181,925.40	65,534.57	327,672.84
407j	PILE LOAD TEST UP TO 360 TON	EACH	50,297.69	50,188.38	272,888.10	93,343.54	466,717.72
407k	CONFIRMATORY BORING (NX SIZE)	M	160.17	1,582.02	6.37	437.14	2,185.69
410	BRICK WORK	CM	265.96	282.72	2,546.66	773.84	3,869.18
411a	STONE MASONRY RANDOM DRY	CM	228.89	107.96	780.93	279.45	1,397.23
411b	STONE MASONRY RANDOM WITH MORTAR	CM	246.12	166.68	1,910.58	580.85	2,904.23
411c	STONE MASONRY DRESSED UNCOURSED DRY	CM	298.59	107.96	860.50	316.76	1,583.81
411d	STONE MASONRY DRESSED UNCOURSED WITH MORTAR	CM	350.67	166.68	1,975.36	623.18	3,115.89

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
411g	ROLL POINTING	SM	56.56	11.74	45.48	28.45	142.23
412a	STONE MASONRY DRESSED COURSED WITH MORTAR	CM	472.83	264.08	1,880.56	654.37	3,271.84
501a	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 310 mm	M	182.13	437.48	646.62	316.56	1,582.80
501b	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 380 mm	M	177.35	577.19	838.04	398.15	1,990.73
501c	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 460 mm	M	175.43	935.96	1,009.51	530.23	2,651.13
501d	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 610 mm	M	183.51	1,146.39	1,560.95	722.71	3,613.56
501e	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 760 mm	M	211.73	1,078.41	2,204.02	873.54	4,367.70
501f	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 910 mm	M	262.88	1,331.30	3,622.17	1,304.09	6,520.45
501g	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1070 mm	M	340.20	1,481.41	4,688.09	1,627.43	8,137.13
501h	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1220 mm	M	400.80	1,798.85	5,973.90	2,043.39	10,216.94
501i	R.C.C PIPE CULVERT AASHTO M 170 CLASS II DIA 1520 mm	M	475.35	2,098.66	9,224.72	2,949.68	14,748.41
501j	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 310 mm	M	182.13	507.33	668.22	339.42	1,697.10
501k	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 380 mm	M	177.35	577.19	785.05	384.90	1,924.49
501l	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 460 mm	M	171.47	935.96	960.36	516.95	2,584.74
501m	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 610 mm	M	183.51	1,146.39	1,595.05	731.24	3,656.18
501n	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 760 mm	M	211.73	1,078.41	3,030.02	1,080.04	5,400.20
501o	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 910 mm	M	262.88	1,331.30	4,448.17	1,510.59	7,552.95
501p	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1070 mm	M	340.20	1,481.41	6,210.27	2,007.97	10,039.86
501q	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1220 mm	M	400.80	1,798.85	8,420.11	2,654.94	13,274.70
501r	R.C.C PIPE CULVERT AASHTO M 170 CLASS IV DIA 1520 mm	M	475.35	2,098.66	11,840.46	3,603.62	18,018.09
502a	GRANULAR MATERIAL IN BED TO CONCRETE PIPE CULVERT	CM	72.02	118.93	297.42	122.09	610.46
502b	CONCRETE CLASS "B" IN BEDDING AND ENCASEMENT OF CONCRETE PIPE CULVERT	CM	614.65	612.95	3,859.77	1,271.84	6,359.22
507a	STEEL WIRE MESH FOR GABIONS	KG	4.35	-	116.15	30.13	150.63
507b	ROCK FILL IN GABIONS	CM	77.39	-	539.58	154.24	771.21
508a	BRICK PAVING (SINGLE COURSE)	SM	88.57	32.70	176.54	74.45	372.26
508b	BRICK PAVING (DOUBLE COURSE)	SM	158.26	32.70	350.39	135.34	676.69
509a	RIP RAP CLASS "A"	CM	383.20	-	686.13	267.33	1,336.65
509b	RIP RAP CLASS "B"	CM	369.36	-	680.64	262.50	1,312.50
509c	RIP RAP CLASS "C"	CM	371.63	-	686.13	264.44	1,322.19

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
509d	GRouted RIP RAP CLASS "A"	CM	468.41	102.14	2,127.36	674.48	3,372.40
509e	GRouted RIP RAP CLASS "B"	CM	451.32	81.72	1,972.11	626.29	3,131.43
509f	GRouted RIP RAP CLASS "C"	CM	445.80	68.10	2,023.20	634.27	3,171.36
509g	REINFORCED CONCRETE SLOPE PROTECTION (WITHOUT REINFORCEMENT)	CM	631.19	353.02	4,407.80	1,348.00	6,740.02
509h	FILTER LAYER OF GRANULAR MATERIAL	CM	39.04	191.97	475.84	176.71	883.56
510	DISMANTLING OF STRUCTURE AND OBSTRUCTIONS	CM	83.71	390.69	-	118.60	593.00
511a1	DRY STONE PITCHING (15-20 cm Thick)	SM	121.18	67.48	111.50	75.04	375.19
511a2	DRY STONE PITCHING (21-25 cm Thick)	SM	155.11	86.37	142.71	96.05	480.25
511b1	GRouted STONE PITCHING (15-20 cm Thick)	SM	196.78	180.32	412.66	197.44	987.20
511b2	GRouted STONE PITCHING (21-25 cm Thick)	SM	245.97	225.40	515.83	246.80	1,234.00
601ai	CONCRETE KERB IN PLACE NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	224.30	572.25	2,381.13	794.42	3,972.10
601di	PRECAST REINFORCED CONCRETE KERB NEW JERSY BARRIER FOR MEDIAN (DOUBLE FACE)	M	765.20	670.54	4,232.89	1,417.16	7,085.78
601dii	PRECAST KERB IN CONCRETE CLASS A-1 OF SIZE 450 X 150 MM INCLUDING CONCRETE BEDDING & HAUNCHING	M	111.24	90.27	462.17	165.92	829.60
603	BRICK EDGING	M	7.09	-	27.84	8.73	43.66
604a	METAL GUARD RAIL	M	15.02	70.84	1,579.36	416.31	2,081.53
604b	METAL GUARD RAIL END PIECES	EACH	19.46	-	1,197.58	304.26	1,521.29
604d	STEEL POST OF METAL GUARD RAIL	EACH	69.19	976.73	3,776.31	1,205.56	6,027.79
605a	CONCRETE BEAM GUARD RAIL	M	59.52	30.82	601.24	172.90	864.49
605c	CONCRETE POST FOR GUARD RAIL	M	73.08	27.36	603.88	176.08	880.41
607a	TRAFFIC ROAD SIGN CATEGORY 1	EACH	193.41	255.15	6,883.95	1,833.13	9,165.64
607b	TRAFFIC ROAD SIGN CATEGORY 2	EACH	56.14	382.72	9,311.72	2,437.64	12,188.22
607c	TRAFFIC ROAD SIGN CATEGORY 3 (a)	EACH	193.41	541.89	11,975.34	3,177.66	15,888.29
607d	TRAFFIC ROAD SIGN CATEGORY 3 (b)	EACH	624.05	598.64	21,094.92	5,579.40	27,897.02
607e	TRAFFIC ROAD SIGN CATEGORY 3 (c)	SM	124.81	119.73	9,242.82	2,371.84	11,859.20
607f	ADDITIONAL PANEL SIZE 60 X 30 cm	EACH	225.80	-	1,305.20	382.75	1,913.76
607g	ADDITIONAL PANEL SIZE 90 X 30 cm	EACH	225.80	-	1,957.81	545.90	2,729.51
608b1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.25	5.86	16.17	6.07	30.34
608b2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	0.75	4.03	39.72	11.12	55.62
608c1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.25	5.86	21.57	7.42	37.10

**CSR - January 2009
Construction**

National Highway Authority
Islamabad

SHABIR ASSOCIATES
Quantity Surveying & Construction Cost Consultants

District: Vehari

District Code: 71

CODE	DESCRIPTION	UNIT	MANPOWER	EQUIPMENT	MATERIAL	OH-PROFIT	RATE
608c2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	0.75	4.03	52.98	14.44	72.19
608d1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	61.42	5.22	156.23	55.71	278.57
608d2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	61.42	9.98	500.54	142.98	714.92
608h1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 15 cm WIDTH	M	2.81	8.59	22.48	8.47	42.35
608h2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 15 cm WIDTH	M	2.81	9.63	67.50	19.99	99.93
608i1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR LINES OF 20 cm WIDTH	M	2.81	6.95	29.98	9.93	49.67
608i2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR LINES OF 20 cm WIDTH	M	2.81	9.63	90.01	25.61	128.06
608j1	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR 4.0 M ARROWS	EACH	61.42	3.73	217.09	70.56	352.78
608j2	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR 4.0 M ARROWS	EACH	61.42	7.90	851.20	230.13	1,150.64
608n1	PAVEMENT MARKING IN NON-REFLECTIVE CR PAINT FOR STOP	EACH	51.08	3.73	104.15	39.74	198.69
608n2	PAVEMENT MARKING IN NON-REFLECTIVE TP PAINT FOR STOP	EACH	51.08	7.90	334.20	98.29	491.46
608n3	PAVEMENT MARKING IN REFLECTIVE CR PAINT FOR STOP	EACH	51.08	3.73	144.72	49.88	249.41
608n4	PAVEMENT MARKING IN REFLECTIVE TP PAINT FOR STOP	EACH	51.08	7.90	568.32	156.82	784.12
609c	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - SINGLE)	EACH	7.59	81.62	193.93	70.79	353.93
609d	REFLECTORIZED PAVEMENT STUD (RAISED PROFILE TYPE - DOUBLE)	EACH	7.59	81.62	233.93	80.78	403.91
610b	RIGHT OF WAY MARKER	EACH	82.69	121.33	312.98	129.25	646.24
610c	KILOMETRE POST (0.610 X 0.114 X 1.5 M)	EACH	509.80	976.31	2,119.79	901.47	4,507.37
610d	TEN KILOMETRE POST	EACH	985.13	1,952.61	4,633.36	1,892.78	9,463.88
611a	CHAIN LINK WIRE FABRIC FENCING 1500 MM HEIGHT WITH PRECAST PRESTRESSED R.C.C. POST	M	106.59	91.00	966.70	291.07	1,455.37

